

medlab

DOCKET NO.  
PROPOSED NO.

(21) -35(44 FR 21023)



MAY 17 1979  
TP-810-1  
Podolak

May 10, 1979

chemistry

S. STEFAN BJORNSEN, M.D.  
P. JOHN PEGG, M.D.

Secretary of the Commission  
United States Nuclear Regulatory Commission  
Washington, D.C. 20555

cytology

A. CLINTON HEWES, M.D.  
FRANCIS P. PARKER, M.D.  
JAMES F. REAMER, M.D.

Attn: Docketting and Service Branch

RE: Petition of George B. Taplin, M.D. to amend the "Human Uses of By-Product Material", 10 CFR Part 35.

hematology

Dear Sir:

JOHN E. BENZEL, M.D.  
VINCENT DiDUCA, JR., M.D.  
JOHN J. EGAN, M.D.  
R. CURTIS MILLS, M.D.  
CHARLES M. SMITH, M.D.

I strongly concur with the petition of Dr. Taplin to remove the present limitations on the use of approved radiopharmaceuticals for non-listed indications. The use of the radiopharmaceutical in question, technetium 99m DTPA as an aerosol for lung ventilation scanning is quite cogent. This particular agent's use would obviate some of the most difficult problems in radiation control in nuclear medicine laboratories today that are continuing to utilize radioactive xenon as a ventilatory scanning agent. The radioactive gases require the most elaborate control systems in nuclear medicine laboratories to limit exposure to all concerned whereas the use of an aerosol markedly reduces this exposure and in particular practically eliminates the airborne contamination in the surrounding atmosphere.

It is extremely unlikely that the commercial manufacturer of the radiopharmaceutical will go to the time and expense for submitting an IND for this new application. Thus, under the present rules the chance for utilization of an improved methodology would be stifled.

microbiology

PARK W. HUNTINGTON, M.D.  
ROBERT C. KNOWLES, M.D.

nuclear medicine

ROBERT L. MECKELNBURG, M.D.  
VIDYA V. SAGAR, M.D.

pathology

PATRICK F. ASHLEY, M.D.  
JOSEPH V. CASELLA, M.D.  
ROBERT DICKERSON, M.D.

Sincerely,

cc: George V. Taplin, M.D.

Robert L. Meckelnburg, M.D.

RLM/nlb

309 309

Delaware Medical Laboratories, Inc. • (302) 994-5764

1 PIKE CREEK CENTER, WILMINGTON, DELAWARE 19808

Acknowledged by card... d/h 5122

7907090108