

50-320

Containment Temperature (Summary)

(6)

556139

7907130233

Containment Temperature

	<u>Elevation</u>	<u>Qt.</u>	<u>Temp (°F)</u>
4/18/79	353	11	84
@ 0200	353	12	84
	330	13	83
	330	14	83
	310	15	78
	310	16	76
4/19/79	353	11	91 F
	353	12	85
	330	13	89
	330	14	90
	310	15	88
	310	16	86
4/20/79 0300	353	11	93
	353	12	96
	330	13	94
	330	14	93
	310	15	96
	310	16	91
4/21/79 0500	353	11	95
	353	12	96
	330	13	95
	330	14	95
	310	15	98
	310	16	92

556140

CONTAINMENT TEMPERATURES

	<u>ELEVATION</u>	<u>PT #</u>	<u>TEMP (°F)</u>	
4/11/79	353	11	92.5	
	353	12	94.0	
	330	13	92.0	
	330	14	91.0	
	310	15	92.5	
	310	16	89.0	
4/12/79	353	11	87.8	
	353	12	88.4	
	330	13	85.6	
	330	14	85.9	
	310	15	82.3	
	310	16	76.7	
4/13/79	0400	353	11	90F
		353	12	91
		330	13	89
		330	14	88
		310	15	85
		310	16	82

556141

Containment Temperatures

	<u>Elevation</u>	<u>A #</u>	<u>Temp</u>
4/7/79	353	11	82
	353	12	83
	220	13	86
	330	14	93
	310	15	80
	310	16	76
4/8/79	353	11	80 °F
	353	12	82 °F
	220	13	82 °F
	330	14	81 °F
	310	15	77 °F
	310	16	74 °F
4/9/79	353	11	79.5 °F
	353	12	81 °F
	220	13	83.5 °F
	330	14	80.5 °F
	310	15	78.5 °F
	310	16	74 °F
4/10/79	353	11	84 °F
	353	12	85.5 °F
	220	13	81 °F
	330	14	81 °F
	310	15	76.2 °F
	310	16	72 °F

556142

CONTAINMENT TEMPERATURES

	<u>Elevation</u>	<u>Pt #</u>	<u>Temp</u>
4/3/79	353	11	87 °F
0345	353	12	89 °F
	220	13	91 °F
	330	14	88 °F
	310	15	88 °F
	310	16	81 °F

				<u>TIME</u>
4/4/79	353	11	84 °F	0330
	353	12	86 °F	0330
	220	13	87 °F	0330
	330	14	86 °F	0330
	310	15	84 °F	0330
	310	16	80 °F	0330

4/5/79	353	11	84 °F	0400
	353	12	84 °F	0400
	220	13	87 °F	0400
	330	14	84 °F	0400
	310	15	82 °F	0400
	310	16	77 °F	0400

4/6/79	353	11	82 °F	0400
	353	12	82 °F	0400
	220	13	82 °F	0400
	330	14	82 °F	0400
	310	15	79 °F	0400
	310	16	78 °F	0400

556143

Containment Temperatures

3/30
0730

Elevation	Pt [#]	Temp
353		96-97
330		96
310		90°F

60°F in basement
111-1114 in Primary Shield Arc
96° at letdown cooler

3/31
1340

353	11	93
353	12	93
220	13	96
330	14	93
310	15	89
310	16	86

3/4/1
0727

353	11	90
353	12	110
220	13	94
330	14	90
310	15	90
310	16	84

4/2
0640

353	11	84
353	12	82
220	13	97
330	14	88
310	15	90
310	16	82

556144