

Tua



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

May 29, 1979

Docket Nos. 50-295
and 50-304

Mr. Cordell Reed
Assistant Vice President
Commonwealth Edison Company
Post Office Box 767
Chicago, Illinois 60690

Dear Mr. Reed:

Enclosed for your information are errata to the staffs Safety Evaluation Environmental Impact Appraisal dated March 29, 1979, relating to your request to increase the storage capacity of the spent fuel storage pool at the Zion Station.

Sincerely,

A. Schwencer

A. Schwencer, Chief
Operating Reactors Branch #1
Division of Operating Reactors

Enclosure:
As Stated

426 358

3

7908020546

Mr. Cordell Reed
Commonwealth Edison Company

- 2 -

May 29, 1979

cc: Robert J. Vollen, Esquire
109 North Dearborn Street
Chicago, Illinois 60602

Dr. Cecil Lue-Hing
Director of Research and Development
Metropolitan Sanitary District
of Greater Chicago
100 East Erie Street
Chicago, Illinois 60611

Zion-Benton Public Library District
2600 Emmaus Avenue
Zion, Illinois 60099

Mr. Phillip P. Steptoe
Isham, Lincoln and Beale
Counselors at Law
One First National Plaza
42nd Floor
Chicago, Illinois 60603

Susan N. Sekuler, Esquire
Assistant Attorney General
Environmental Control Division
188 West Randolph Street, Suite 2315
Chicago, Illinois 60601

Dr. Linda W. Little
Research Triangle Institute
P. O. Box 12194
Research Triangle Park, N. C. 27709

Dr. Forrest J. Remick
305 East Hamilton Avenue
State College, Pennsylvania 16801

Rick Konter
617 Piper Lane
Lake Villa, Illinois 60046

426 359

ERRATA TO THE STAFF'S SAFETY EVALUATION (SE)
AND ENVIRONMENTAL IMPACT APPRAISAL (EIA)
DATED MARCH 29, 1979 REGARDING
THE PROPOSED EXPANSION OF THE
ZION STATION SPENT FUEL POOL CAPACITY

SE

1. Page 2-2, under "Parameter Change," item number 1, change "3.1" to read "3.2".
2. Page 2-5, the last paragraph, last line, change to read "spe. fuel handling tool over stored spent fuel."
3. Page 2-6, second paragraph, ninth line, change "five times as great" to read "three times as great."

EIA

1. Page 7-6, second paragraph, fifth line, after "level" add "at the start of the next operating cycle for each unit,".
2. Page 7-6, third paragraph, first line, change "322" to read "432."