

Facility: Fermi 2		Date of Exam: 6/17/19		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>		
Item Description	Initial					
	a	b*	c#			
1. Questions and answers are technically accurate and applicable to the facility.	SS	ck	JD			
2. a. NRC KIAs are referenced for all questions. b. Facility learning objectives are referenced as available. c. Correct answer explanation and distractor analysis provided (ES-401, D.2.g)	SS	ck	JD			
3. SRO questions are appropriate in accordance with Section D.2.d of ES-401	SS	ck	JD			
4. The sampling process was random and systematic. (If more than four RO or two SRO questions were repeated from the last two NRC licensing exams, consult the NRR/NRO OL program office).	SS	ck	JD			
5. Question duplication from the licensee screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate. ___ The audit exam was systematically and randomly developed, or <input checked="" type="checkbox"/> the audit exam was completed before the license exam was started, or ___ the examinations were developed independently, or ___ the licensee certifies that there is no duplication, or ___ other (explain).	SS	ck	JD			
6. Bank use meets limits (no more than 75% from the bank, at least 10% new, and the rest new or modified); enter the actual RO/SRO-only question distribution(s) at right.	Bank	Modified	New	—	—	—
	248/62	81/1	39/18	SS	ck	JD
7. Between 38 and 45 questions of the questions on the RO exam and at least 13 questions of the questions on the SRO-only portion of the exam are written at the comprehension/analysis level (see ES-401, D.2.c); enter the actual RO/SRO-only question distribution(s) at right.	Memory		C/A	—	—	—
	3319	42115		SS	ck	JD
8. References/handouts provided do not give away answers or aid in the elimination of distractors.	SS	ck	JD			
9. Question content conforms to specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.	SS	ck	JD			
10. Question psychometric quality and format meet the guidelines in Appendix B.	SS	ck	JD			
11. The exam contains the required number of one-point, multiple-choice items; the total is correct and agrees with the value on the cover sheet.	SS	ck	JD			
Printed Name/Signature			Date			
a. Author	Scott M. Schmeiss			4/4/19		
b. Facility Reviewer (*)	David H. Heunholtz			4/5/19		
c. NRC Chief Examiner (#)	Joseph DeMarshall			4/26/19		
d. NRC Regional Supervisor	RHEX A. Edwards			6/5/19		
Note: * The facility reviewer's initials or signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initials items in Column "c"; chief examiner concurrence is required.						