



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION IV
611 RYAN PLAZA DRIVE, SUITE 1000
ARLINGTON, TEXAS 76012

TIC

May 25, 1979

In Reply Refer To:
Docket No. 50-285/79-07

Omaha Public Power District
ATTN: Mr. T. E. Short,
Assistant General Manager
1623 Harney Street
Omaha, Nebraska 68102

Gentlemen:

This refers to the inspection conducted by Mr. D. L. Kelley of this office during the period April 30 - May 3, and May 5-10, 1979, of activities authorized by NRC Operating License DPR-40, and to his discussion of the findings with members of your staff at the conclusion of the inspection.

Principal area examined during the inspection was the follow-up on the licensee's response to IE Bulletin 79-06B.

Within the scope of this inspection, no items of noncompliance were identified.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and the enclosed inspection report will be placed in the NRC's Public Document Room. If this report contains any information that you or your contractors believe to be proprietary, it is necessary that you make a written application within 20 days to this office to withhold such information from public disclosure. Any such application must include a full statement of the reasons for which it is claimed that the information is proprietary, and should be prepared so that proprietary information identified in the application is contained in a separate part of the document. If we do not hear from you in this regard within the specified period, the report will be placed in the Public Document Room.

564 164

3

7908020102*

Omaha Public Power District

-2-

May 25, 1979

Should you have any questions concerning this inspection, we will be pleased to discuss them with you.

Sincerely,



G. L. Madsen, Chief,
Reactor Operations and
Nuclear Support Branch

Enclosure:

IE Inspection Report No. 50-285/79-07

cc w/enclosure

R. L. Andrews, Manager
Fort Calhoun Station
P. O. Box 98
Fort Clahoun, Nebraska 68023

564 155