

June 8, 1979

PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE--PNO-79-141

This preliminary notification constitutes EARLY notice of event of POSSIBLE safety or public interest significance. The information presented is as initially received without verification or evaluation and is basically all that is known by IE staff on this date.

Facility: Consumers Power Company, Midland Units 1 and 2

Midland, Michigan (DN 50-239 and DN 50-330)

Subject: PAPER IN CONTAINMENT SPRAY LINE

During an inspection, the resident inspector (following up a rumor) determined that during the week of May 21, 1979, a radiographer reviewing a radiograph for a weld in a vertical section of the 8" containment spray line, could not read the radiograph due to a fuzzy appearance. The pipe was cut out and a wad of paper, spherical in shape was found inside the pipe.

The licensee was unaware of the matter until today, and is currently reviewing the problem. Other acts of vandalism have occurred at the Midland site (See PNO-79-101 and PNO-79-129).

An investigation is being initiated by Region III.

RIII office was notified of this problem at 10:00 a.m. on June 7, 1979 by the resident inspector.

The licensee is considering the issuance of a press release. NRC does not plan to make a press release.

The State of Michigan is being notified. Congressman Dan Albosta's office is also being notified.

Contact: REShewmaker, IE x27551 GWReinmuth, IE x27551 HDThornburg, IE x28484

Distribution: Transmitted	H St 1.35	
Chairman Hendrie	Commissioner Bradford	S. J. Chilk, SECY
Commissioner Kennedy	Commissioner Ahearne	C. C. Kammerer, CA
Commissioner Gilinsky	ACRS	(For Distribution)
Transmitted: MNBB	P. Bldg 1.50	J. G. Davis, IE
L. V. Gossick, EDO	H. R. Denton, NRR	Region 144 / 155
H. L. Ornstein, EDO	R. C. DeYoung, NRR	
J. J. Fouchard, PA	R. J. Mattson, NRR	
N. M. Haller, MPA	V. Stello, NRR	(MAIL)
R. G. Ryan, OSP	R. S. Boyd, NRR	J. J. Cummings, OIA
H. K. Shapar, ELD	SS Bldg 2.05	R. Minogue, SD
	W. J. Dircks, NMSS	To Park Turk, The
	S. Levine, RES	

PRELIMINARY NOTIFICATION