



**Florida
Power**
CORPORATION

**NUCLEAR SUPPORT SERVICES
DEPARTMENT PROCEDURE**

NSSD -17 REV
DATE 12/20/79
PAGE 1 OF 10

TITLE:

OFFSITE RADIOLOGICAL SUPPORT PLAN

DRAFT

PREFACE

This plan will be reviewed at least once yearly to assure that it is up to date. The Manager of Offsite Radiological Support and the Nuclear General Review Committee will provide such a review and recommend changes as required.

The term "Offsite Radiological Emergency," when used in this plan, means the initiation of a Category I or II Radiation Emergency by the nuclear plant's Emergency Coordinator, or the Florida State Division of Health Radiological Duty Officer, due to a radiological occurrence that may be detrimental to public health.

INTRODUCTION

Offsite Radiological Emergencies can generate complex technical, legal, and public relations problems for the Company. It cannot be emphasized too strongly that the best way to handle offsite radiological emergencies is to prevent their occurrence. Good operating procedures and adequate equipment maintenance programs at the Nuclear Plant provide the best insurance against radiological emergencies.

If, in spite of the best care, an offsite radiological emergency should occur, it will require the immediate coordination of efforts of many Company departments and the assistance of outside agencies.

This Offsite Radiological Support Plan is designed to help Company personnel respond quickly and effectively due to implementation of a Category I or II onsite emergency. Its primary goal is to assist and support the Florida State Radiological Response teams in limiting the radiological effects to offsite personnel, damage to property, wildlife, or the ecology as the result of an onsite radiological emergency.

The Offsite Radiological Support Plan includes the lines of authority and descriptions of the duties that are to be discharged if an emergency occurs. This provides affected personnel with procedures for handling such duties effectively.

ALERT PROCEDURE

This Plan shall be initiated immediately after the Manager of Offsite Radiological Support, or his designated alternate, has received a REQUEST FOR OFFSITE RADIOLOGICAL ASSISTANCE from either the Emergency Coordinator or the Florida Division of Health, Health Physicist.

1654 340

NSSD-17(D75)

APPROVED BY:

APPROVED BY:


APPROVED BY:

DATE _____

DATE _____

DATE _____

7912310 536



TITLE:

OFFSITE RADIOLOGICAL SUPPORT PLAN

Normally, a REQUEST will be from the Florida Division of Health, Health Physicist, whereas a NOTIFICATION will come from the Emergency Coordinator.

The Manager of Offsite Radiological Support will notify the support plan personnel and request they report immediately to the Control Point. See Attachment 1 for personnel and phone numbers. Route of travel to or from the Control Point shall be designated by the Manager of Offsite Radiological Support. See Attachment 2 for possible routes of travel.

CONTROL POINT

The Florida Division of Health, Health Physicist will normally designate the Florida Power Corporation business office in Crystal River as the Control Point. This site consists of a permanently maintained facility with:

1. Power supply 110 VAC.
2. Potable water supply.
3. Telephone and radio hook-up facilities.
4. Sewage disposal facilities.

Depending on the magnitude of the offsite effects from a radiological accident, an advance control point, mobile or fixed (closer to or further from the accident site), may be made operational upon joint agreement between the Manager, Offsite Radiological Support, and the designated representative of the Florida Division of Health.

ACTION PROCEDURE

Action to protect the public and to control, contain, remove, and clean up offsite radioactive contamination is to begin as soon as possible. The responsibility for these actions rests with the Florida Division of Health. This agency will provide the necessary equipment and trained personnel to cope with the offsite emergency. Florida Power Corporation will assist as requested.

ADVANCE PREPARATIONS AND TRAINING


The State Division of Health is responsible for the technical aspects of the Radiological Response Plan and will require no technical assistance from Florida Power Corporation.

Florida Power Corporation will be responsible for public relations, legal, communications, and procurement, and no special training is required beyond their normal duty functions.

Heads of all departments likely to be involved in offsite radiological emergency operations are responsible for:

1. Advance assignment of personnel who might be needed in the event of an emergency.

1654 341



TITLE:

OFFSITE RADIOLOGICAL SUPPORT PLAN

2. Clear definition and distribution of duties of personnel in the event of an emergency.
3. Training and orientation of personnel with advance assignments.
4. Rotation of personnel if an emergency occurs, realizing that long-term radiological recovery operations may be necessary.

DRILLS

At least one drill annually, which shall be a joint drill with the Division of Health and the Nuclear Plant. Generating plant integrity and system load requirements shall be maintained, as specified in paragraph 7.3 of the Emergency Plan.

PUBLIC INFORMATION


No statements regarding the offsite radiological emergency operations will be made by any Company employee except as follows:

1. Immediately after executing the Offsite Radiological Support Plan, the Nuclear Plant Manager will be responsible for issuing simple statements of fact and no others.
2. As soon as possible after the Offsite Radiological Support Plan is executed, the Florida Power Corporation Public Information employee designated in the Offsite Radiological Support Plan will be the spokesman for the Company. (An exception to this are statements of a Regulatory nature required by the Emergency Coordinator, in accordance with Technical Specifications and On-Site Emergency Plan requirements.) All statements must be cleared through him or his alternate. (See Page 8, Duties and responsibilities of the Public Relations Representative.)
3. Before any detailed statements are issued regarding the support operations, the Public Information employee designated will clear any statements to be issued with the Florida Department of Health Coordinator, who will concur with the accuracy, completeness, and timeliness of the statements. (See Page 8, Duties and responsibilities of the Public Information Representative.)

DUTIES AND RESPONSIBILITIES OF OFFSITE SUPPORT TEAM MEMBERS

- A. Manager, Offsite Radiological Support, will:
 1. In conjunction with the Nuclear General Review Committee, provide a periodic review of the Company's Offsite Radiological Support Plan.
 2. Manage the Offsite Radiological Support operations of the Corporation.

1654 42



TITLE:

OFFSITE RADIOLOGICAL SUPPORT PLAN

3. Represent the Corporation in matters pertaining to the offsite effects of the radiological accident.
4. Establish communications with Onsite Emergency Coordinator.
5. Transport the aerial maps and meteorological-concentration overlays to the Control Point.

B. Public Information Representative will:

1. Set up communications facilities for news media.
2. Provide regular briefings to press and governmental officials.
3. Obtain approval of Manager, Offsite Radiological Support Operations, and Florida Department of Health, prior to any informational release to the public and communication's media concerning offsite activities, and approval of the Onsite Emergency Coordinator regarding onsite activities.
4. Transmit to corporate headquarters, all verbal and written statements given to news media or governmental officials as soon as practical.

Initial press statements should:

1. Give the name of the installation involved, the time of the accident, and any other facts that are not in dispute (such as the steps the Company and the Department of Health have taken to contain, control, or handle the emergency).


As the following information becomes available, press statements should:

1. Note that cleanup experts are (on) (being called to) the scene to supervise the operation.
2. Give the type of material released.
3. Report whether the material has been controlled.
4. Describe cleanup measures that have been taken and planned -- types and quantities of equipment being used and manpower involved.
5. Describe any special restrictions on local population.

No statements shall be made containing any of the following, unless cleared by corporate headquarters:

1. Speculations concerning liability for the release or its legal consequences.

1654 343




TITLE:

OFFSITE RADIOLOGICAL SUPPORT PLAN

2. Speculations regarding the cause of the release. An extended inquiry may be needed to determine the actual cause, and legal liability could be affected by what is said.
3. Estimates of damage.
4. Estimates of how long cleanup will take or of cleanup costs.
5. Promises that property, ecology, or anything else will be restored to normal.

If incorrect statements or unfounded speculations are published, the following steps are suggested:

1. Provide the source with correct information. Arrange for representatives to observe as much of the operations as possible to confirm Company's position.
 2. Avoid direct rebuttal of erroneous statements by scientists unless you use a comparable scientific source to back up any statement you make.
- C. Transportation Specialist will:
1. Provide transportation for persons and things as directed by the Manager, Offsite Radiological Support, or as requested by the designated representative of Florida Division of Health.
 2. Provide for maintenance and servicing, as needed, for vehicles owned, leased, or used under his supervision.
- D. Legal Representative will:
1. Provide legal services to the Manager, Offsite Radiological Support.
- E. Finance and Accounting Representative will:
1. Process vouchers and claims.
 2. Maintain records of expenditures and commitment of funds.
 3. Apply verbal commitment of funds only as authorized by the Manager of Offsite Radiological Support and/or the Director of Power Production.
 4. Disburse petty cash expenditures.
- F. Communications Engineer will:
1. Provide communications as directed by the Manager, Offsite Radiological Support or as requested by the designated representative of the Florida Department of Health.



TITLE:

OFFSITE RADIOLOGICAL SUPPORT PLAN

2. Provide the communications equipment and system provided elsewhere in this plan.
3. Maintain a chronological log of emergency events.
4. Provide for mobile and fixed power supplies as needed.

G. Procurement Specialist will:

1. Obtain and issue the equipment, supplies, and services directed by the Manager, Offsite Radiological Support or requested by the designated representative of the Florida Division of Health.
2. Provide for security of equipment, supplies, and facilities.
3. Maintain records on the issuance of equipment and supplies or contracted services.
4. Provide for the emergency feeding, housing, and clothing of evacuees as directed by the Manager, Offsite Radiological Support, or as requested by the designated representative of the Florida Division of Health.
5. Provide for a potable water supply, food, and sewage facilities for members of this emergency plan, and when requested, for Division of Health representatives.
6. Provide for housing of emergency team members listed herein and for Department of Health representatives, if requested.

H. Liaison Expediter will:


1. Maintain liaison between Control Point and corporate headquarters.
2. Assist the Manager, Offsite Radiological Support as directed.

I. Crystal River Office Manager will:

1. Assist the Manager, Offsite Radiological Support as directed, secure the control point upon notification and represent the corporation in matters pertaining to the offsite effects of the radiological accident until the Manager, Offsite Radiological Support arrives at the control point.

J. Insurance Representative will:

1. Notify the insurance company involved with Crystal River - Unit 3.
2. Receive and review claims pertaining to the offsite effects of a radiological emergency.



**Florida
Power**
CORPORATION

**NUCLEAR SUPPORT SERVICES
DEPARTMENT PROCEDURE**

NSSD -17 REV

DATE 12/20/79

PAGE 7 OF 10

TITLE:

OFFSITE RADIOLOGICAL SUPPORT PLAN

DURATION OF THE EMERGENCY

The offsite emergency shall exist until such time as the Division of Health certifies that offsite radioactive contamination constitutes no danger or hazard to the health and welfare of the public.

1654 346

FLORIDA POWER CORPORATION
OFFSITE RADIOLOGICAL SUPPORT PLAN
NOTIFICATION LIST

NSSD -17 Rev. _____
Date 12/20/79 _____
Page 8 of 10 _____

		PHONE NUMBERS	
		(Office)	(Home)
A.	<u>Manager, Offsite Rad Support</u>		
	Member P. Y. Baynard	813/866-4540	
	Alternate R. M. Bright	813/866-4283	
B.	<u>Public Relations Representative</u>		
	Member I. B. Lucas	813/866-4376	
	Alternate T. L. Smith	813/866-4374	
C.	<u>Transportation Specialist</u>		
	Member W. J. Sullivan	813/866-4680	
	Alternate J. L. Parker	813/893-9387 or x 129-337	
D.	<u>Legal Representative</u>		
	Member H. A. Evertz, III	813/866-5182	
	Alternate J. A. McGee	813/866-5184	
E.	<u>Finance and Accounting Representative</u>		
	Member R. R. Peyinghaus	813/866-5674	
	Alternate F. O. Hudson	813/866-5140	
F.	<u>Communications Engineer</u>		
	Member H. A. Hargrove	904/454-1406 or x 123-252	
	Alternate R. L. Feldhusen	813/893-9394	
G.	<u>Procurement Specialist</u>		
	Member G. Brill	813/866-5425	
	Alternate J. A. Baker	813/866-5762	
H.	<u>Liaison Expediter</u>		
	Member E. C. Simpson	813/866-4380	
	Alternate H. M. Pe y	813/866-4649	
I.	<u>Crystal River Office Manager</u>		
	Member W. D. Ward	904/ 95-3145 or x 123-227	
	Alternate L. D. Hurley	904/726-2461 or x 123-233	
J.	<u>Insurance Representative</u>		
	Member J. D. Freitag	813/866-4150	
	Alternate S. G. Webber	813/866-4319	



10	85	Shreve	48
11	86	Shreve	48
12	87	Shreve	48
13	88	Shreve	48
14	89	Shreve	48
15	90	Shreve	48
16	91	Shreve	48
17	92	Shreve	48
18	93	Shreve	48
19	94	Shreve	48
20	95	Shreve	48
21	96	Shreve	48
22	97	Shreve	48
23	98	Shreve	48
24	99	Shreve	48
25	100	Shreve	48
26	101	Shreve	48
27	102	Shreve	48
28	103	Shreve	48
29	104	Shreve	48
30	105	Shreve	48
31	106	Shreve	48
32	107	Shreve	48
33	108	Shreve	48
34	109	Shreve	48
35	110	Shreve	48
36	111	Shreve	48
37	112	Shreve	48
38	113	Shreve	48
39	114	Shreve	48
40	115	Shreve	48
41	116	Shreve	48
42	117	Shreve	48
43	118	Shreve	48
44	119	Shreve	48
45	120	Shreve	48
46	121	Shreve	48
47	122	Shreve	48
48	123	Shreve	48
49	124	Shreve	48
50	125	Shreve	48
51	126	Shreve	48
52	127	Shreve	48
53	128	Shreve	48
54	129	Shreve	48
55	130	Shreve	48
56	131	Shreve	48
57	132	Shreve	48
58	133	Shreve	48
59	134	Shreve	48
60	135	Shreve	48
61	136	Shreve	48
62	137	Shreve	48
63	138	Shreve	48
64	139	Shreve	48
65	140	Shreve	48
66	141	Shreve	48
67	142	Shreve	48
68	143	Shreve	48
69	144	Shreve	48
70	145	Shreve	48
71	146	Shreve	48
72	147	Shreve	48
73	148	Shreve	48
74	149	Shreve	48
75	150	Shreve	48
76	151	Shreve	48
77	152	Shreve	48
78	153	Shreve	48
79	154	Shreve	48
80	155	Shreve	48
81	156	Shreve	48
82	157	Shreve	48
83	158	Shreve	48
84	159	Shreve	48
85	160	Shreve	48
86	161	Shreve	48
87	162	Shreve	48
88	163	Shreve	48
89	164	Shreve	48
90	165	Shreve	48
91	166	Shreve	48
92	167	Shreve	48
93	168	Shreve	48
94	169	Shreve	48
95	170	Shreve	48
96	171	Shreve	48
97	172	Shreve	48
98	173	Shreve	48
99	174	Shreve	48
100	175	Shreve	48


GULF OF MEXICO

CONTINUED BELOW

1654 348

- ATTACHMENT 3 -

FLORIDA POWER CORPORATION
OFFSITE RADIOLOGICAL SUPPORT PLAN
ORGANIZATION CHART



----- Line of Communication
_____ Line of Authority