						1670 Revit	0.6 ion 2 6/78	
4		THR STATION HI VOLUME OFF-SI	EEE MILE IS EALTH PHYSI I EMERGENC ITE RADIOLO Table	LAND CS PROO Y PLANS GICAL H of Line	NUCLEAR STATI	MASTE	R COPY	Y
Page	Date	Revision	Page	Date	Revision	DU NUI	REMOV	L
1.0 2.0 3.0 4.0 5.0 6.0 7.0 8.0 9.0 10.0 11.0 12.0 13.0 14.0 15.0 14.0 15.0 16.0 17.0 18.0 19.0 20.0 21.0 23.0 24.0 25.0	1/16/78 1/16/78 1/16/78 1/16/78	2222	26.0 27.0 28.0 29.0 30.0 31.0 32.0 33.0 34.0 35.0 36.0 37.0 38.0 39.0 40.0 41.0 42.0 43.0 44.0 45.0 45.0 45.0 46.0 45.0 50.0		1817 337	51.0 52.0 53.0 54.0 55.0 56.0 57.0 58.0 59.0 60.0 61.0 62.0 63.0 64.0 65.0 64.0 65.0 66.0 67.0 68.0 69.0 70.0 71.0 72.0 73.0 73.0 74.0 75.0		
Unit 1 Approv	Staff Recom al Cogniza	Approval	Date	-	Unit 2 Staff Reco Approval Cogni	izant Dest, Hebd	vali Date	-
Unit 1	PORC Record	nmenas Approva timan PORC	I Date <u>)-16-</u> included	78	Unit 2 PORC Rec	of managements Approved Approximately approx	Date <u>-16-7</u> included	8
) ^{By}			Date	-	BY to	(_ Date	_

By		Date	8y	501
	old		Approve	Statter
pproval	TUT	Date	Approval	Daille
	the Amerational		×	// XOTTZR

)

1

A

Date <u>1-16-78</u> Date <u>1-16-78</u> 224 8001280 Mgr., Operational Quality Assurance . Unit Superintendent

1670.6 Revision 2 1/16/78

THREE MILE ISLAND NUCLEAR STATION STATION HEALTH PHYSICS PROCEDURE 1670.6 OFF-SITE RADIOLOGICAL MONITORING

1.0 DISCUSSION

During a Radiation Emergency (Site or General) where an accidental release of radioactive material, an off-site monitoring team will provide radiological assessment data and information. Conditions at the time of an occurrence will dictate specific areas where radiological efforts will be required. Since emergency situations are expected to produce high radiation levels for a relatively short period of time, initial radiological assessment data is. required as soon as possible.

- 2.0 RADIOLOGICAL MONITORING
- 2.1 Off-Site Radiation Monitoring Team Airborne Release
- 2.1.1 An Off-Site Radiation Monitoring Team (RMT) shall be assigned at the Emergency Control Station and dispatched to the security search facility by the Radiation Protection Supervisor to obtain emergency monitoring equipment.
- 2.1.2 Communications will be established via walkie-talkie with the Emergency Control Station (ECS).
- 2.1.3 The RMT shall have the emergency monitoring kits, air sampler, powerverter and walkie-talkie and proceed to location as directed by the ECS. (Refer to monitoring map.)
- 2.1.4 At the location designated, perform a dose rate survey of the general area. Record and relay data information to the Radiation Protection Supervisor at the ECS. Wait for further instructions from the ECS. 1817 338

1817 339

2.1.5 If directed by the ECS to collect an air sample and determine a radioiodine airborne activity concentration continue with the following:

•

- 2.1.6 Install the powerverter (DC/AC Converter) by connecting the positive (+) and negative (-) terminals to their respective posts on the vehicles 12V DC battery.
- 2.1.7 Set the main circuit breaker switch and the selector switch to "on". (Red Neon Pilot Light indicates proper operation setup).
- 2.1.8 Using the Radeco High Volume Air Sampler with a radioiodine sampler cartridge, connect to the powerverter.
- 2.1.9 Set selector switch to "variable" and adjust flow to indicate 5ft³/minute and sample for 3 minutes to yield 15 ft³ or 5x10⁵ cc sampled air. (If 5 ft³/minute cannot be obtained adjust flow as high as possible and sample air long enough to yield 15 ft³). Record sample time and contact ECS for location outside of plume for sample counting.
- 2.1.10 The Eberline SAM-2/RD-19 Detector System (Dual-Single Channel Analyzer) will be used for counting the cartridge.
- 2.1.11 The SAM-2 will be powered by use of the battery pack which connects to the rear panel. Adjacent to this connection is the power switch and stabilizer switch to "on". BATT OK Light on front panel should be ON. If the light flickers or does not light, the AC power cord will be substituted for the battery pack. The instrument is then connected to the powerverter for AC power.

2.0

2.1.12 Control Circuitry should be set as follows:

- Ratemeter switch to "CHI" and selector switch to appropriate range. (i.e. X1, X10, etc).
- Scaler display switch to "ON" with count mode switches at 5, X1, timed.
- c. The windows, thresholds, and HV adjust controls should be checked for correct settings as indicated on the calibration sticker.
- d. Threshold switches to "IN", window switches CHI "+", CH2 "Off".
- e. With the detector probe connected to front panel, push
 count reset start switch for counting sequence.

2.1.13 Radioiodine Airborne Activity Concentration is calculated by:

 $\mu Ci/cc = \frac{Net Counts/Minute}{(Eff) (Volume) (2.2x10^6)}$

Efficiency is posted on the SAM-2 Analyzer.

2.1.14 The concentration data should be relayed to the ECS as spon as possible, and wait for further instructions.

2.1.15 _ The ECS may direct the monitoring team to do the following:

a. If a continuous air monitor is located in the designated area, replace charcoal and particulate filters with clean filters and make gross radioactivity determinations from dirty filters. Retain dirty filters for precise laboratory analysis.

b. If TLD station is nearby, collect TLD and return it to the ECS for evaluation. Replace it with a new TLD.

1817 340

3

c. Report results to Radiation Protection Supervisor.

- d. Place sufficient TLD's at either the continuous air monitor or at a convenient, representative location in the designated area to permit reading TLD's every four hours during the emergency.
- e. Collect additional samples as specifically directed.
- 2.2 Off-Site Radiation Monitoring Team Liquid Release
- 2.2.1 When a reading of $6.8 \times 10^{-3} \mu \text{Ci/ml} (4.8 \times 10^5 \text{ CPM})$ is indicated, a radiation monitoring team will be dispatched by the Radiation Protection Supervisor.
- 2.2.2 Water samples will be obtained at the following locations:
 - a. Discharge Monitoring Point
 - b. York Haven Dam
 - c. City of Columbia
 - d. Other points as designated by the Radiation Protection Supervisor
- 2.2.3 Samples will be analyzed to determine activity concentration.
- 2.3 Washdown Area Monitor

...

- 2.3.1 Decontamination of vehicles will be supervised by a Rad/Chem Technician at each of the washdown areas. (North Washdown Area -two miles north of the North Gate on Route 441 (Kiwanis Field adjacent to Swatara Creek). South Washdown Area - 3 miles south on Route 441 (Collins Substation).
- 2.3.2 Vehicles will be monitored prior to and following the washdown. The vehicle will be released if the radiation level is less than 0.5 mR/hr. 1817 341

4.0

January 18, 1980

UNITED STATES OF AMERICA NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of)	
METROPOLITAN EDISON COMPANY) Docket No. 50-289	
(Three Mile Island Nuclear Station, Unit No. 1)) (Restart))	

CERTIFICATE OF SERVICE

I hereby certify that copies of "Licensee's First Set of Interrogatories to Intervenor Steven C. Sholly", were served upon those persons on the attached Service List by deposit in the United States mail, postage prepaid, this 18th day of January, 1980.

Dated: January 18, 1980

1817 342

UNITED STATES OF AMERICA NUCLEAR REGULATORY COMMISSION

BEFORE THE ATOMIC SAFETY AND LICENSING BOARD

In the Matter of

METROPOLITAN EDISON COMPANY

Docket No. 50-289 (Restart)

(Three Mile Island Nuclear Station, Unit No. 1)

SERVICE LIST

Ivan W. Smith, Esquire Chairman Atomic Safety and Licensing Board Panel U.S. Nuclear Regulatory Commission Washington, D.C. 20555

Dr. Walter H. Jordan Atomic Safety and Licensing Board Panel 881 West Outer Drive Oak Ridge, Tennessee 37830

Dr. Linda W. Little Atomic Safety and Licensing Board Panel 5000 Hermitage Drive Raleigh, North Carolina 27612

James R. Tourtellotte, Esquire Office of the Executive Legal Director U. S. Nuclear Regulatory Commission Washington, D.C. 20555

Docketing and Service Section Office of the Secretary U. S. Nuclear Regulatory Commission Washington, D.C. 20555 John A. Levin, Esquire Assistant Counsel Pennsylvania Public Utility Comm'n Post Office Box 3265° Harrisburg, Pennsylvania 17120

Karin W. Carter, Esquire Assistant Attorney General 505 Executive House Post Office Box 2357 Harrisburg, Pennsylvania 17120

Robert L. Knupp, Esquire Assistant Solicitor County of Dauphin Post Office Box P 407 North Front Street Harrisburg, Pennsylvania 17108

John E. Minnich Chairman, Dauphin County Board of Commissioners Dauphin County Courthouse Front and Market Streets Harrisburg, Pennsylvania 17101

Walter W. Cohen, Esquire Consumer Advocate Office of Consumer Advocate 14th Floor, Strawberry Square Harrisburg, Pennsylvania 17127

.1817 343

Jordan D. Cunningham, Esquire Attorney for Newberry Township T.M.I. Steering Committee

2320 North Second Street Harrisburg, Pennsylvania 17110

Theodore A. Adler, Esquire Widoff Reager Selkowitz & Adler Post Office Box 1547 Harrisburg, Pennsylvania 17105

Ellyn R. Weiss, Esquire Attorney for the Union of Concerned Scientists Sheldon, Harmon & Weiss 1725 Eye Street, N.W., Suite 506 Washington, D.C. 20006

Steven C. Sholly 304 South Market Street Mechanicsburg, Pennsylvania 17055

Gail Bradford Holly S. Keck Legislation Chairman Anti-Nuclear Group Representing York 245 West Philadelphia Street York, Pennsylvania 17404

Karin P. Sheldon, Esquire Attorney for People Against Nuclear Energy Sheldon, Harmon & Weiss 1725 Eye Street, N.W., Suite 506 Washington, D.C. 20006 Robert Q. Pollard Chesapeake Energy Alliance 609 Montpelier Street Baltimore, Maryland 21218

Chauncey Kepford Judith H. Johnsrud Environmental Coalition on Nuclear Power 433 Orlando Avenue State College, Pennsylvania 16801

Marvin I. Lewis 6504 Bradford Terrace Philadelphia, Pennsylvania 19149

Marjorie M. Aamodt R. D. 5 Coatesville, Pennsylvania 19320