

APPLICATION FOR LICENSE TO EXPORT
BYPRODUCT, SOURCE, OR SPECIAL NUCLEAR MATERIAL

Submit in Triplicate

XSNM 01631
11000953

Carefully Read Instructions on Back

1. DATE OF APPLICATION NOV. 29, 1979	2. APPLICANT'S REFERENCE NO. (if any) VARIOUS	3. COUNTRY OF ULTIMATE DESTINATION JAPAN
4. NAME OF APPLICANT MITSUILINE TRAVEL SERVICE OF AMERICA STREET ADDRESS ON BEHALF OF MITSUI & CO. 402 GRANDVIEW DRIVE (USA), INC. CITY, STATE, AND ZIP CODE SO. SAN FRANCISCO, CA. 94080		5. ULTIMATE CONSIGNEE IN FOREIGN COUNTRY (Name and address) TOKYO SHIBAURA ELECTRIC CO., LTD. 12-13, 3-CHOME MITA, MINATO-KU, TOKYO JAPAN
6. INTERMEDIATE CONSIGNEE IN FOREIGN COUNTRY (Give name and address. If same as ultimate consignee, state "Same.") MITSUI & CO., LTD. 2-1, 1-CHOME, OTEMACHI CHIYODA KU, TOKYO, JAPAN		7. IF PURCHASER IN FOREIGN COUNTRY IS OTHER THAN ULTIMATE CONSIGNEE, GIVE NAME AND ADDRESS. (If same, state "Same.") SAME
8. (a) QUANTITY TO BE SHIPPED (See instructions on back) 0.11 GRAM URANIUM-235 0.128g uranium	(b) COMMODITY DESCRIPTION (Include chemical and physical form; or special nuclear material and byproduct material also specify isotopic content; if in a device, identify the device, manufacturer, and model number.) IN A MAXIMUM OF 36 NUCLEAR DETECTION INSTRUMENTS CONTAINING URANIUM ENRICHED TO 95%- U-235.	

(c) SHIPPING AND PACKING PROCEDURES (Required for special nuclear material. See instructions on back.)

NONE

9. END USE OF COMMODITIES COVERED BY THIS APPLICATION: (Describe fully, stating what will be produced or manufactured, what service will be rendered, or the nature of the research that will be performed.) (See instructions on back for special nuclear material.)

COMPONENTS SPECIALLY DESIGNED OR PREPARED FOR USE IN A NUCLEAR REACTOR,
1) SOURCE RANGE MONITORING; 6 pcs. INTERMEDIATE RANGE MONITORING; 10 pcs.
TRAVERSING. INCORE PROBE; 7 pcs. TRAVERSING INCORE PROBE DUMMY; 1 pc.
TO BE INSTALLED AT 2F-1 NUCLEAR REACTOR OWNED BY TOKYO ELECTRIC POWER
COMPANY. LOCATION; NAMIKURA NAKAHA CHO, FUTABA-GUN, FUKUSHIMA, JAPAN
(TO BE CONTINUED)

10. The applicant, and any official executing this certificate on behalf of the applicant named in Item 4, certify that this application is prepared in conformity with Title 10, Code of Federal Regulations, Parts 30 and 36 (if for byproduct material) or Part 40 (if for source material), or Part 70 (if for special nuclear material), and Part 71 (for transport of radioactive material, if applicable) and that all information contained herein, including any supplements attached hereto, is true and correct to the best of their knowledge and belief.

MITSUILINE TRAVEL SERVICE OF AMERICA
(Applicant named in Item 4) INC.

By: M. YAMAZAKI

DISTRICT MANAGER

(Title of certifying official authorized to act on behalf of the applicant)

(415) 873-3066

DEC 5 1979

1681 255

Warning: 18 U.S.C. Section 1001; Act of June 25, 1948: 62 Stat. 749; makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction

80 01040

123

-CONTINUED-

ITEM 9 FROM PREVIOUS PAGE

1979 DEC 5 AM 10 00

EXPORT/IMPORT
AND
INTERNAT'L SFGROD

END USE OF COMMODITIES COVER THIS APPLICATION.

- 2) SOURCE RANGE MONITORING; 2 pcs., INTERMEDIATE RANGE MONITORING; 2 pcs. TRAVERSE INCORE PROBE; 2 pcs. TO BE INSTALLED AT F-5 NUCLEAR REACTOR OWNED BY TOKYO ELECTRIC POWER CO. LOCATION; NAMIKURA NAKAHA CHO FUTABA-GUN, FUKUSHIMA, JAPAN
- 3) SOURCE RANGE MONITORING; 2 pcs. INTERMEDIATE RANGE MONITORING; 2 pcs. TRAVERSE INCORE PROBE; 2 pcs. TO BE INSTALLED AT H-1 AND H-2 REACTORS OWNED BY CHUBU ELECTRIC POWER CO., INC. LOCATION; HAM-CHO OGASA-GUN, SHIZUOKA, JAPAN

1681 256

NAME AND ADDRESS OF SUPPLIER; GENERAL ELECTRIC; 175 CURTNER AVENUE
SAN JOSE, CA. 95125

DATE OF PROPOSED COMPLETION OF FINAL SHIPMENT; WHENEVER REQUIRED

DATE OF PROPOSED FIRST SHIPMENT; WHENEVER REQUIRED

PROPOSED EXPIRATION DATE OF EXPORT LICENSE; THE LONGEST PERIOD OF TIME
RECOGNIZED BY NRC.

FOR NUCLEAR REACTORS, THE DESIGN POWER LEVEL IN THERMAL OR ELECTRICAL WATTS;

2F-1 PLANT; 1100 MW

F-5 PLANT; 784 MW

H-1 PLANT; 540 MW

H-2 PLANT; 840 MW

DATE WHEN EQUIPMENT IS NEEDED ABROAD; WHENEVER REQUIRED

A LIST OF ITEMS;

URANIUM-235
IN MAXIMUM OF 36 NUCLEAR DETECTION
INSTRUMENTS CONTAINING URANIUM ENRICHED
TO 95% U-235.

1681 257