



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION I  
631 PARK AVENUE  
KING OF PRUSSIA, PENNSYLVANIA 19406

8005080637

FEB 19 1980

Docket No. 30-5993

Universal Technical Testing  
Laboratories Incorporated  
ATTN: Mr. Carl M. Modes, President  
Woodlawn Avenue and North Street  
Collingdale, Pennsylvania 19023

Gentlemen:

Subject: Inspection 80-01

This refers to the inspection conducted by Ms. M. Campbell and Mr. F. Costello of this office on February 5, 1980 at your field site at the Nelson Company, Holmes, Pennsylvania of activities authorized by NRC License No. 37-00453-03 and to the discussions of our findings held by Ms. Campbell and Mr. Costello with Mr. Bottari and Mr. Perry of your staff at the conclusion of the inspection, and to a subsequent telephone discussion between yourself and Ms. M. Campbell on February 7, 1980.

The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, measurements made by the inspector, and observations by the inspector.

Based on the results of this inspection, it appears that certain of your activities were not conducted in full compliance with NRC requirements, as set forth in the Notice of Violation, enclosed herewith as Appendix A. These items of noncompliance have been categorized into the levels as described in our correspondence to you dated December 31, 1974. This notice is sent to you pursuant to the provisions of Section 2.201 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations. Section 2.201 requires you to submit to this office, within twenty (20) days of your receipt of this notice, a written statement or explanation in reply including: (1) corrective steps which have been taken by you and the results achieved; (2) corrective steps which will be taken to avoid further items of noncompliance; and (3) the date when full compliance will be achieved.

Universal Technical Testing  
Laboratories, Incorporated

2

FEB 13 1980

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and your reply will be placed in the Public Document Room.

Should you have any questions concerning this inspection, we will be pleased to discuss them with you.

Sincerely,



Robert O. McClintock, Chief  
Materials Radiological Protection  
Section

Enclosure: Appendix A, Notice of Violation