Centra File

FEB 2 6 1979

Docket Nos. 50-369/370

MEMORANDUM FOR: D. Vassallo, Assistant Director for Light Water Reactors, DPM

FRCM:

R. Tedesco, Assistant Director for Reactor Safety, DSS

SUBJECT:

REQUEST FOR ADDITIONAL INFORMATION - MCGUIRE NUCLEAR

STATION, UNITS 1 & 2

.

Plant Name: McGuire Nuclear Station, Units 1 & 2

Docket Numbers: 50-369/370

Licensing Stage: OL

NSSS Supplier: Westinghouse

Architect Engineer: Duke Power Co. Containment Type: Dual, Ice Condenser

Responsible Branch and Project Manager: LNR-2; R. Birkel

Requested Completion Date: N/S
Applicant's Response Date: N/S
Review Status: Incomplete

The applicant's analyses of the containment temperature and pressure response to postulated main steam line breaks (MSLB) in the containment lower compartment were performed using the Westinghouse Electric Corporation LOTIC-3 ice condenser containment code prior to completion of the NRC staff's review of the code. During our review of the LOTIC-3 code, Westinghouse modified the code; consequently, the McGuire MSLB analysis should be redone using the approved version of the code.

We have advised the applicant orally that his MSLB analysis must be redone because of the changes made to the code. At the applicant's request we have prepared the enclosed request for additional information to define in writing the information we will need to complete our review of the McGuire Nuclear Station. Units 1 and 2 with respect to the containment temperature and pressure response to certain postulated MSLB accidents.

Original Signed by Robert L. Tedesco

Robert L. Tedesco, Assistant Director for Reactor Safety Division of Systems Safety

Enclosure: As Stated

cc: See page 2

7903210152

Co. tota page 2					
or He Milstead, CSB	DSS:CSB	dss:cse	DSS:CSB; 2	DSS: CSB	CONTRACTOR AND ADDRESS OF THE PARTY.
492-7711	DSS:CSB WMilstead/mc	ishapaker	WButler		
DATE	2/23/79	21/179	2/23/79	2/3-/79	

cc: R. Mattson R. Boyd W. Pike

R. Baer

R. Birkel

W. Butler
J. Shapaker
J. Kudrick
Z. Rosztoczy

W. Jensen
J. Knight
R. Bosnak
M. Hartzman
W. Milstead

-	1	 1	1	
OFFICE				 
SU NAME >				
DATE				 N. C.