

UNITED STATES NUCLEAR REGULATORY COMMISSION WASHINGTON, D. C. 20555

MAR 28 1980

Docket No.: 5 367

Mr. H. P. Lyle, Vice President Electric Production & Engineering Northern Indiana Public Service Company 5265 Hohman Avenue Hammond, Indiana 46325

Dear Mr. Lyle:

SUBJECT: REQUEST FOR ADDITIONAL INFORMATION - CORROSION POTENTIAL OF

THE BAILLY PILES

In reviewing your submittal on the corrosion potential of the Bailly safety-related piles, we have identified a need for additional information. Accordingly, we request that you indicate the methods used to measure the values of the soil pH and resistivities listed in Tables 1 and 2 of Cornet's report, dated July 20, 1978, on the corrosion potential of the Bailly piles. Specifically, indicate whether standard ASTM tests (i.e., Standard G 57-78, Part 10, page 902, of the 1978 ASTM Annual Book of Standards) were used or whether you used standard NACE tests. Additionally, provide a brief description of the tests which were used.

If you have any question regarding this request, please contact us immediately.

Sincerely,

L. S. Rubenstein, Acting Chief Light Water Reactors, Branch No. 4 Division of Project Management

cc: See next page

Northern Indiana Public Service Company

Meredith Hemphill, Jr. Esq.
Assistant General Counsel
Bethlehem Steel Corporation
701 East Third Street
Bethlehem, Pennsylvania 18016

William H. Eichhorn, Esq. Eichhorn, Morrow & Eichhorn 5243 Hohman Avenue Hammond, Indiana 46320

Edward W. Osann, Jr., Esq. Wolfe, Hubbard, Leydid, Voit & Osann, Ltd. Suite 4600 One IBM Plaza Chicago, Illinois 60611

Robert J. Vollen, Esq. 109 North Dearborn Street Chicago, Illinois 60602

Diane B. Cohn, Esq. Suite 700 2000 P Street, N.W. Washington, D. C. 20036

Richard L. Robbins, Esq. Lake Michigan Federation 53 West Jackson Boulevard Chicago, Illinois 60604

Kathleen H. Shea, Esq. Lowenstein, Newman, Reis, Axelrad & Toll 1025 Connecticut Avenue, N. W. Washington, D. C. 20036

Dean Hansell, Esq. Russell Eggert, Esq. Office of the Attorney General State of Illinois 188 W. Randolph Street Chicago, Illinois 60601

J. R. Whitehouse, Superintendent National Park Service Route 2, Box 139A Chesterton, Indiana 46304 Northern Indiana Public Service Company

ccs (continued)
Robert L. Graham, Esq.
One IBM Plaza
44th Floor
Chicago, Illinois 60611

George and Anna Grabowski 7413 W. 136th Lane Cedar Lake, Indiana 46303

Dr. George Schultz 110 California Street Michigan City, Indiana 46360

John Van Vranken, Esq., Chief Northern Region Environmental Control Division 188 West Randolph Street Chicago, Illinois 60601

Clifford Mezo, Acting President Local 1010 United Steelworkers of America 3703 Euclid Avenue East Chicago, Indiana 46312

Stephen Laudig, Esq. 445 N. Pennsylvania Street Indianapolis, Indiana 46204