

MGMATLT HSB
2-020410E025 01/25/75
ICS IPMBNGZ CSP
5019681450 MGM 108N RUSSELLVILLE AR 128 01-25 0606P EST
ZIP



MR NORMAN C MOSLEY, DIRECTOR OFFICE OF REGULATORY OPERATIONS
US NUCLEAR REGULATORY COMMISSION REGION 2 230 PEACHTREE ST NORTHWEST
SUITE 818
ATLANTA GA 30303

SUBJECT: ARKANSAS POWER AND LIGHT COMPANY ARKANSAS NUCLEAR 1 UNIT
1 DOCKET NUMBER 50-313 LICENSE NUMBER DPR-51 NON ROUTINE NON RADIOLOGI
L ENVIRONMENTAL REPORT NUMBER 50-313/75-6 ENVIRONMENTAL TECHNICAL
SPECIFICATION 4.1.2.A(2) REQUIRES A REPORT WHEN THE NUMBER OF FISH
IMPINGED ON THE INTAKE SCREEN EXCEEDS 3,000 POUNDS PER DAY IN THE
PERIOD BETWEEN 8AM 1-24-75 AND 8AM 1-25-75 3,331 POUNDS OF FISH
WERE COLLECTED ON THE INTAKE SCREENS 99.5 PERCENT OF THIS WEIGHT
WAS SHAD AND 96.0 PERCENT OF THE TOTAL NUMBER OF SHAD WERE THREADFIN
SHAD. THE PLANT WAS AT APPROXIMATELY 100 PERCENT LOAD WITH ALL
4 CIRCULATING WATER PUMPS IN OPERATIONS. WATER TEMPERATURE AT 8AM
1-25-75 AS MEASURED AT THE CONDENSOR WATER BOX WAS 42 DEGREES FAHRENHE
AND AMBIENT AIR TEMPERATURE WAS 41 DEGREES FAHRENHEIT AT 8AM 1-25-75.
J D PHILLIPS SENIOR VICE PRESIDENT

18:06 EDT

MGMATLT HSB

~~8004110~~
8004110

797