



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
799 ROOSEVELT ROAD
GLEN ELLYN, ILLINOIS 60137

MAY 11 1977

Docket No. 50-329

Consumers Power Company
ATTN: Mr. Stephen H. Howell
Vice President
1945 West Parnall Road
Jackson, MI 49201

Gentlemen:

This refers to the meeting which was held in your Jackson, Michigan offices on May 5, 1977. Those persons in attendance at the meeting are listed in an enclosure to this letter.

The subjects discussed at the meeting were details for implementing corrective actions described in our letter to you dated April 29, 1977, concerning tendon sheath placement errors identified by your contractor on April 19, 1977 and the need for Consumers Power Company to assure that the problems identified are not indicative of a broader problem with your overall QA program. In addition, we discussed our intentions to conduct a special inspection of your Quality Assurance Program implementation in the near future. Also discussed was recent NRC action relative to reorganization of IE Headquarters Staff and changes in Inspection Report Format.

It is our opinion that this meeting was beneficial and the discussions contributed to a better understanding of our positions and Consumers Power Company's intentions regarding quality assurance program changes.

8006180 715

A

MAY
(1)

Consumers Power Company

- 2 -

MAY 11 1977

In accordance with Section 2.790 of NRC's "Rules of Practice" Part 2, Title 10, Code of Federal Regulations, a copy of this letter will be placed in the NRC's Public Document Room.

Sincerely,

James G. Keppler
Director

Enclosure: List of
Attendees

cc w/encl:
Central Files
Reproduction Unit NRC 20b
PDR
Local PDR
NSIC
TIC
Ronald Callen, Michigan Public
Service Commission
Dr. Wayne E. North
Myron M. Cherry, Chicago

OFFICE	RIII Gandel/ls	RIII Hayes	RIII Heisman	RIII NoFemus	RIII Keppler	
SURNAME	Gandel/ls	Hayes	Heisman	NoFemus	Keppler	
DATE	5/10/77		5/11/77	5/11/77		

ATTENDEES

Consumers Power Company

J. D. Selby, President
S. H. Howell, Vice President
G. S. Keeley, Project Manager
B. W. Marguglio, Director, Project Quality Assurance Department
J. L. Corley, Quality Assurance Superintendent

Region III Office

J. G. Keppler, Director
R. F. Heishman, Chief, Reactor Construction and Engineering
Support Branch
D. W. Hayes, Chief, Projects Section