Georgia Power Company 230 Peachtree Street Post Office Box 4545 Atlanta Georgia 30302 Telephone 404 522-6060

July 7, 1980

W. A. Widner Vice President and General Manager Nuclear Generation

Mr. Richard Snaider Generic Issues Branch U. S. Nuclear Regulatory Commission Washington, D. C. 20555

Dear Mr. Snaider:

Georgia Power Company is concerned with NUREG-0577, "Potential for Low Fracture Toughness and Lamellar Tearing on PWR Steam Generator and Reactor Coolant Pump Supports", which was issued November 1979, and the amendments covered in your May 19, 1980, letter to all power reactor licensees. We believe the significance and possible impact of these documents, particularly the changes contained in the May 19, 1980, letter, may not be fully recognized. Therefore, it is essential that a thorough evaluation of these documents be performed, and the concerns be discussed and resolved with the NRC.

We have been unable to perform this evaluation during the allowed period and respectfully request that the comment period be extended at least until September 15, 1980.

Very truly yours,

W. A. Widner

DLT/mb

xc: Ruble A. Thomas George F. Trowbridge, Esquire R. F. Rogers, III

X601 S 1/D ADD: NormES on attached

Georgia Power the southern electric system

UNITED STATES NUCLEAR REGULATORY COMMISSION W SHINGTON, D. C. 20555 MEMORANDUM FOR: TERA CORPORATION FROM: US NRC/TIDC/DOCUMENT MANAGEMENT BRANCH Special Document Handling Requirements SUBJECT: X 1. Please use the following special distribution list for the attached document. USE XGOI Plus the following: R. VollmER P.N. RANDALL D. Eisenhat R. GAMBLE H. HNIE! D. SELLERS F. Schroeder V. NOONAN R. MATTSON S. PAWLicki 2. SNAIDER 2. The attached document requires the following special considerations: Do not send oversize enclosures to the NRC PDR. Only one oversize enclosure was received - please return for Regulatory File storage. Proprietary information - send only non-proprietary portions to the NRC PDR. Other: (specify)

TIDC DMB Authorized Signature

cc: DMB Files