



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION II
101 MARIETTA ST., N.W., SUITE 3100
ATLANTA, GEORGIA 30303
MAY 29 1980

In Reply Refer To:
RII:JRH
50-269/80-18
50-270/80-13
50-287/80-12

Duke Power Company
ATTN: W. O. Parker, Jr.
Vice President, Steam Production
P. O. Box 2178
Charlotte, NC 28242

Gentlemen:

This refers to the inspection conducted by J. R. Harris of this office on May 13 through 15, 1980 of activities authorized by NRC Operating License Nos. DPR-38, DPR-47 and DPR-55 for the Oconee Nuclear Station facility, and to the discussion of our findings held with G. Vaughn at the conclusion of the inspection.

Areas examined during the inspection and our findings are discussed in the enclosed inspection report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector.

In accordance with Section 2.790 of the NRC's "Rules of Practice", Part 2, Title 10, Code of Federal Regulations, a copy of this letter and the enclosed inspection report will be placed in the NRC's Public Document Room. If this report contains any information that you (or your contractor) believe to be proprietary, it is necessary that you make a written application within 20 days to this office to withhold such information from public disclosure. Any such application must include a full statement of the reasons on the basis of which it is claimed that the information is proprietary, and should be prepared so that proprietary information identified in the application is contained in a separate part of the document. If we do not hear from you in this regard within the specified period, the report will be placed in the Public Document Room.

Should you have any questions concerning this letter, we will be glad to discuss them with you.

Sincerely,

C. E. Murphy, Chief
Reactor Construction and Engineering
Support Branch

Enclosure:
See Page 2

8007150019

Duke Power Company

-2-

MAY 29 1980

Enclosure:

Inspection Report Nos. 50-269/80-18
50-270/80-13, and 50-287/80-12

cc w/encl:

J. E. Smith, Station Manager
P. O. Box 1175
Seneca, SC 29678