



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

July 1, 1980

Dockets Nos. 50-277
and 50-278

Mr. Edward G. Bauer, Jr.
Vice President and General Counsel
Philadelphia Electric Company
2301 Market Street
Philadelphia, Pennsylvania 19101

Dear Mr. Bauer:


Appendix A to 10 CFR Part 100 requires that suitable instrumentation be provided so that the seismic response of nuclear power plant features important to safety can be performed promptly to permit comparison of such response with that used as the design basis. Current licensing practice incorporates into the Technical Specifications this requirement and provides for various channel checks, channel functional tests and channel calibrations at specified frequencies.

Our review of the Technical Specifications for Peach Bottom 2 and 3 indicates that requirements for seismic instrumentation are not included. Therefore, verification of the adequacy of your testing procedures by our Office of Inspection and Enforcement and the verification of your compliance with 10 CFR Part 100 cannot be definitively determined.

The enclosed sample specifications reflect our current requirements. We request that you propose amendments to the Peach Bottom Technical Specifications within 30 days of your receipt of this letter, to incorporate currently installed seismic instrumentation and associated surveillance requirements.

If you have any questions in this regard, please contact us.

Sincerely,


Thomas M. Novak, Assistant Director
for Operating Reactors
Division of Licensing

Enclosure:
Sample Specifications

cc w/enclosure:
See next page

Mr. Edward G. Bayer, Jr.
Philadelphia Electric Company

cc:

Eugene J. Bradley
Philadelphia Electric Company
Assistant General Counsel
2301 Market Street
Philadelphia, Pennsylvania 19101

Troy B. Conner, Jr.
1747 Pennsylvania Avenue, N. W.
Washington, D. C. 20006

Raymond L. Hovis, Esquire
35 South Duke Street
York, Pennsylvania 17401

Warren K. Rich, Esquire
Assistant Attorney General
Department of Natural Resources
Annapolis, Maryland 21401

Philadelphia Electric Company
ATTN: Mr. W. T. Ullrich
Peach Bottom Atomic
Power Station
Delta, Pennsylvania 17314

Mr. R. A. Heiss, Coordinator
Pennsylvania State Clearinghouse
Governor's Office of State Planning
and Development
P. O. Box 1323
Harrisburg, Pennsylvania 17120

Albert R. Steel, Chairman
Board of Supervisors
Peach Bottom Township
R. D. #1
Delta, Pennsylvania 17314

Curt Cowgill
U. S. Nuclear Regulatory Commission
Office of Inspection and Enforcement
Peach Bottom Atomic Power Station
P. O. Box 399
Delta, Pennsylvania 17314

Director, Technical Assessment
Division
Office of Radiation Programs
(AW-459)
US EPA
Crystal Mall #2
Arlington, Virginia 20460

Region III Office
ATTN: EIS COORDINATOR
Curtis Building (Sixth Floor)
6th and Walnut Streets
Philadelphia, Pennsylvania 19106

M. J. Cooney, Superintendent
Generation Division - Nuclear
Philadelphia Electric Company
2301 Market Street
Philadelphia, Pennsylvania 19101

Government Publications Section
State Library of Pennsylvania
Education Building
Commonwealth and Walnut Streets
Harrisburg, Pennsylvania 17125