

Energy Technology Engineering Center
Energy Systems Group
P.O. Box 1449
Canoga Park, CA 91304
(213) 341-1000

Operated for U.S. Department of Energy



Rockwell
International

50-329
330

July 7, 1980

80ETEC-DRF-2881

Mr. James W. Cook
Consumers Power Company
1945 West Parnall Road
Jackson, Michigan 49201

Subject: NRC Request for Information Concerning Staff's Independent
Confirmatory Piping Analysis for Midland Plant Units 1 & 2

Ref. : Letter and attachments from James W. Cook of Consumers Power
Company to Mr. L. S. Rubenstein, Acting Chief Light Water
Reactors, Branch No. 4, Division of Project Management, U.S.
Nuclear Regulatory Commission "NRC Request for Information
Concerning Staff's Independent Confirmatory Piping Analysis",
June 12, 1980.

Dear Mr. Cook:

In reviewing the referenced attachments it was found that many of the
drawings and sketches were partially illegible due to the quality and/or
reduced size of the copies. So much of the information concerning
piping, supports, and component details is not discernible that it is
impracticable to proceed with the confirmatory analysis until better
copies are obtained.

Better quality copies are required of the following drawings:

- 1) Isometric - Decay Heat Removal and Core Flooding
System Unit 2. (Drawing #H-611)

A larger copy of this Isometric as well as a better
quality print would be helpful as in some areas there
is a considerable amount of information in a relatively
small area.

- 2) Grinnel Support Details - S-2-611-1-3,-7,-8,-11,-12,-16,
19,-20,-21,-22,-23,-24,-26,-27,
32,-34,-35,-37,-40,-41 and -44.
- 3) Figure 4.1-1 of Specification #7220M-321 "Design Specification
For Nuclear Service Piping".
- 4) The legend for the computerized piping class summary sheets
(Sheet 1) was not included. (Drawing #7220-M-480(Q))
- 5) The Pipe Insulation Schedule for the piping of concern was not
included. (Drawing #7220-M-484(Q))


300'
1/10

8007230507

A

ETEC cannot proceed with the confirmatory analysis until legible copies of the above information are received.

Sincerely yours,



J. O. Bates
Energy Programs Office
Energy Technology Engineering Center

/cu

cc: Mr. R. J. Bosnak - NRC
Mr. H. L. Brammer - NRC
Mr. A. J. Cappucci Jr. - NRC
Mr. D. Hood - NRC ✓