MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

1.	Licensee . Eastern Band of Cherokee Indians			dated September 23, 2019,		4. Ex	4. Expiration Date: August 31, 2024 5. Docket No.: 030-36562 Reference No.:	
2.	P.O. Box 2400 Cherokee, NC 28719		_					
6.	Byproduct, source, and/or special nuclear material	7.	Chemical and or physical for		Maximum amount that lice may possess at any one to under this license		9. Authorized use	
Α.	Cesium-137	A.	Sealed Sources (AEA Technology/QSA, Inc., Mo CDCW556; (setope Produ Laboratories (IPL), Model HEG-137)	a A	9 millicuries per source and 18 millicuries total	30	A. For use in Troxler Electronic Laboratories Model No. 3400 Series portable gauging devices for measuring physical properties of materials.	
В.	Americium-241	В.	Sealed Neutron Source (A Technology/QSA, Inc., Mo AMNV.997; IPL, Model Am1.NO2; Model 3021 or	odel	44 millicuries persurce and 88 millicuries total	e I	B. For use in Troxler Electronic Laboratories Model No. 3400 Series portable gauging devices for measuring physical properties of materials.	
C.	Radium-226	C.	Sealed Sources (Radium Chemical Co., Model RAN	C.	4.5 millicuries per source and 4.5 millicuries total	ce (C. For use in Seaman Nuclear Corporation Model No. C-200 portable gauging devices for measuring physical properties of materials.	

CONDITIONS

B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or by an Agreement State, prior to the transfer, a

C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

sealed source received from another person shall not be put into use until tested and the test results received.

- D. The leak test shall be capable of detecting the presence of 185 becquerels (0.005 microcuries) of radioactive material on the test sample. If the test reveals the presence of 185 becquerels (0.005 microcuries) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
- E. Analysis of leak test samples and/or contamination shall be performed by persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services. The licensee is authorized to collect leak test samples but not perform the analysis.
- F. Records of leak test results shall be kept in units of becquerels (microcuries) and shall be maintained for 3 years.
- 14. Sealed sources containing licensed material shall not be opened or sources removed from source holders or detached from source rods by the licensee, except as specifically authorized.
- 15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sealed sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory, and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.
- 16. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport or storage, or when not under the direct surveillance of an authorized user.
- 17. Any cleaning, maintenance, or repair of the gauge(s) that requires detaching the source or source rod from the gauge shall be performed only by the manufacturer or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

MATERIALS LICENSE SUPPLEMENTARY SHEET

License Number 32-30911-01

Docket or Reference Number 030-36562

Amendment No. 5

- 18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application dated August 4, 2014 (ML14226A635)



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

By: Jonath

Jonathan Pfingsten

Region 1

Date: October 22, 2019