

OFFICIAL RECORD COPY

NOV 01 1989

The Fenton Art Glass Co.
ATTN: Mr. Michael D. Fenton
Safety Director
700 Elizabeth Street
Williamstown, WV 26187

Gentlemen:

SUBJECT: NRC REPORT NO: SUB-491/89-01

Thank you for your response of October 9, 1989, to our Notice of Violation issued on September 21, 1989, concerning activities conducted under NRC License No. SUB-491. We have evaluated your response and found that it meets the requirements of 10 CFR 2.201.

Regarding Violation B, you committed in your recent application for license renewal to perform yearly uranium urinalyses, a practice we support given the nature of your operations. Therefore, your license renewal is being processed accordingly, and we expect you to follow a yearly (instead of every 60 months) urinalysis schedule.

We will examine the implementation of your corrective actions during future inspections.

We appreciate your cooperation in this matter.

Sincerely,
ORIGINAL SIGNED
BY
W. E. CLINE

William E. Cline, Chief
Nuclear Materials Safety and
Safeguards Branch
Division of Radiation Safety
and Safeguards

cc: State of West Virginia
bcc: Document Control Desk

RII:DRSS
HBermudez
10/10/89

RII:DRSS
CHosey
10/11/89

8911200275 891101
REG2 LIC40 PDC
SUB-0491

10
1007