AC Form 591 U.S. NUCLEAR REGULATORY COMMISSION O CFR 2 201 SAFETY INSPECTION 1. LICENSEE Herrick Memorial Health Care Center Region III 500 E. Pott AWA FLAMIE Street GIEN Ellyn IL 60137 Tecumsel, MI 49286 4. LICENSE NUMBER(S) 3. DOCKET NUMBER(S) B. DATE OF INSPECTION 21-24368-01 25 Sept 89 030 - 18540 Licensee The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commissions (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews, with personnel, and observations by the inspector. The findings as a result of this inspection are as follows: 1. Within the scope of this inspection, no violations were observed. 2. The inspector also verified the steps you have taken to correct the violations identified during the last inspection. We have no further questions on those actions at this time. 3. During this inspection certain of your activities, as checked below, were in violation of NRC requirements. THIS IS A NOTICE OF VIOLATION which is required to be posted in accordance with 10 CFR 19.11. was not properly posted to indicate the presence of a ... 19 CFR 20.203(b), (c), (d), (e) or 34.42. B. Containers located in _ were not properly labeled to indicate the presence of radioactive material. 10 CFR 20.203(f)(1), or (f)(2). of sealed sources were not performed at the proper License Condition Number ____ frequencies. 10 CFR __ D. Records of _ were not properly maintained. ____ or License Condition Number _ 10 CFR E. Docume its were not properly posted or otherwise made available. 10 CFP 19.11. F. Reports or notifications of _ were not made in accordance with 10 CFR or License Condition Number 8910240081 890925 REG3 LIC30 21-24368-01 PDC I hereby state that within 30 days the actions described by me to the inspector will be taken to correct the violations identified in the items checked above This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201. No further response will be submitted unless required by the NRC. NAC INSPECTOR SIGNATURE - LICENSEE