

DCD/DCB

NOV 18 1989

Mt. Carmel Mercy Hospital  
ATTN: Cynthia Grueber  
Vice President Operations  
6071 West Outer Drive  
Detroit, MI 48235

03008290 License No. 21-00998-01  
03008254 License No. 21-00998-02  
07001388 License No. SNM-1374

Gentlemen:

This refers to the routine safety inspection conducted by James R. Mullauer, M.H.S., of this office on October 25 and 26, 1989, of activities authorized by NRC Byproduct Licenses No. 21-00998-01, No. 21-00998-02, and No. SNM-1374 and to the discussion of our findings with Lloyd Smith, Radiation Safety Officer, and other members of your staff at the conclusion of the inspection.

The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and with the conditions of your license. The inspection consisted of a selective examination of procedures and representative records, observations, and interviews with personnel.

During this inspection, no violations were identified for Licenses No. 21-00998-01 and No. SNM-1374; however, for License No. 21-00998-02 certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice. A written response is required.

In accordance with 10 CFR 2.790 of the Commission's regulations, a copy of this letter, the enclosures, and your response to this letter will be placed in the NRC Public Document Room.

The responses directed by this letter and the accompanying Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

We will gladly discuss any questions you have concerning this inspection.

Sincerely,

Roy J. Caniano, Chief  
Nuclear Materials Safety  
Section 2

Enclosure: Notice of  
Violation

cc w/enclosure:  
DCD/DCB (RIDS)

RIII  
Mullauer/tb  
11/18/89

RIII  
Caniano  
11/18/89

ZE 07

8911200204 891113  
REG3 LIC30  
21-00998-01 PDC