

Corrected
10-16-73

UNITED STATES OF AMERICA
ATOMIC ENERGY COMMISSION

In the Matter of)
)
THE TOLEDO EDISON COMPANY AND)
THE CLEVELAND ELECTRIC) Docket No. 50-346
ILLUMINATING COMPANY)
)
(Davis-Besse Nuclear Power)
Station))

ORDER CORRECTING TRANSCRIPT

The following transcript corrections will be made:

<u>Page</u>	<u>Line</u>	<u>Change</u>
14	10	line to read "response, we thought".
14	17-21	lines to read "We, therefore, thought to the extent discussed in our original response, that they, unlike the other contentions in Mrs. Stebbins' and the Coalition's original pleading, were adequately phrased."
14	24	"it" to "them".
15	11	line to read "entitled 'Petition to Intervene', we concluded".
15	13-14	". If" to ", if".
15	15	"it" to "them".
15	15	Insert "and" after "be".
15	16	", the" to ". The".
15	20-21	". If" to ", if".
15	25	", or" to "in".
16	1	"was" to "were".



8008050 979 T

<u>Page</u>	<u>Line</u>	<u>Change</u>
16	4	line to read "We tried to specify that in our".
16	7-8	sentence to read "We expressed what it appeared she meant, which contentions therefore would be proper."
16	10	"was" to "were,".
16	11	"discussed, all" to "discussed them, proper. All".
16	12	delete "and".
17	6	"haven't" to "have".
29	13	"commercial policy, and the law has" to "Commission policy and, therefore, has"
37	18	"aspect" to "accident"
42	18	"Regulatory Safety" to "radiological safety"
42	19	"Environmental Management" to "environmental matters"
43	2-4	sentences to read "Consequently, the Final Environmental Statement is adequate. In this regard, if it is admitted as an issue, the staff is prepared to present the FES as its evidence."
45	8-10	all lines after "appears" to "to be a blanket attack upon the adequacy of the staff's review pursuant to its responsibilities under the National Environmental Policy Act without specifying the exact nature of the inadequacy. This is what was meant by our response."
43	15	line to read "and on which we can now present evidence."
47	23	"(blank)(blank)(blank)" to "the Final Environmental Statement"
48	5	"(blank) for spent fuel levels" to "standards for spent fuel containers"

<u>Page</u>	<u>Line</u>	<u>Change</u>
48	18	delete "any".
48	20	line to read "results of that review".
48	21	line to read "compiled in the FES".
49	10	"statements to review" to "statement's review of".
49	11	"performance" to "requirements".
49	14	"7 on page 8" to "7.2.7 on page 7-8".
58	14	"shipping" to "Shippingport"
60	11	"condition" to "nature".
60	20	"due to" to "attributed to routine".
60	21	"would" to "will".
60	22	Insert a hyphen "-" after "postulated".
60	22	"basis" to "bases"
60	23	"and" to "of".
60	23-24	"26 to the extent" to "26. To this extent,".
60	25	"to" to "for".
61	4	Delete ", in other words,".
61	5	"of" to "in".
61	6	"contention" to "interpretation".
61	8	"did draw" to "has just drawn".
61	9	"play" to "have".
61	9-10	line to read "this proceeding, since we now know what she meant by her contention."

<u>Page</u>	<u>Line</u>	<u>Change</u>
62	24	"of" to "in".
62	25	"and" to "and the".
62	25	"her" to "the".
65	17	"benefit. It" to "benefit -- that the AEC".
65	18	"they" to "their hazards".
65	18	", the" to "by the".
67	23	"precluded" to "included".
73	10	"inclusional" to "conclusional and".
74	24	"but" to "that".
74	24-25	"is not" to "has set forth".
91	20	"short" to "shore".
111	22	"the" to "June".
112	1	"conference" to "hearing".
123	11	"wases" to "wastes".
128	17	"We had" to "We had initially"
128	19	"We are" to "We were".
128	22	"certain" to "were certain".
144	23	line to read "would be the list of witnesses who are expected to be".
165	9	"restrike" to "restrict".
216	13	"along" to "alone".

<u>Page</u>	<u>Line</u>	<u>Change</u>
227	9	"of a lunch" to "over a lunch"
227	10	"the Board members the" to "the other parties the"
245	16	"naturally" to "nationally"
247	6	"exponent" to "component"
247	20	"No residential" to "No new residential"
249	2	"price inelasticity" to "price elasticity"
253	16	"am not" to "am familiar"
265	6-7	"dryers and ranges, but they have ceased promotion of the electric water heaters" to "dryers, electric water heaters, and ranges."
268	15	"LED" to "TEC"
277	8-9	"three hot days in" to "three o'clock in"
278	15	"4:00" to "4"
279	1-2	"minus, not interchange" to "minus net interchange"
279	10	"196" to "19"
280	8	"196" to "19"
289	12	"offered" to "authored".
291	7	"They are assuming" to "The Rand report assumes"
293	23	"do not promote" to "do promote"
294	15	"transformation" to "transmission"
295	21	"concerned" to "conserved"
317	8	"bulk" to "bulb"

<u>Page</u>	<u>Line</u>	<u>Change</u>
339A	18	Intervenor's Exhibit 7, under the Admitted In Evidence column, insert page 577
347	22	"thermal luminescent" to "thermoluminescent" (and in all subsequent references)
351	24	"be" to "being"
378	5	Insert "MR. DAVIS: (indicating none)."
393	8	"fallout" to "falloff"
395	10	"20,000 on" to "20,000 pounds on"
398	11	"indications" to "fluctuations"
403	11	"toal" to "total"
407	8	"of your" to "of year"
407	9	"as times" to "at times"
407	19	"Bristow Bay" to "bristol Bay"
409	3	"is commented" to "was commented"
430	5	"testimony" to "testified"
432	2	"area" to "air"
472	19	"Riviere," to "Regier,"
479	10	"county." to "counting."
492	2	"dozes" to "doses"
499	18	line to read "giving that document to"
499	19	"parties - the" to "parties the"
500	1	line to read "Water Pollution Control Act Amendments of 1972."

<u>Page</u>	<u>Line</u>	<u>Change</u>
503 ✓	4	sentence to begin "Elevations in the"
504 ✓	7	line to read "time and"
506 ✓	4	"review" to "proceeding".
506 ✓	4	line to read "now involved"
506 ✓	10	"Dr. Hulman" to "Mr. Hulman" (and in all subsequent references)
506 ✓	14	"Mr. Charnoff, may" to "MR. CHARNOFF: May"
508 ✓	9	"data" to "datum"
508 ✓	14	"leak" to "lake"
508 ✓	22	Delete "and" and add a comma "," after "surge".
514 ✓	6	Delete "but some models available" after "models"
514 ✓	12	"practiced" to "practice"
514 ✓	23	"her.ever" to "whenever"
515 ✓	11	"date" to "data"
516 ✓	16	sentence to begin "Based on the"
516 ✓	7	"models" to "model"
516 ✓	23	sentence to begin "The inquiry is basically, should"
518 ✓	10	delete "the probably maximum criteria on"
522 ✓	24	"Blalack," to "blaylock," (and in all subsequent references)
524 ✓	3	"I was" to "he was"
524 ✓	4	"Giambusia." to Gambusia."
524 ✓	8	"adaption to" to "adaptation to"

<u>Page</u>	<u>Line</u>	<u>Change</u>
542	14	"defects." to "effects."
543	23	"environmental report" to "Final Environmental Statement"
544	6	"prechlorine" to "fre chlorine"
549	22	".12" to ".20."
549	23	".12" to ".20."
550	25	"my" to "the"
552	1	line to read "In Table 3.6 of the FES,"
589	2	"fission" to "fish"
591	16	"first word in the line to read "beta"
599	24	"MR. DAVIS" to "MR. BARON"
601	24	line to read "EPA in 1970"
602	1-2	lines to read "calculated the value of about 45 picocuries per liter, versus the 15 to 30 picocuries per liter given, so that our models"
603	10	"or thereabouts" to "at a maximum"
612	2	"technicality" to "technicalia"
623	2	"opinion" to "open pin"
623	4	"opinions" to "open pins"
631	20	"type" to "tide"
632	6	"transfer" to "transverse"
654	25	"rose" to "rows"
655	7	"rose" to "rows"

<u>Page</u>	<u>line</u>	<u>Change</u>
682	✓ 12	"unit type nuclear" to "Unit Type - Nuclear"
682	✓ 17	"capital" to "CAPCO"
685	✓ 2	"1958" to "1985"
695	✓ 13	"tur" to "true"
698	✓ 12-13	line to read "engineer he is presumably"
701	✓ 16	"Arthur" to "Dr."
703	✓ 25	"Liability" to "Reliability"
703	✓ 18	"he did" to "he did not"
714	✓ 1	"a collection of the models" to "the collection in this model"
714	✓ 12	"heavily" to "relevant"
715	✓ 5	"reasonably" to "reasonably constant"
715	✓ 24	"effect" to "neglect"
717	✓ 2	"effect" to "neglect"
718	✓ 5	"identical" to "infinitesimal"
722	✓ 18	"operated" to "operation"
722	✓ 20	"chemical" to "biological"
729	✓ 13-14	"401B . . ." to "401 certification. Or does the savings clause eliminate that?"
734	✓ 9	Delete "3"
736	✓ 21	"in these" to "if needed"
748	✓ 15	"gaseous" to "liquid"

<u>Page</u>	<u>Line</u>	<u>Change</u>
753-4		The document identified on lines 9-11, Tr. 753, should be incorporated following Tr. 753. Ace-Federal Reporters are making arrangements for the distribution of this document.
766 ✓	18	"hearing" to "review"
769 ✓	11	"expound" to "respond"
770 ✓	1-2	"Statement is the Reference," to "Statement. The Reference, is".
770 ✓	8	"--" to "birds"
771 ✓	4	"is" to "was"
779 ✓	10	"the mills" to "Waltz Mills"
793 ✓	21	"G-2" to "6-2"
807 ✓	4	"Hassle" to "HASL"
815 ✓	14	"for delineating" to "for purposes of delineating"
815 ✓	15	"ones we are" to "ones you are"
824 ✓	22	"Board wants to" to "Board wanted to"
824 ✓	22	"clear what's" to "clear on what"
824 ✓	23	"the issue." to "issue was admitted."
824 ✓	23	"on the issue" to "on that issue"
824 ✓	25	"very clear that" to "very sure that"
825 ✓	13	"struck from that" to "strick with that"
827 ✓	5	"evidence.)" to "evidence with portions stricken as stated.)"

<u>Page</u>	<u>Line</u>	<u>Change</u>
828	9	"of the recedent" to "into"
841	19	"tests" to "installations"
842 ✓	19	"predictibility" to "predictive ability"
842	23	"appropriate parameters" to "appropriate dispersion parameters"
842 ✓	24	"contamination" to "deposition"
843 ✓	6	"in air" to "in ambient air"
844	16-17	"forms of meteorology in the Atomic Energy report and" to "form to 'Meteorology and Atomic Energy',"
845 ✓	5	"a projection" to "an injection"
845 ✓	9	"or temperature" to "or chemistry"
846	3	"temperature interface" to "density interface"
846	4	"the inversion" to "the subsidence inversion"
846	12	"drobes" to "drogues"
860 ✓	10	"summary" to "sum"
861 ✓	22	"Exhibit" to "Exhibit 8"
865 ✓	16	"vale" to "value"
867	16	"Thermal luminescent" to "Thermoluminescent"
873 ✓	10	"W-24" to "T-24"
887 ✓	19	"volume" to "column"
891 ✓	7	"available" to "variable"
892 ✓	1	"'I mean" to "'Assuming"
892 ✓	14	"January" to "February"

<u>Page</u>	<u>Line</u>	<u>Change</u>
895	7	"position of the operational safety" to "Division of Operational Safety"
901	12	"presents" to "compares"
901	13	"1969" to "1959"
906	7	"paragraph" to "Table"
907	2	"fit, if you recall" to "figure,"
909	7	"limits" to "error limits"
909	20	"Zwickley (?)" to "Sewickley" (and in all subsequent references)
910	1	"month and the" to "monthly"
910	23	"was added to" to "to that of"
915	13	"positioning" to "deposition"
930	18	"too late," to "to light"
936	25	"1970" to "1971"
940	16	"in transit" to "in transit duration"
943	25	"insignificant" to "significant"
956	16	"NUS," to "NUS, for"
960	3	"received to receive" to "received"
960	16	Delete "from his model"
960	19	"direct witne-ses," to "direct witnesses"
960	17	line to read "Statement from his standpoint"
963	9	"Plumbrook" to "Plum Brook" (and in all subsequent references)


<u>Page</u>	<u>Line</u>	<u>Change</u>
965	24	line to read "T-24, which is in Sandusky, I believe that it's in a"
965	25	"--" to "building,"
966	15	line to read "biological hazard"
966	19	line to read "factor of two"
967	19	"2, Beth" to "2 & Duff"
967	23	"central" to "centroid"
968	7	line to read "90 mr"
971	10	line to read "spectrum of nuclides"
976	23	"assistance" to "assistants"
985	8	"0.042" to "0.942"
990	15	"asset" to "assert"
990	18	"Dosimeter # 1" to "Dosimeter # 10"
1009	17	"14" to "15"
1012	8	"Drinking" to "Surface"
1012	23	"discovery" to "vicinity"
1022	10	"look" to "looking"
1022	12	"was 43" to "with 43"
1025	19	"quedtions" to "questions"
1029	8	"graph" to "grab"
1030	19	"under" to "understand"
1032	2	"you" to "your"

<u>Page</u>	<u>Line</u>	<u>Change</u>
1040	22	"1972" to "1973"
1041	21	"like to hope to" to "like to"
1042	8	"record completes this" to "record is completed this"
1042	19	"of administrative" to "of an administrative"
1043	5	"before it." to "before it today."
1053	4	"19-A" to "19-D"
1081	7	"1972" to "1973"
1089	21	"but a repetition is not in our best interest." to "but repetition is not of interest."
1096	12	line to read "own mind attribute"
1097	6	"strong, strong disagreement" to "strong disagreement"
1097	8	"immediate and" to "immediately and"
1108	10	"Rowe" to "Roe"
1110	3	"And backfill material" to "The fill rock of the dike"
1113	14	"rather" to "and"
1114	23	"inme" to "in time"
1116	7	"We will. Perhaps" to "We will recess . . . but perhaps"
1116	8	"advisable -- how do the" to "advisable to ask -- how the"
1117	19	"is clear" to "is very clear"

<u>Page</u>	<u>Line</u>	<u>Change</u>
1117	24	"relevancy of" to "relevance of"
1117	25	"not clear." to "not at all clear."

IT IS SO ORDERED.

THE ATOMIC SAFETY AND
LICENSING BOARD



John B. Farmakides, Chairman

Issued at Washington, D. C.,

this 12th day of September, 1973.