



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

AUG 15 1978

Docket No: 50-329/330

All Power Reactor Licensees and Applicants with Applications for a License to Operate or Construct a Power Reactor

Gentlemen:

SUBJECT: STANDARD FORMAT FOR METEOROLOGICAL DATA ON MAGNETIC TAPE (Midland)

A standardized format for providing hour-by-hour meteorological data on magnetic tapes that would facilitate our review of atmospheric diffusion characteristics and cooling system impacts was distributed in a letter in April 1977. This has led to a faster and more efficient meteorological review in the cases where these hourly data tapes have been received. However, even though most of the magnetic tapes that have been received since April 1977 have met the data formatting criteria, problems with the physical attributes such as tape recording technique, density, internal labels, etc., have rendered some of the tapes unreadable. This has led to delays in attempts to process the tape data or in the request and delivery of a second tape as a replacement from the originator. To give further guidance in this area, a more detailed description of the tape attributes for an IBM and CDC system is enclosed. Questions on the standard format should be referred to William Snell, Hydrology-Meteorology Branch, Division of Site Safety and Environmental Analysis, phone number 301-492-7288.

Sincerely,

Domenic B. Vassallo
Domenic B. Vassallo, Assistant Director
for Light Water Reactors
Division of Project Management

Enclosure:
As stated

8006120636

MA 4
GD

Consumers Power Company

ccs:

Michael I. Miller, Esq.
Isham, Lincoln & Beale
Suite 4200
One First National Plaza
Chicago, Illinois 60670

Consumers Power Company
ATTN: Mr. S. H. Howell
Vice President
212 West Michigan Avenue
Jackson, Michigan 49201

Judd L. Bacon, Esq.
Consumers Power Company
212 West Michigan Avenue
Jackson, Michigan 49201

Mr. Paul A. Perry
Secretary
Consumers Power Company
212 W. Michigan Avenue
Jackson, Michigan 49201

Myron M. Cherry, Esq.
One IBM Plaza
Chicago, Illinois 60611

Honorable Curt Schneider
Attorney General
State of Kansas
Topeka, Kansas 66612

Irving Like, Esq.
Reilly, Like and Schneider
200 West Main Street
Babylon, New York 11702

James A. Kendell, Esq.
Currie and Kendall
135 North Saginaw Road
Midland, Michigan 48640

Lee Nute, Esq.
Michigan Division
The Dow Chemical Company
47 Building
Midland, Michigan 48640

USEKEYWORDS

		<u>IBM</u>	<u>CDC</u>
Mode:	9-track, 1600bpi, EBCDIC ¹	UNIT = TAPE9, DEN = 3	NT, PE, EB, S, CM = Yes
Internal Labels:	none ²	LABEL = (,NL)	
Record Format:	fixed length/blocked	RECFM = FB	RT = F, BT = K
Record Length:	160 characters	LRECL = 160	FL = 160
Blocking:	3200 characters/block	BLKSIZE = 3200	RB = 20

¹9-track, 800 bpi, EBCDIC or
7-track, 800 or 556 bpi, BCD
are also acceptable

²IBM standard labels are also acceptable

DO NOT USE

Variable length or unformatted records or records that span tape blocks.

e.g. IBM's RECFM = U or VBS

e.g. CDC SCOPE standard tape data format (use the S parameter on the
REQUEST to avoid this)

OTHER SYSTEMS

For systems other than IBM or CDC the above information should be used as a guideline
to produce tapes with similar characteristics.

midland

DISTRIBUTION:

✓ Pocket Files

NRC PDR

Local PDR

LWR #4 Files

Project Manager: D. Hood

M. Service

S. Varga

Attorney, ELD

