PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE--PNO-I-80-108

This preliminary notification constitutes EARLY notice of events of POSSIBLE safety or public interest significance. The information presented is as initially received without verification or evaluation and is basically all that is known by IE staff on this date.

Facility: Long Island Lighting Company Shoreham Nuclear Power Station (DN 50-322) Shoreham, New York

Subject: INJURY OF WORKER

On July 23, 1980 a painter was working with solvent inside a downcomer. The solvent "detonated" at about 2:10 p.m. The painter was taken to a hospital with burns covering an estimated 20-25% of his body.

This Preliminary Notification is issued for information only and no further action by IE is anticipated.

The licensee does not plan to issue a press release, but has responded to inquiries. Region I does not plan to issue a press release. The State of New York and Region II OSHA were notified on July 24, 1980.

NRC Region I receivted notification of this occurrence by telephone from an inspector on site at 4:45 p.m. on July 23, 1980.

CONTACT: R. W. McGaughy 488-1281 R. T. Carlson 488-1280

Contact:

DISTRIBUTION: (Facsmile Transmission Times Noted)

8008050289

H ST BLDG 8.44 Chairman Ahearne

Commissioner Gilinsky Commissioner Bradford Commissioner Hendrie ACRS S. J. Chilk, SECY C. C. Kammerer, CA (For Distribution)

PHILLIPS BLDG H. R. Denton, NRR R. H. Volimer, NRR R. J. Mattson, NRR D. F. Ross, NRR D. Eisenhut, NRR S. H. Hanauer, NRR MARYLAND NATIONAL BANK BUILDING W. J. Dircks, EDO C. Michelson, AEOD J. J. Fouchard, PA N. M. Haller, MPA R. G. Ryan, OSP H. K. Shapar, ELD WILLSTE MAG J. G. Tavis, MMSS R. Construction RES LANDOW CLOS (Fax by HQ) (6 MIN/PAGE)

J. J. Cummings, OIA

Office	MI Pro	igram
Regio	n II	9 5.
Regio		5.54
Regio		1 :- 1
Regio		2120
RI Re		Site

Document Mgt. Br.

IE: XOOS 8 4 2

Region I Form 83 (Rev. June 1980) PRELIMINARY NOTIFICATIO