

415 Old State Road Ellisville, MO 63021 Phone 636.391.8844 Fax 636.391.7544

FAX COVER LETTER

To: United States Nuclear Regulatory Commission, Region III Office 2443 Warrenville Road, Suite 210 Lisle, IL. 60532-4352

From: L.F. Krupp Construction, Inc. 415 Old State Road Ellisville, MO. 63021

Attn: Materials Licensing Branch

RE: Termination of License

To Whom it May Concern:

Krupp Construction is requesting the termination of our materials license (License #:24-32629-01) effective immediately. We have transferred the Troxler 3440 Gauge to Troxler's Office in Durham, North Carolina for decommissioning. Troxer's license number is 032-0182-1. Please see the attached documentation to process our license termination. I can be available to discuss further should you require it.

Best Regar

Mark J. Reizer II Vice President/RSO

markireizer@kruppmo.com

636-391-8844 x109

Attachments

RECEIVED NOV 2 6 2019

NRC FORM 314 (02-2017) 10 CFR 30.36()(1); 40.42()(1); 70.38()(1); and 72.54(x)(5)(1)(1)



U.S. NUCLEAR REGULATORY COMMISSION

APPROVED BY OMB: NO. 3150-0028

EXPIRES: 02/29/2020

Estimated burden per response to compty with this mandatory collection request: 30 minutes. This submitted is used by NRC as peri of the basis for its determination that the facility at released for unrestricted use. Send comments requiring the estimate to the Privacy, and Information Collections Branch (17 S751) U.S. Nuclear Recoultant Commission.

and 72.54(k)(5)(1)(1)	OF MATERIALS		Visitington, DC 2055-COUL or by e-mail to Infocolle and Regulatory Altaris, NEUE-10202, [31:20-0025), means used to impose an information collection does conduct or sponsor, and a person is not required to re	ests.Resource@nr Office of Manages oncl display a cur espond to, the info	ement and Budget, Washington, DC 20103. If a vendy valid OMB control number, the NRC may not maxion collection.
LICENSEE NAME AND ADDRESS			LICENSE NUMBER	DOC	CKET NUMBER
L.F. KRUPP CONSTRUCTION, INC.			24-32629-01		03037317
415 OLD STATE ROAD		İ		1	
ELLISVILLE, MO. 63021		1	LICENSE EXPIRATION DATE		
			09	9/30/2020)
 	A. LICENSE STATUS (Check the	appropriate box)		
This license has expired.	This license has not yet expir		• • •		
	B. DISPOSAL OF Reboxes and complete as neces			vide attac	chments)
The licensee, or any individual executir	ng this certificate on behalf of	the license	e, certifies that:		•
1. No radioactive materials hav	_			se.	
2. All activities authorized by th	is license have ceased, and ted above have been dispose	all radioacti ed of in the	ve materials procured and/		ssed by the licensee
	ICS, LICENSE #032-0182-		1/18/19. FMII Y DAVIS- () 19_540	8661
INOADER EDECTRON	, OICENBL #VJ2-V102-	., •n 1 E. I		・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	
b. Disposal of radioactive ma				:	
L.F. KRUPP CON					
	ROAD, ELLISVILLE, MO.	63021			
· <u> </u>		ا سری بید		-	
2. By licensed dispos	· · · · · · · · · · · · · · · · · · ·	t BIO			
	TRONIC LABORATORIES IS RD, DURHAM, NC. 277	•	9-8661		
3. By waste contractor	or:				
c. All radioactive materials h Part 20, Subpart E, and is	ALARA.	-		within the	e limits of 10 CFR
	C. SURVEYS PERF				
. 1. A radiation survey was conduct	•	rvey confirm	ns:		
a. the absence of licensed ra	adioactive materials			İ	
b. that any remaining residu	al radioactivity is within the li	mits of 10 C	FR 20, Subpart E, and is A	LARA.	
2. A copy of the radiation survey	results:				
a. is attached; or b. is n	ot attached (Provide explana	ation); or	c. was forwarded to NR	C on:	
3. A radiation survey is not requi			— ssessed under this license	, and	Date
a. The results of the latest le	•		b. No leaking sources hav		een identified.
The person to be contacted regarding the in					
NAME	TITLE		TELEPHONE (Include Area Code)	E-MAIL ADD	RESS
MARK J. REIZER II	VICE PRESIDENT		636-391-8844 X109	markjre	izer@kruppmo.com
Mail all future correspondence regarding this ficense to:					
415 OLD STATE ROAD, ELLISVILI	•	·			
	NDER PENALTY OF PERJURY		CTAL FOREGOING IS TRUE AND C	ORRECT	
PRINTED NAME AND TITLE MARK J. REIZER II/VICE PRESIDENT	SIGN	ATURE /	4//		DATE 11/26/2019
WARNING: FALSE STATEMENTS IN THIS CER	TIFICATE MAY BE SUBJECT TO C	IVIL ANDIOR	CRIMINAL PENALTIES. NRC RE	GULATION	IS REQUIRE THAT

SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.



Troxler Electronic Laboratories, Inc. - Troxler International, Ltd. 3008 Cornwallis Road, P.O. Box 12057, Research Triangle Park, NC 27708 - USA Telephone: 919/549-8661 Telefax: 919/549/0781

November 22, 2019

Krupp Construction Attn: Mark Reizer II 415 Old State Road Ellisville, MO 63021

Attn: Mark Reizer II

This is to acknowledge receipt and transfer of ownership of the nuclear gauge(s) listed below, and the radioactive sources contained therein, to Troxler under North Carolina Radioactive Material License #032-0182-1. You should retain this letter in your files for future reference.

Date Received: 11-18-19

Job Number

Model

3440

Serial Number

38239

Regards

24123

Fmily Davis

Service/Repair Department

Troxler Electronics

R. M.

"Specializing In Your Radiation Safety Needs"

R. M. WESTER and ASSOCIATES, INC

215 Indacom Drive St. Peters, MO 63376 (636) 928-9628 www.rmwester.com

RADIOACTIVE SEALED SOURCE LEAK TEST REPORT

Test Date:	February 7, 2019	Analytical Date:	February	7, 2019
Source Identification:				
Manufacturer:	Troxler	Model No.:	3440	
Mach S/N:	38239			
Radionuclide:	Cs-137	Activity:	10.0 m¢	· ·
		Source S/N:	77-5595	·
Radionuclide:	Am-241/Be	Activity:	40.0 mC	i
		Source S/N:	78-3047	
	Sample Submitted By:	Julian Hansen		
•	Facility:	Krupp Construction		·
	Address:			
	•	Ellisville, MO 63021		
	•			
required by the United used in testing the seale	ource listed above has be States Nuclear Regulator ed source reveals the pres x 10 ⁻⁵ µCi of loose conta	y Commission. The analesence of $\leq 9.52 \times 10^{-5} \mu$	lysis of the	wipe material
(X) This soul	rce is acceptable for cont	inued use.	i	
0.005 μ0	rce has been found to ha ii of removable radioacti mmediately.			_
(N/A) Operation	onal and performance ch	eck of shutter mechanis	sm satisfac	ctory.
Next Leak 1	Test Date: August 7, 20	19		
۸ ۰۰	Salveie By: Julian Hanco	<u> </u>		

Reviewed By: Joseph D Koch




"Specializing In Your Radiation Safety Needs"

R. M. WESTER and ASSOCIATES, INC.

215 Indacom Drive St. Peters, MO 63376 (636) 928-9628 www.rmwester.com

RADIOACTIVE SEALED SOURCE LEAK TEST REPORT

Test Date:	June 21, 2018	Analytical Date:	June 21, 2018
Source Identification:			! ! :
Manufacturer:	Troxler	Model No.:	3440
Mach S/N:	38239		
Radionuclide:	Cs-137	Activity:	10.0 mCi
		Source S/N:	77-5595
Radionuclide:	Am-241/Be	Activity:	40.0 mCi
		Source S/N:	78-3047
	Sample Submitted By:	Julian Hansen	
	Facility:	Krupp Construction	-
	Address:	415 Old State Rd.	
		Ellisville, MO 63021	
required by the United Sused in testing the sealer for Cs-137 and <u>≤ 7.44</u> s	States Nuclear Regulator	y Commission. The anal sence of $\leq 7.49 \times 10^{-5} \mu$ C imination for Am-241.	radioactive materials as lysis of the wipe material Ci of loose contamination
0.005 μC	rce has been found to ha ii of removable radioacti mmediately.		
(N/A) Operation	onal and performance ch	eck of shutter mechanis	m satisfactory.
Next Leak T	est Date: December 21	1, 2018	
An	alysis By: Julian-Hanse	n	
Revi	lewed By:	·	



215 Indacom Drive St. Peters, MO 63376 (636) 928-9628 www.rmwester.com

RADIOACTIVE SEALED SOURCE LEAK TEST REPORT

iest Date:	January 2, 2018	Analytical Date:	January 2, 2018
Source Identification:			
Manufacturer:	Troxler	Model No.:	3440
Mach S/N:	38239		
Radionuclide:	Cs-137	Activity:	10.0 mCi
•		Source S/N:	77-5595
Radionuclide:	Am-241/Be	Activity:	40.0 mCi
		Source S/N:	78-3047
	Sample Submitted By:	Aidyl Galafa-Colon	
	Facility:	Krupp Construction	
	Address:	415 Old State Rd.	
	• •	Ellisville, MO 63021	•
required by the United Sused in testing the seale for Cs-137 and ≤ 9.11	ource listed above has be States Nuclear Regulator ed source reveals the pres κ 10 ⁻⁵ μCi of loose conta	y Commission. The analysence of $\leq 9.21 \times 10^{-5}$ μC imination for Am-241.	ysis of the wipe materi
required by the United Sused in testing the seale for Cs-137 and ≤ 9.11 (X) This sour	States Nuclear Regulatored source reveals the presentation of loose contains.	y Commission. The analysence of $\leq 9.21 \times 10^{-5}$ μCommination for Am-241.	ysis of the wipe materi
required by the United Sused in testing the seale for Cs-137 and <u>≤ 9.11 ></u> (X) This sour () This sour 0.005 µC	States Nuclear Regulatored source reveals the presontant of loose contant of source is acceptable for contant of the source is acceptable for contant of the source is acceptable for contant of the source is acceptable for contant of the source of the sou	y Commission. The analysence of $\leq 9.21 \times 10^{-5}$ μC amination for Am-241. Sinued use.	ysis of the wipe materi i of loose contamination
required by the United Sused in testing the seale for Cs-137 and <u>≤ 9.11 security</u> (X) This sour () This sour 0.005 μC service in	States Nuclear Regulatored source reveals the presentation of loose contact of the second of the sec	y Commission. The analysence of $\leq 9.21 \times 10^{-5} \mu$ Commission for Am-241. Sinued use. The analyse is a level of loose contained we materials, and should the second should be a level of loose contained we materials.	ysis of the wipe materi i of loose contamination mination greater than be removed from
required by the United Sused in testing the seale for Cs-137 and <u>≤ 9.11 security</u> (X) This sour () This sour 0.005 μC service in	States Nuclear Regulator of source reveals the present of 10-5 µCi of loose contacted is acceptable for contacted has been found to have in of removable radioaction mediately.	y Commission. The analysence of $\leq 9.21 \times 10^{-5} \mu$ Commission for Am-241. Sinued use. The analyse is a level of loose contained we materials, and should the second should be a level of loose contained we materials.	ysis of the wipe materi i of loose contamination mination greater than be removed from
required by the United Sused in testing the seale for Cs-137 and <u>≤ 9.11 γ</u> (X) This sour () This sour 0.005 μC service in (N/A) Operatio	States Nuclear Regulator of source reveals the present of 10-5 µCi of loose contacted is acceptable for contacted has been found to have in of removable radioaction mediately.	y Commission. The analysence of < 9.21 x 10 ⁻⁵ μCommination for Am-241. Sinued use. The analyse in the analyse materials, and should each of shutter mechanism.	ysis of the wipe materi i of loose contamination mination greater than be removed from