

TIC



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
REGION I  
631 PARK AVENUE  
KING OF PRUSSIA, PENNSYLVANIA 19406

August 11, 1980

Docket Nos. 50-322  
50-516  
50-517

Long Island Lighting Company  
ATTN: Mr. Andrew W. Wofford  
Vice President  
175 East Old Country Road  
Hicksville, New York 11801  
Gentlemen:

The NRC staff is developing guidance for an acceptable method for providing the emergency response facilities needed to implement the plans for coping with emergencies that are required by paragraph 50.34 and Appendix E of 10 CFR 50. The proposed functional criteria for the Safety Parameter Display, Technical Support Center (TSC), Emergency Operations Center (EOF) and Nuclear Data Link were recently published in NUREG-0696, "Functional Criteria for Emergency Reponse Facilities." The staff is now soliciting public comment on these proposed criteria and will hold three regional workshops for the purpose of presenting and discussing the criteria, receiving comments and answering questions. These workshops will be held from 8:30 a.m. to 5:00 p.m. at the following locations:

August 19 - The Sheraton-Valley Forge  
Valley Forge, Pennsylvania

August 20 - The O'Hare Hilton  
O'Hare Airport  
Chicago, Illinois

August 22 - The Stadium Hotel  
450 Capitol Avenue  
Atlanta, Georgia

You are invited to send representatives from your company to participate in one or more of these workshops, as you choose. The subject areas to be discussed include the function of the various parts of the facilities, the location, size, staffing and habitability of the TSC and EOF, and the design criteria for the reliability, separation and independence of data acquisition and display systems.

If you have any questions concerning the workshops, please call this office.

Sincerely,

*Boyce H. Grier*  
Boyce H. Grier  
Director

CONTACT: Jack Davis  
(215-337-5212)

8008280053

F

Long Island Lighting Company

2

cc:

J. P. Novarro, Project Manager

Edward M. Barrett, Esquire

Edward J. Walsh, Esquire

T. F. Gerecke, Manager, Engineering QA Department