



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
799 ROOSEVELT ROAD
GLEN ELLYN, ILLINOIS 60137

TIC

AUG 11 1980

Docket No. 50-409

Dairyland Power Cooperative
ATTN: Mr. F. W. Linder
General Manager
2615 East Avenue - South
La Crosse, WI 54601

Gentlemen:

The NRC staff is developing guidance for an acceptable method for providing the emergency response facilities needed to implement the plans for coping with emergencies that are required by paragraph 50.34 and Appendix E of 10 CFR 50. The proposed functional criteria for the Safety Parameter Display, Technical Support Center, Emergency Operations Center and Nuclear Data Link were recently published in NUREG-0696, "Functional Criteria for Emergency Response Facilities." The staff is now soliciting public comment on these proposed criteria and will hold three regional workshops for the purpose of presenting and discussing the criteria, receiving comments and answering questions. These workshops will be held from 8:30 a.m. to 5:00 p.m. at the following locations:

| | |
|-----------------|--|
| August 19, 1980 | Sheraton Valley Forge Hotel Valley Forge, PA |
| August 20, 1980 | O'Hare Hilton O'Hare International Airport Chicago, IL |
| August 22, 1980 | Stadium Hotel Atlanta, GA |

You are invited to send representatives from your company to participate in these workshops. The subject areas to be discussed include the function of the various parts of the facilities, the location, size, staffing and habitability of the TSC and EOF's and the design criteria for the reliability, separation and independence of data acquisition and display systems.

8008280094


AUG 11 1980

Dairyland Power Cooperative

- 2 -

Any questions you may have concerning these workshops may be directed to Mr. Warren Minners, Office of Nuclear Reactor Regulation, Bethesda, MD, at (301) 492-7581.

Sincerely,



for James G. Keppler
Director

cc: Mr. R. E. Shimshak,
Plant Superintendent
Central Files
Director, NRR/DPM
Director, NRR/DOR
AEOD
Resident Inspector, RIII
PDR
Local PDR
NSIC
TIC
Mr. John Duffy, Chief
Eoiler Inspector, Department
of Industry, Labor and Human
Relations