

TIC



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION II
101 MARIETTA ST., N.W., SUITE 3100
ATLANTA, GEORGIA 30303

JUL 14 1980

In Reply Refer To:
RII:GTG
50-327/80-23

Tennessee Valley Authority
ATTN: H. G. Parris
Manager of Power
500A Chestnut Street Tower II
Chattanooga, TN 37401

Gentlemen:

This refers to the inspection conducted by G. T. Gibson of this office on June 19, 1980, of activities authorized by NRC Operating License No. DPR-77 for the Sequoyah facility, and to the discussion of our findings held with R. Maxwell at the conclusion of the inspection.

Areas examined during the inspection and our findings are discussed in the enclosed inspection report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspectors.

Within the scope of this inspection, no items of noncompliance were disclosed.

In accordance with Section 2.790 of the NRC's "Rules of Practice", Part 2, Title 10, Code of Federal Regulations, a copy of this letter and the enclosed inspection report will be placed in the NRC's Public Document Room. If this report contains any information that you (or your contractor) believe to be proprietary, it is necessary that you make a written application within 20 days to this office to withhold such information from public disclosure. Any such application must include a full statement of the reasons on the basis of which it is claimed that the information is proprietary, and should be prepared so that proprietary information identified in the application is contained in a separate part of the document. If we do not hear from you in this regard within the specified period, the report will be placed in the Public Document Room.

Should you have any questions concerning this letter, we will be glad to discuss them with you.

Sincerely,

J. Philip Sohr
J. Philip Sohr, Chief
Fuel Facility and Materials
Safety Branch

Enclosure: (See Page 2)

8009040317

Enclosure:
Inspection Report No. 50-327/80-23

cc w/encl:

G. G. Stack, Project Manager

J. M. Ballentine, Plant
Superintendent

J. F. Cox

M. J. Burzynski, Project Engineer

H. N. Culver