

40-8681

August 29, 1980

Region IV USNRC Office of Inspection and Enforcement 611 Ryan Plaza Drive Arlington, TX 76012

Director of Inspection and Enforcement U.S. Nuclear Regulatory Commission Washington, DC 20555

Subject: White Mesa Uranium Mill License #SUA 1358

Dear Sir:

In compliance with 10CFR40(a)(1), the enclosed effluent report is presented. This report specifies the measured concentration of the principal radionuclides released to the unrestricted area during the period from January 1, 1980 to June 30, 1980. The report also estimates the semi-annual dose to the public resulting from the gaseous and particulate effluents.

If you have any questions please call.

Sincerely,

Dean Roberts

Radiation Safety Officer

Robert

DR/jhl

cc: D.K. Sparling

C.E. Baker



## White Mesa Uranium Mill Effluent

Gaseous Particulate		Semi-annual Population Dose Rate Estimates in Man-Rem/1/2 Year
U-Natural	8.26x10-16 uCi/ml	0.0005
Th-230	8.29x10-15 uCi/ml	0.0062
Ra-226	4.38x10-15 uCi/ml	0.0044
Rn-222	5.0 x10-16 uCi/ml	0.0000
Pb-210	1.45x10-14 uCi/ml	0.5438

Total semiannual dose rate estimate for January 1, 1980 to July 1, 1980

0.5549 Man-Rem/1/2 Year