| AMENDMENT OF SOLICITAT | TION/MODIFICATION | OF CONTRACT | 1 | 1116 |
|---|---|--|-----------------------|------------------------------------|
| Z. ALICHOMENT/MODIFICATION NO. | D. EFFECTIVE DATE | A. REQUISITION PUR | CHASE REQ. NO. | S. PROJECT NO. (Il applicable) |
| • Ten (10) | Law Carles | AED-87-420 dtd 9/12/89 2. ADMINISTED DEV (If other than Hem 6) CODE | | |
| . C. ISSOCO OV C | 000 | 17. ADMINISTER ADD | (1) biner inon riem | cupe I I |
| | | | | |
| U.S. Nuclear Regulatory Convision of Contracts and Washington, D.C. 20555 | Property Managemer | 1 | | |
| E NAME AND ADDRESS OF CONTRACTOR | (t'o street county, State and | ZII' Codej | W PA. AMENO | MENT OF SOLIC TATION NO. |
| [16] 공연 (12] [17] 기본 (11] [17] [17] [17] [17] [17] [17] [17] [| | | | |
| El International, Inc. P.O. Box 736 One Energy Drive | | | SEE ITEM 11) | |
| Jdaho Falls, ID 83402 | | NO. | -87-420 | |
| | | 100 DATED | (SEE ITEM 13) | |
| | FACILITY CODE | | 9/.30/8 | 1 |
| CODE 11. THIS | ITEM ONLY APPLIES TO | AMENDMENTS OF S | OLICITATIONS | |
| tended. Offers must acknowledge receipt of this amend. (a) By completing Item. 8 and 15, and returning submitted; or (c) By separate letter or telegrament TO BE RECEIVED AT THE PLACE DE IN REJECTION OF YOUR OFFER. If by viriletter, provided each telegram or letter makes to 12. ACCOUNTING AND APPROPRIATION D. | o | the solicitation and amend PT OF OFFERS PRIOR T | O THE HOUR AND | DATE SPECIFIED MAY RESUL |
| | A APPLIES ONLY TO MOU | HEICATIONS OF COM | TRACTS/ORDER | RS, |
| IT MODIF | IES THE CONTRACT/ORC | ER NO. AS DESCRIB | ED IN ITEM 14. | ARE MADE IN THE CON- |
| THACT CHOCK TO DAY 2 | | | | |
| B. THE ABOVE NUMBERED CONTRAC | IN ITEM 14, PURSUANT TO T | HE AUTHORITY OF FA | R 43.103(u). | |
| C THIS SUPPLEMENTAL AGREEMENT | IS ENTERED INTO PURSUA | NT TO KOTHOKITY D | | |
| O. OV LER (specify type of modification | end tulko ity) | | | |
| E. IMPORTANT: Contractor is not. 14. DESCRIPTION OF AMENDMENT/MODIF The purpose of this modificathe ceiling by \$4,227.05. | tion is to revise | an attachment t | o the contra | ct and to decided |
| 1. Section J - Attachment 4 entitled, "ERDS Implemen | (b) is deleted and ntation Requirement | replaced with s - Revision 3 | the attached | new Attachment 4(b |
| 2. SF 26.Block 15G, Total A | | is changed fro | m \$2,828,628 | .21" to |
| (Cont'd) PDR NRC- | 1270040 891106 CONTR -26-87-420 PDC | | | nates unenanced and in outilibrice |
| Except as provided herein, all terms and conditions are letters | ans of the document referenced | in Hern 9A or 10A, as he | COE COLLEGE TO | IG OFFICER ITYPE OF PRINT |
| CLAUDIA F. CLOUD CONTRACT ADMINISTRATOR | (1) (C) | Paul J. Edgewo | de | 11/2/14 |
| Clauder J. Co | 11-6 37 | 1. contine | of Contracting Office | ANDARD FORM TO LOT V 19- |
| MS64 7540 01 157 4570 | 10 | 105 | 100 | second to Gir |

NRC-26-87-420 Modification No. 10 Page 2 of 2

3. Paragraph B.2, Consideration and Obligation, subparagraph a is revised to read:

"a. It is estimated that the total cost to the Government for full performance of this contract will be \$2,824,401.16, of which the sum of \$2,645,080.28 represents the estimated reimbursable costs, and of which \$179,320.88 represents the fixed fee."

All other terms and conditions remain the same.

Revised FRDS Implementation Requirements Revision 3

- The ERDS will include local printing capability at the work stations in the Reactor Safety Team, Protective Measures Team, and Operations Officer areas and one addressable high resolution color graphics printer.
- o RDS Bill:

All selected hardware must be capable of incorporating the following new requirements of the ERDS legislation. However, since the ERDS bill has not yet been passed no other hardware that is only required to support these modifications is to be procured at this time and no new software requirements are imposed as yet.

- A 24-hour record of the ERDS data will be maintained at the site which will be transmitted to the NRC when the live transmission of ERDS data is initiated. The exact method by which this requirement will be implemented is not specified.
- The system will be activated at the Notification of Unusual Eventemergercy classification level rather than the Alert level as currently planned. This presents much greater potential for concurrent events as NOUEs occur approximately 250 times a year whereas, Alerts occur about 9 times a year. This operational concept change would require that the system be capable of receiving data from up to 4 sites at one time and store and process the data from all 4 sites simultaneously for display to users. The current concept allows for multiple sites feeding at one time but only one selected data stream will be stored and processed for display at a time. This would also increase user demand with a possible doubling of Headquarters terminals and a quadruting of regional and state access.
- The Technical Training Center has been added as a remote user. The TTC ERDS workstation shall have the capability to function as a RETACT workstation.
- Color displays are equally acceptable as monochrome, however, if color is used, any impact on printing must be considered and the black and white print function must be capable of conveying all the information contained on the color display.
- The requirement contained in the Requirements Analysis Report which required the data points be displayed with their associated "parent" parameter need not be strictly adhered to.
- The requirement to provide the delta between the feeder computer time and the ERDS .omputer time is deleted. Displays should provide the time of the data as provided by the licensee and the current Operations Center time separately.
- The hardware selected should be capable of supporting graphic P&ID type displays although the development of such displays is not part of the current contract.

- No "coarsening" of on line data will be done. The users will be advised at regular intervals to store the received data and if no data storage has been done the system will lock up after the equivalent of 144 hours of maximum data updates have been received.
- The pressure versus temperature plot will display a fixed subcooling margin line as well as the saturation curve.
- The requirement for the time correction factor is deleted.