

"OFFICIAL RECORD COPY"

OCT 27 1989

Newton Marten-Ellis, M.D.
Comercio 42 -- P.O. Box 986
Aguadilla, PR 00605

Gentlemen:

SUBJECT: NRC REPORT NO: 52-16376-01/89-01

Thank you for your response of October 19, 1989, to our Notice of Violation, issued on August 23, 1989, concerning activities conducted under NRC License No. 52-16376-01. We have evaluated your response and found that it meets the requirements of 10 CFR 2.201. We will examine the implementation of your corrective actions during future inspections.

We appreciate your cooperation in this matter.

Sincerely,

ORIGINAL SIGNED

BY

W. E. CLINE

William E. Cline, Chief
Nuclear Materials Safety and
Safeguards Branch
Division of Radiation Safety
and Safeguards

cc: Commonwealth of Puerto Rico

bcc: Document Control Desk

RII:DRSS

[Signature]
HBermudez
10/27/89

RII:DRSS

[Signature]
CHosey
10/27/89

8911280381 891027
REG2 LIC30
52-16376-01 PDC

1007



UNITED STATES
 NUCLEAR REGULATORY COMMISSION
 REGION II
 101 MARIETTA STREET, N.W.
 ATLANTA, GEORGIA 30323

October 31, 1989

NOTE TO: *Pat Miles, DRSS pm*
 FROM: Earline B. Scott, Records Management Assistant, DRMA

The attached documents do not meet the appropriate criteria for "Placement of Documentation in the NRC Document Control System" for the following reason(s) (NRC Manual Chapter 0232).

- Document type not approved for placement in the Document Control System. (Personnel information, social security number, medical records, etc.)
- No photostatic or carbon copies are accepted for entry into DCS without a notation that the responsible program office has certified this to be the official record copy.
- No NRC formal publication (e.g., Nureg, Regulatory Guide, etc.) should be sent to the DCS or the PDR.
- Correspondence to multiple addresses do not require multiple copies in the DCS - only the official concurrence copy is required.
- This document has been returned by DCS (HQ) as not being on the approved list for entry into the system (NRC Appendix 3203, Chapter NRC 1102, NRC Bulletin 1401-3).
- Document rejected by DCS contractor as duplicate of an item previously entered into DCS.

Comments: *① Socket number or license number is needed, please make the needed correction and return to me -*
② What's the inspection report number?
 If there are questions, please contact me at extension 15518.

1 - *(52-16376-01) 030-11220; Inspected 7/28/89; 89/001*
 2 - *Hector Bermudez*
 Earline B. Scott