DCS No: 03030648891120 Date: November 20, 1989

## PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE--PNO-1-89-92

This preliminary notification constitutes EARLY notice of events of POSSIBLE safety or public interest significance. The information is as initially received without verification or evaluation, and is basically all that is known by the Region I staff on this date.

Facility: Syncor, Incorporated 106 Commerce Road Stamford, Connecticut DN 030-30648	06902	Licensee Emergency Classification:  Notification of Unusual Event Alert Site Area Emergency General Emergency X Not Applicable
		- not Applicable

Subject: THEFT AND ACCIDENT OF VEHICLE INVOLVING RADIOPHARMACEUTICALS (TECHNETIUM-99m)

On November 19, 1989 at 3:00 p.m., the Stamford Fire Department notified the Region I duty officer of the discovery of radioactive material in a reported stolen vehicle. The automobile had last been utilized by licensee personnel on November 18, 1989 for the delivery of radiopharmaceuticals and the pick-up of expended radiopharmaceutical syringes containing trace quantities of radioactive material (technetium-99m). The driver left the returned radioactive material in the locked delivery vehicle and left the facility. At 4:30 a.m. or November 19, 1989, a pharmacist arriving on site observed that the delivery vehicle was missing and after investigation, determined that the vehicle had been stolen. The apparent theft was reported to the Stamford rolice Department.

At 3:30 p.m., the licensee was notified by the fire department that the stolen vehicle had been involved in a single-vehicle accident and that fire department personnel had found packages bearing radioactive material labels. Witnesses reported the driver abandoned the accident scene. The Region I duty officer and the cognizant Region I section chief followed developments and provided technical assistance to fire and police personnel on site. The licensee and the State of Connecticut dispatched personnel to the accident site. Surveys of the vehicle and the packages detected no radiation levels in excess of background. An inventory by licensee personnel accounted for all of the packages which were then recovered and returned to the licensee's facility.

Based on the information available as of November 20, 1989 at 2:00 p.m., this occurrence is not considered to be a health and safety hazard to the public.

Region I is prepared to respond to media inquiries.

NRC Region I will maintain close contact with the licensee and will review the incident at the next scheduled inspection. The State of Connecticut is aware of the incident. The licensee will submit a written report to Region I detailing this incident within 30 days.

CONTACT:

J. Pelchat FTS 346-5048 M. Shanbaky 346-5209

8911280404 891120 PDR 18E PNO-I-39-092 PDC % 34 2.34

## DISTRIBUTION:

1NRC1718
Chairman Carr
Comm Roberts
Comm Rogers
Comm Curtiss
ACRS
CA
PDR
OGC-H
GPA
OIG

1NRC02/ORDAZ (Please make PA internal distribution)

1NRC1718/DAY (Please make internal Distribution)

1NRC1112/NRRPN (Please make NRR internal distribution)

1NRC0304, HILL (SLITP, please deliver to C. Kammerer)

1NRC0708, SUMMERS (OE, please deliver to J. Lieberman)

NRCRES, RESPN (Please make internal distribution)

NRCIE, LEADOP (Please make internal distribution)

NRCRII, RIIPN (Please make Internal RII distribution)
NRCRIII, RIIIPN (Please make Internal RIII distribution)
NRCRIV, Leadop (Please make Internal RIV distribution)
NRCRV, Leadop (Please make Internal RV distribution)

Region I WPS
Resident Office (Site PC) (If secretary is off FAX)

RI Office Services Section
(Mail to ADM: DMB & DOT (transportation only)

FAX to INPO NSAC

DISTRIBUTION:		•				
OWFN Chairman Carr	MNBB AEOD	L-St.	NL RES	Mail:	ADM: DMB	
Comm. Roberts	IRM	PDR	KES		DOT: Trans only	
Comm. Rogers Comm. Curtiss	OIG			NRC Ops Ctr		
CA EDO OGC NMSS GPA NRR	Phillips ACRS		INPO	:		
PA OE SLITP	Regional Of	fices				
	FW	EW		RI Resident Office		
	ASLAP		License			
				(Reacto	r Licensees)	

Region I Form 83 (Rev. April 1988)