


# Valley View Regional Hospital

November 8, 1989



Mr. A. Bill Beach, Director  
Division of Radiation Safety and Safeguards  
United States Nuclear Regulatory Commission  
Region IV  
611 Ryan Plaza Dr. Suite 1000  
Arlington, TX 76011

RE: License: 35-1402-01  
Docket: 030-07581/89-01

Gentlemen:

In reply to your letter of October 13, 1989, regarding violations found at this facility, we respectfully submit the following:

1. The minutes of our Radiation Safety Committee did not reflect a review of our radiation safety program from January 1988 to September 1989. We have recently changed our medical consulting physicist and the way our quarterly audits are reported to the (RSC). The next quarterly meeting of the Radiation Safety Committee will be December 12, 1989 where a complete review of our Radiation Safety Program is scheduled.
2. Due to an oversight of dates, the refresher training classes in radiation safety for clinical, nursing, housekeeping, security, and nuclear medicine personnel had not been given since December 27, 1987. We recently coordinated with hospital inservice personnel to set up annual classes here ever after. The recent training classes spanned a two-week period to include all pertinent personnel and was completed November 2, 1989.
3. This facility has recently changed consulting radiation physicist who quarterly reviews all records of dose calibrator geometry, linearity, accuracy. In the future, these will be presented to the RSC and also the RSO for signature.
4. The new radiation physicist employed by this facility will quarterly review all exposure rate and contamination survey records, report this to RSC and present to RSO for signature.

SINCERELY,

ROBERT B. CHATFIELD, M.D.  
RADIOLOGIST  
VALLEY VIEW HOSPITAL  
RSO

8911290103 891108  
REG4 LIC30  
35-14042-01 FDC

A handwritten signature in cursive script, appearing to read "Robert B. Chatfield".

480 N. MONTA VISTA / ADA, OKLAHOMA 74820 / 405-332-2323

IC-89-677

110  
IEOJ