MEMORANDUM FOR: Eric S. Beckjord, Director

Office of Nuclear Regulatory Research

FROM:

Frank P. Gillespie, Director

Program Management, Policy Development

and Analysis Staff

Office of Nuclear Reactor Regulation

SUBJECT:

CRGR REVIEW OF DRAFT REGULATORY GUIDE 1.33 REVISION 3 ON QA

IN OPERATING PLANTS

NRR has reviewed the subject Regulatory Guide and concurs in its application to future plants only (forward fit). We recognize that current licensees may voluntarily adopt Regulatory Guide 1.33, Revision 3.

NRR notes the proposed draft Regulatory Guide 1.33 is not to be published in final form until after NRR issues a new generic letter (clarifying Generic Letter 83-28 which still applies to current licensees), and a related bulletin to improve trip system reliability. The final version of Regulatory Guide 1.33 Revision 3 should obtain NRR concurrence to ensure that these actions are complete. Appropriate licensing and inspection guidance should be included in the final revision.

NRR also believes that a major revision to Regulatory Guide 1.33 should be made in the near future to reflect the NRC's current philosophy towards operating plants (as stated, this revision of Regulatory Guide 1.33 is applicable to future plants only). If you require additional information please contact Dan Jones of my staff at extension 21244.

Original signed by Eilen M. Mchuma Frank P. Gillespie, Director Program Management, Policy Development and Analysis Staff Office ci Nuclear Reactor Regulation

cc: w/o enclosure

T. Murley J. Sniezek

F. Miraglia

J. Partlow D. Crutchfield

J. Roe

DISTRIBUTION w/o enclosures:

Docket File PTSB: PMAS Rdq

NRC & Local PDRs

EDO Reading TMurley/JSneizek

**FMiraglia** 

\*PTSB: PMAS

DJones/bj

11/08/89

DMossburg, PMAS, (Yellow Ticket #0899230)

\*PTSB:PMAS WSchwink/1t

11/08/89

WSchwink DJones

[ERIC BECKJORD]

\*SEE PREVIOUS CONCURRENCE

allen Ft \*ILPB AC: PTSB: PMAS

EMcKenna 1/4/89

\*DLPQ EButcher JRoe 1./8/89 11/8/89

D: PMAS UP FGillespie

8911300163 891114 PDR ORG NRRB

NRC FILE CENTER COPY

OF03