

UNITED STATES NUCLEAR REGULATORY COMMISSION WASHINGTON, D. C. 20555

DOCKETED

NOV 1 7 1989

'89 NOV 16 P5:11

Mr. William Parler General Counsel U.S. Nuclear Regulatory Commission Washington, DC 20555

> In the Matter of PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE, ET AL. (Seabrook Station, Units 1 and 2) Docket Nos. 50-443, 50-444 Off-Site Emergency Planning -DL

Dear Mr. Parler:

On November 8, 1989, Robert Backus the attorney for Intervenor, Seacoast Anti-Pollution League wrote to you concerning the participation of Commissioner Thomas Roberts in this proceeding. He annexed to that certain pages of a deposition transcript of Edward A. Thomas.

Enclosed for your information are additional pages from the depositions of Mr. Thomas in the Seabrook proceeding, which might be considered relevant to this matter.


Sincerely,

Edin P. Ris

Edwin J. Reis Deputy Assistant General Counsel for Reactor Licensing

Enclosure: As stated

cc w/encls: Service List



Volume I Pages 1 to 167 Exhibits See Index UNITED STATES OF AMERICA NUCLEAR RECULATORY COMMISSION BRFORE ADMINISTRATIVE JUDGES: IVAN N. SHITH, CHAIRMAN 426-2432 1.64 DR. JBRRY HARBOUR GUSTAVE A. LINENBERGER, JR. (617) DORIS O. WONG ASSOCIATES. Inc. IN THE MATTER OF: 1 Docket No. PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE, ot al., : (0)50-463/66-OL (SEABROOK STATION, UNITS 1 and 2) : (Off-Site BP) 1 March 16, 1988 02110 - * MASSACHUSETTS DEPOSITION OF EDWARD A. THOMAS, & witness called on behalf of the Commonwealth of Massachusetts, taken pursuant to the Federal Rules of Civil Procedure, before Myrian A. Maracas, Registered Professional Reporter and Notary Public in and for the Commonwealth of Massachusetts, at the Offices of the Attorney General, One Ashburton BOSTON. Place Boston, Massachusetts, on Wednesday, (March) (23, 1988) commencing at 10:25 a.m. FRANKLIN STREET. PRESENTI The Commonwealth of Massachusetts Department of the Attorney General Public Protection Bureau (by Stephen H. Oleskey, Esq.; Carol Sneider, Bsg.; and 20 George B. Dean, Bog.) One Ashburton Place, Boston, MA 02108, for the Commonwealth of Massachusetts. H. Joseph Flynn office of General Counsel Federal Emergency Management Agency 500 C Street, S.W., Washington, D.C. 20472, for Federal Baergency Management Agency. (Continued Next Page)

population, and with respect to the behavior of the drivers on the beach and within sight of Seabrook, they recommended action of sequential evacuation, sheltering population, building supplemental and evacuating only ramps onto Route 195.

1

2

3

4

5

6

7

8

95

So we sort of had that as a basic part of our planning and our thought process in dealing with Seabrook.

9 Q. Was that your basic planning document on 10 this issue from 1981 on?

A. It certainly served as a starting point in 11 our evaluation. The other starting points in our 12 evaluation came up as we became more and more 13 familiar with the review of off-site emergency 14 plans, and also as we got more involved in the 15 Seabrook process at the coordination meetings, and 16 the rest of that we had devised in order to 17 accelerate and promote emergency planning at 18 Seabrook. 19

The issues that started coming up as early as 1982. And not just with respect to the beach population, but throughout the Seabrook emergency planning process, was that the Seabrook containment was guite special and deserved special

consideration. That would come up in the context of meetings that we have to talk about what needed to be done with respect to the emergency planning at Seabrook and occasionally, NRC staff or more frequently the personnel representing the utility would indicate that Seabrook deserved special consideration. This came up in the context also of the design of the alerting and notification system for Seabrook. 9

1

2

3

4

5

6

7

8

When that was in process, we became aware 10 of some informal communication between Commissioner 11 Thomas Roberts to Governor John Sununu, which we 12 understood second-hand Governor Sununu understood to 13 indicate that there was now a technical basis for a 14 reduction in the size of emergency planning zones; 15 and that, therefore, the design and the construction 16 of the Seabrook alerting and notification system, perhaps, should be deferred until such time as the 10 one-mile emergency planning zone was resolved either 19 with respect to Seabrook or with respect to plants 20 generally. 21 My office got involved in encouraging 22

communications within the NRC so that this situation 23 was properly explained to Governor Sununu that the 24

DORIS O. WONG ASSOCIATES

96

one-mile EP2, at least generically throughout the country, was not something that was going to happen any time soon and certainly not prior to the licensing of Seabrook.

1

2

3

4

1

.

1

3

97

5 The issue of the containment would come up 6 from time to time. I particularly recall in 1985 we 7 had discussions with utility president Edward Brown, 8 Henry Vickers, and I had discussions with him 9 regarding the beach population and the fact that as 10 we saw it, it may be very difficult to design 11 emergency plans that would achieve a reasonable 12 level or an adequate level of -- a reasonable 13 assurance of an adequate level of protection; and 14 that if the utility felt that the containment was unusually strong, that they should put that into the 15 record so that it could receive the special 16 17 consideration that it apparently deserved.

We did have a meeting with Attorney Dignan and Attorney John Quinn, who was the director of emergency planning, at which time it was indicated to me that Tom Dignan indicated to me that he would not recommend that the utility proceed with that recommendation because he felt that emergency plans could be developed that would be adequate and that

Volume II Pages 2-1 to 2- 108 Exhibits See Index UNITED STATES OF AMERICA NUCLEAR REGULATORY COMMISSION BEFORE ADMINISTRATIVE JUDGES: IVAN W. SMITH, CHAIRMAN DR. JERRY HARBOUR 5 GUSTAVE A. LINENBERGER, JR. 6 7 IN THE MATTER OF: PUBLIC SERVICE COMPANY : Docket No. 8 OF NEW HAMPSHIRE, et al., : (s)50-443/44-0L (SEABROOK STATION, UNITS 1 and 2) 9 : (Off-Site EP) : March 16, 1988 10 11 CONTINUED DEPOSITION OF EDWARD A. THOMAS, a witness called on behalf of the Commonwealth of Massachuset's, taken pursuant to the Federal Rules 12 of Civil Procedure, before Myriam A. Maracas, Registered Professional Reporter and Notary Public 13 in and for the Commonwealth of Massachusetts, at the 14 Offices of the Attorney General, One Ashburton Place, Boston, Massachusetts, on Thursday, (March 24 15 1988,) commencing at 10:55 a.m. 16 PRESENT: 17 The Commonwealth of Massachusetts Department of the Attorney General 18 Public Protection Bureau (by Stephen H. Oleskey, Esg., 19 Carol Sneider, Esg., and George B. Dean, Esg.) 20 One Ashburton Place, Boston, MA 02108, for the Commonwealth of Massachusetts. 21 H. Joseph Flynn 22 Office of General Counsel Federal Emergency Management Agency 23 500 C Street, S.W., Washington, D.C. 20472, for 24 Federal Emergency Management Agency. (Continued Next Page)

2-1

went on or what was told to me went on in that meeting.

1

2

3

5

6

7

2-15

Q. Secondly, you mentioned a contact which I understood to be a telephone conversation between Commissioner Roberts of the NRC and Governor Sununu concerning --

MR. TURK: I didn't hear that statement.
9 There was noise from the door.

Q. You testified to a contact which I
understood to be a telephone conversation between
Commissioner Roberts of NRC and Governor Sununu of
New Hampshire with respect to the application
pending at one time for reduction of the EPZ. Do
you recall testimony to that substance yesterday?

A. If I made testimony of that substance, I 16 misspoke. Let me be very precise. My recollection 17 of that testimony was that we were talking about the 18 historic context of the development of the Seabrook 19 emergency plant; and within that context, it was 20 reported to me that there was a conversation between 21 Commissioner Roberts and Governor Sununu, which I 22 23 hope I said yesterday was in the context either of 24 specifically with respect to Seabrook or more likely

1	generically with respect to nuclear power plants in
2	general; that the NRC was developing information
3	which would justify the reduction of the emergency
4	planning zone to approximately one mile; that what
5	was reported to me was that Governor Sununu,
6	therefore, felt that the development of the alerting
7	and notification system for Seabrook be an extremely
8	costly system of sirens, primarily of sirens.
9	The Emergency Planning Zone, the
10	development of that system should be deferred until
11	such time as the Emergency Planning Zone was
12	reduced; and that based on that information being
13	reported to me, I had gone up through my channels in
14	the NRC and directly to my supervisor, David M.
15	Sparks, regional director of FEMA at that time, who
16	was personally friendly with Commissioner Roberts or
17	personally knew him, so that that misunderstanding
18	could be clarified so that the Governor would
19	understand that the probability of there being a
20	change in the size of the EPZ to one mile, the
21	probability of that happening was not it just
22	wasn't going to happen soon, and that it would, in
23	all probability, not happen until after Seabrook was
24	licensed and, therefore, the existing Emergency

5

50

-

. Stere

× ×

. 3

DORIS O. WONG ASSOCIATES

Se al

÷.

1. Sec. 1. Sec

2

1999 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 - 1998 -

1

Planning Zone size should be used as the basis for alerting notification system designs. I apologize if there was any misunderstanding.

Q. What was the context as reported to you for that conversation between Commissioner Roberts and Governor Sununu?

The context of the conversation as reported A . 7 to me, as I recall -- and I have not looked in my A notes for this -- the context of that was, in 9 essence, that Commissioner Robert and Governor 10 Sununu were having a general conversation, and the 11 subject of the size of emergency planning zones came 12 up and at that time, the Governor had or was shortly 13 going to have an action document on his desk 14 concerning the design of the alerting and 15 notification system; and as I recall, what was said 16 to me was that the Governor was extremely concerned 17 about the cost of the system, and thought it would 18 be wasteful to proceed forward with such a large and 19 elaborate system if, in fact, the Emergency Planning 20 Zone was going to be reduced in size. 21 What was the year of that conversation? 22 0. My best recollection is that that was in 23 λ.

24 1983.

1

2

3

4

5

6

Was it a face-to-face conversation as 0. 1 reported to you? 2 The best recollection that I have -- and, A . 3 again, I have not made an attempt to go back in my 4 notes on this -- there was no indication as to 5 whether the conversation was face to face. Whether 6 or not it was face to face, I do not know. 7 Was it reported whether there were other 0. 8 people present than the Governor and the 9 Commissioner? 10 I don't remember. If you would like, I can λ. 11 put that down on my list. I can go back and try and 12 research that in my notes. 13 O. Would you do so? 14 A. Yes, I will do so. 15 Q. Finally, under the heading of 16 "Clarifications," you testified yesterday that in 17 early '86, you understood as the decision on whether 18 to hold an exercise was pending there was a call to 19 an official at FEMA from someone in the White House 20 indicating that it should go forward. Do you recall 21 testimony yesterday, in substance, along those 22 23 lines? I recall that I testified -- and I hope I 24 A .

2-19

4-1 Volume IV Pages 4-1 to 6-111 Bxhibits See Index UNITED STATES OF AMERICA NUCLEAR REGULATORY COMMISSION BEFORE ADMINISTRATIVE JUDGES: 2432 IVAN W. SMITH, CHAIRMAN DR. JERRY HARBOUR 426-GUSTAVE A. LINENBERGER, JR. TELEPHONE (617) ASSOCIATES, Inc. IN THE MATTER OF: PUBLIC SERVICE COMPANY 1 Docket No. OF NEW HAMPSHIRE, et al., : (0)50-643/66-OL (SEABROOK STATION, UNITS 1 and 2) : (Off-Site EP) 1 March 16, 1988 FRANKLIN STREET, BOSTON, MASSACHUSETTS 02110 CONTINUED DEPOSITION OF EDWARD A. THOMAS, a witness called on behalf of the Commonwealth of Massachusetts, taken pursuant to the Federal Rules DORIS D. WONG of Civil Procedure, before Myriam A. Maracas, Registered Professional Reporter and Notary Public in and for the Commonwealth of Massachusetts, at the Offices of the Attorney General, One Ashburton-Place, Boston, Massachusetts, on Tuesday, April 5 (1988) commencing at 9:40 a.m. PRESENT: The Commonwealth of Massachusetts Department of the Attorney General Public Protection Bureau (by Stephen H. Oleskey, Esq., and Carol Sneider, Bsg.,) 20 One Ashburton Place, Boston, MA 02108, for the Commonwealth of Massachusetts. H. Joseph Flynn Office of General Counsel Federal Emergency Management Agency 500 C Street, S.W., Washington, D.C. 20472, for Federal Emergency Management Agency. (Continued Next Page)

matters.

1

-

2	MR. FLYNN: He asked you for the connection
3	between that guestion and our testimony. I mean,
	there has been a lot of testimony in these
5	depositions about the views that were before the
6	decision-makers at the time the decision to adopt a
7	position was made.
8	
9	MR. TURK: Are you directing him not to answer?
10	
	MR. FLYNN: Yes.
11	Q. Out of curiosity Mr. Thomas, one portion of
12	your testimony dealt with a purported communication
13	between Governor Sununu and Commissioner Roberts,
14	and I never did hear who the source was for that
15	conversation. Do you recall?
16	A. I was not able to find it in my notes, and
17	I do not recall. I had my recollection refreshed in
18	a conversation with someone, and we are reasonably
19	confident I'm reasonably confident it was either
20	Dick Strome or Mike Nawoj of the New Hampshire Civil
21	Defense Agency.
22	Q. Also earlier in this deposition, you
23	indicated that there had been some informal
24	discovery made by the Massachusetts AG's office. Do

4-104

Statistics.

DORIS C. WONG ASSOCIATES

-

-