



Department of Energy
 Albuquerque Operations Office
 P. O. Box 5400
 Albuquerque, New Mexico 87115

WM-48

RETURN ORIGINAL TO PDR, HQ.

OCT 20 1989

Mr. Edward F. Hawkins
 Licensing Branch 1
 Uranium Recovery Field Office
 Nuclear Regulatory Commission, Region IV
 P.O. Box 25325
 Denver, CO 80225



Dear Ed,

Enclosed for your review is the Durango Dewatering Pumping Test Data Package as of October 13, 1989. As was pointed out previously, the A-line of pumping wells was disconnected to facilitate construction of a bench for the well point installation. Total flow rate for all wells is averaging 2.42 gpm with roughly 573,800 gallons pumped to date.

Should you have any questions, please contact Elizabeth Damler of my staff at (505) 846-1224.

Sincerely,

Mark L. Matthews

Mark L. Matthews
 Acting Project Manager
 Uranium Mill Tailings Project Office

Enclosure


cc w/o enclosure:
 C. Watson, UMTRA
 D. Gillan, NRC

DESIGNATED ORIGINAL
 Certified By *Mary C. Ford*


8912060065 891020
 PDR WASTE
 WM-48 FDC

JF02
 111
 90-0070


MONITORING WELL DRAWDOWNS




MONITORING WELL DRAWDOWNS





MONITORING WELL DRAWDOWNS






FLOW RATE






FLOW RATE



FLOW RATE



FLOW RATE

