

0406m048910E

WM-48



Department of Energy
Albuquerque Operations Office
P.O. Box 5400
Albuquerque, New Mexico 87115

RETURN ORIGINAL TO PDR, HQ.

NOV 16 1989

Mr. Ramon E. Hall
Director, Uranium Recovery
Field Office
Region IV
U.S. Nuclear Regulatory Commission
P.O. Box 25325
Denver, CO 80225

Dear Mr. Hall:

Enclosed for your review are the Durango Dewatering Pump Test Data Packages for October 27 and November 3. Total flow rate for the remaining original pumping wells averaged 2.58 gpm prior to shutdown of the C-line and D-line the end of October. Total flow rate for the remaining 5-B-line wells averaged 0.77 gpm. On November 3, the B-line was shut down for the winter. Roughly 627,000 gallons have been pumped to date from the 17-well system.

As of November 3, the well point system in the seep area continued to pump at an average rate of 2.7 gpm. Calculations are presently being performed to determine the volume of water pumped by the well points.

Should you have any questions, please contact Steve Hamp of my staff at (505) 845-5640.

Sincerely,

Mark L. Matthews
Acting Project Manager
Uranium Mill Tailings Project Office

Enclosure

cc w/o enclosure:
C. Watson, UMTRA
D. Gillen, NRC


DESIGNATED ORIGINAL

Certified By Mary C. Hand


8912130010 891116
PDR WASTE PDC
WM-48

90-0127


MONITORING WELL DRAWDOWNS




MONITORING WELL DRAWDOWNS




MONITORING WELL DRAWDOWNS





FLOW RATE


Pumping Wells B1, B2, and B5




JULY AUGUST SEPTEMBER OCTOBER NOVEMBER

FLOW RATE


Pumping Wells B3 and B4



FLOW RATE




FLOW RATE




FLOW RATE


Pumping Wells D1, D2, D3 and D4




MONITORING WELL DRAWDOWNS



MONITORING WELL DRAWDOWNS




TOTAL VOLUME




TOTAL VOLUME ALL WELLS

FLOW RATE



FLOW RATE



FLOW RATE

