




Department of Energy
 Albuquerque Operations Office
 P. O. Box 5400
 Albuquerque, New Mexico 87115

WM-48

RETURN ORIGINAL TO PDR, HQ.

OCT 19 1989

Mr. Edward F. Hawkins
 Licensing Branch 1
 Uranium Recovery Field Office
 Nuclear Regulatory Commission, Region IV
 P.O. Box 25325
 Denver, CO 80225



Dear Ed,

Enclosed for your review is the Durango Dewatering Pumping Test Data Package through October 9, 1989. Drawdown continues in all piezometer/monitor wells except for MW7, in which no change has occurred. The A-line of pumping wells was disconnected to facilitate construction of a bench for the well point installation. Total flow rate for all wells is averaging 2.6 gpm with roughly 560,000 gallons pumped to date.

Should you have any questions, please contact Elizabeth Damler of my staff at FTS 846-1224.

Sincerely,

Mark L. Matthews

Mark L. Matthews
 Acting Project Manager
 Uranium Mill Tailings Project Office

Enclosure

cc w/o enclosure:
 D. Gillen, NRC, HQ

DESIGNATED ORIGINAL


Certified By *Mary C. Hood*

DF02
11


8712130351 891019
 PDR WASTE
 WM-48 PNU

90-0061


MONITORING WELL DRAWDOWNS




MONITORING WELL DRAWDOWNS




MONITORING WELL DRAWDOWNS






FLOW RATE





FLOW RATE




FLOW RATE

Pumping Wells B1, B2, and B5





FLOW RATE



FLOW RATE

