

SAFETY INSPECTION

DMB

1. LICENSEE <i>SOONER TRIDE SERVICES, INC. P.O. BOX 126 HOMINY, OKLAHOMA 74035</i>		2. REGIONAL OFFICE United States Nuclear Regulatory Commission Region IV 611 Ryan Plaza Drive, Suite 1000 Arlington, Texas 76011	
3. DOCKET NUMBER(S) <i>30-17803 189-01</i>	4. LICENSE NUMBER(S) <i>35-19505-01</i>	5. DATE OF INSPECTION <i>November 29, 1989</i>	

Licensee

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission's (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector. The findings as a result of this inspection are as follows:

- 1. Within the scope of this inspection, no violations were observed.
- 2. The inspector also verified the steps you have taken to correct the violations identified during the last inspection. We have no further questions on those actions at this time.
- 3. During this inspection certain of your activities, as checked below, were in violation of NRC requirements.
THIS IS A NOTICE OF VIOLATION which is required to be posted in accordance with 10 CFR 19.11.
 - A. _____ was not properly posted to indicate the presence of a _____ 10 CFR 20.203(b), (c), (d), (e) or 34.42.
 - B. Containers located in _____ were not properly labeled to indicate the presence of radioactive material. 10 CFR 20.203(f)(1), or (f)(2).
 - C. _____ of sealed sources were not performed at the proper frequencies. 10 CFR _____ License Condition Number _____
 - D. Records of _____ were not properly maintained. 10 CFR _____ or License Condition Number _____
 - E. Documents were not properly posted or otherwise made available. 10 CFR 19.11.
 - F. Reports or notifications of OCCUPATIONAL RADIATION EXPOSURE FOR 2 INDIVIDUALS were not made in accordance with 10 CFR 20.401(a) in that NRC Form-5 ~~of the licensee's records~~
EQUIVALENTS DID NOT CONTAIN THE INDIVIDUAL'S SOCIAL SECURITY NUMBER OR BIRTH DATE
 - G. CONTRARY TO 10 CFR 71.5 (49 CFR 173.475(i)), SURVEYS OF RADIOACTIVE PACKAGES HAD NOT BEEN PERFORMED TO DETERMINE THE APPROPRIATE LABELING CATEGORY.
 - H. CONTRARY TO 10 CFR 71.5 (49 CFR 172.403) RADIOACTIVE PACKAGES ROUTINELY TRANSPORTED ON PUBLIC HIGHWAYS DID NOT HAVE RADIOACTIVE LABELS AFFIXED TO THE PACKAGE.
 - I. CONTRARY TO 10 CFR 71.5 (49 CFR 172.203(d)(v)) SHIPPING PAPERS USED FOR TRANSPORTING RADIOACTIVE MATERIALS DID NOT HAVE THE CORRECT T. I. FOR THE CORRESPONDING PACKAGE TRANSPORTED.
 - K. CONTRARY TO 10 CFR 39.13(d), THE LICENSEE HAD FAILED TO COMPLETE THE REQUIRED ANNUAL REVIEW FOR 2 INDIVIDUALS FOR THE PERIOD FROM AUG. 1987 UNTIL MAY 1989.

I hereby state that within 30 days the actions described by me to the inspector will be taken to correct the violations identified in the items checked above. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201. No further response will be submitted unless required by the NRC.

<i>8912180077 891129 REG4 LIC30 35-19505-01</i>	<i>PDC</i>	<i>11/24/89</i>	<i>Linda Kasner</i>	<i>IE-07.1</i>
SIGNATURE - LICENSEE		DATE	SIGNATURE - NRC INSPECTOR	
			DATE	