

U.S. NUCLEAR REGULATORY COMMISSION
OFFICE OF INSPECTION AND ENFORCEMENT

Region V

Report No. 80-54
Docket No. 15000027 License No. _____ Safeguards Group _____
Licensee: _____

Facility Name: Nuclear Engineering Company
Inspection at: Beatty, Nevada
Inspection Conducted: April 21, 1980

Inspectors: *R. D. Thomas* 5/15/80
ju Nathan Bassin, NMSS Date Signed
R. A. Riedlinger 5/15/80
ju B. A. Riedlinger, Radiation Specialist, RV Date Signed
Approved by: *R. D. Thomas* 5/15/80
R. D. Thomas, Chief, Materials Radiological Date Signed
Protection Section
Approved by: *H. E. Book* 5/15/80
H. E. Book, Chief, Fuel Facility and Materials Date Signed
Safety Branch

Summary:

Inspection on April 21, 1980 (Report No. 15000027/80-54)

As part of the inspection conducted April 21, 1980 through May 2, 1980, the inspection of trailer 228146 is detailed in this report. No containers were opened. No representative of the state of Nevada was present.

Results:

One apparent item of noncompliance with either DOT or NRC regulations was observed. See paragraphs 4 and 5.

It appears that the Department of Transportation and the Region IV office are the appropriate organizations to take enforcement actions.

8009080 566

Licensee/Shipper: Nebraska Public Power District
Cooper Nuclear Station
Brownville, Nebraska

Shipment Inspected: April 21, 1980

Carrier: Tri-State Motor Transit Company

Freight Bill: #341083

1. The shipment consisted of fourteen 55-gallon drums contained in a shielded cask. The vehicle was exclusive use and was properly placarded.
2. The drums were identified as Radioactive-LSA.
3. Surveys showed a maximum radiation level of 50 mr/hr at the surface of the cask and 2 mr/hr at six feet from the vehicle. Radiation levels in the cab were essentially background.
4. Two of the drums had radiation levels in excess of 1000 mr/hr as provided for in Section 173.393(j)(2) of Part 173 of Department of Transportation regulations. As shown on Nuclear Engineering Company Radioactive Waste Shipment & Disposal Forms No. 6493 and 6494 (Appendix B and Appendix C), the drums identified as Items Nos. 80-4-1 and 80-4-2 showed radiation levels of 3,000 mr/hr and 1,500 mr/hr, respectively.
5. NPPD, Cooper Nuclear Station, had orally informed Jim Crinkshank, NECO RSO, that the shielded container was the "package" rather than the individual drums being the "packages." If this contention of NPPD is correct, the "package" contained a Type B quantity of radioactive material, approximately 10.4 curies of Group III and approximately 3.7 curies of Group IV. Section 71.3 of Part 71 of NRC regulations states that, "No licensee subject to the regulations in this part shall (a) deliver any licensed materials to a carrier for transport or (b) transport licensed material except as authorized in a general license or specific license issued by the Commission, or as exempted in this part." The cask containing the drums was not an NRC approved package. Therefore, NPPD, Cooper Nuclear Station, was in apparent violation of Section 71.3 in that it was not licensed to deliver the "package" to a carrier for transport.

STRAIGHT BILL OF LADING - SHORT FORM - ORIGINAL - Not Negotiable

Subject to the classification and tariffs in effect on the date of the issue of this Bill of Lading.

341083
SHIPPER'S NUMBER
80-26

From Copper Nuclear Station DATE SHIPPED 4-18-80

AI Brownsville, Mo. 65021

EXECUTIVE OFFICES
P.O. BOX 113, JOPLIN, MO. 64801

ORIGINATING CARRIER Tri-State Motor Transit Inc.

CONSIGNEE TO Beatty, Nevada (Mail or street address of consignee - For purposes of notification only)

Subject to Section 7 of conditions of applicable bill of lading, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:
The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

DESTINATION STATE COUNTY

DELIVERY ADDRESS (To be filled in only when shipper desires and governing tariffs provide for delivery thereof)

CONNECTING CARRIER(S) DELIVERING CARRIER TRACTOR NO. TRAILER NO.
Tri-State Motor Transit Inc. 174 225146

| QUANTITY OF PACKAGES | KIND OF PACKAGE, DESCRIPTION OF ARTICLES, SPECIAL MARKS, AND EXCEPTIONS | WEIGHT (Subject to Correction) | CLASS OR RATE | CK. COL. | (Signature of consignor) |
|----------------------|---|--------------------------------|---------------|----------|--------------------------|
| 14 | 5.5 gal. Drums (Radioactive material) | 76,700 | | | |

Rec'd \$ _____ to apply in prepayment of the charges on the property described hereon.
Agent or Cashier: _____
Per _____
(The signature here acknowledges only the amount prepaid.)
Charges advanced \$ _____

| LARGEST SINGLE ARTICLE | LENGTH | WIDTH | HEIGHT | TOTAL TRAILER SPACE OCCUPIED |
|------------------------|--------|-------|--------|------------------------------|
| | | | | |

UNLESS A GREATER VALUE IS DECLARED, THE SHIPPER HEREBY RELEASES THE VALUE TO \$5000.00 PER TON OF 2000 POUNDS FOR EACH ARTICLE

| | | | | | | | | |
|--|---------|------------|---|--------------|------|---------------------|---------|-----------|
| ARRIVED AT SHIPPER | DATE | TIME | PREARRANGED SCHEDULE | DATE | TIME | LOADING STARTED | DATE | TIME |
| | 4-18-80 | 7:30 A.M. | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | | | | 4-18-80 | 5:00 P.M. |
| LOADING COMPLETED | DATE | TIME | VEHICLE RELEASED | DATE | TIME | SHIPPER'S SIGNATURE | | |
| | 4-18-80 | 10:30 A.M. | | | | Joe Kullter | | |
| PERMANENT POST OFFICE ADDRESS OF SHIPPER | | | | SHIPPER, PER | | AGENT, PER | | |

SIGNATURE TALLY RECEIPT

Must be filled out and signed at origin and each time the shipment changes custody.

| | | | | | |
|---------------------------------------|--------------------------------|--------------------------------|-------------------|--------------------------------|-------------------|
| DATE SHIPMENT RECEIVED FROM CONSIGNOR | | 3RD TIME CARGO CHANGED CUSTODY | | 6TH TIME CARGO CHANGED CUSTODY | |
| 4-18-80 | AM/PM | DATE | TIME AM/PM | DATE | TIME AM/PM |
| DATE | TIME | DATE | TIME | DATE | TIME |
| TRACTOR NO. 174 | HOME TERMINAL | TRACTOR NO. | HOME TERMINAL | TRACTOR NO. | HOME TERMINAL |
| DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE |
| DRIVERS SIGNATURE | HOME TERMINAL | DRIVERS SIGNATURE | HOME TERMINAL | DRIVERS SIGNATURE | HOME TERMINAL |
| 1ST TIME CARGO CHANGED CUSTODY | 4TH TIME CARGO CHANGED CUSTODY | 7TH TIME CARGO CHANGED CUSTODY | | | |
| DATE | TIME | DATE | TIME | DATE | TIME |
| TRACTOR NO. | HOME TERMINAL | TRACTOR NO. | HOME TERMINAL | TRACTOR NO. | HOME TERMINAL |
| DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE |
| DRIVERS SIGNATURE | HOME TERMINAL | DRIVERS SIGNATURE | HOME TERMINAL | DRIVERS SIGNATURE | HOME TERMINAL |
| 2ND TIME CARGO CHANGED CUSTODY | 5TH TIME CARGO CHANGED CUSTODY | 8TH TIME CARGO CHANGED CUSTODY | | | |
| DATE | TIME | DATE | TIME | DATE | TIME |
| TRACTOR NO. | HOME TERMINAL | TRACTOR NO. | HOME TERMINAL | TRACTOR NO. | HOME TERMINAL |
| DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE | DRIVERS SIGNATURE |
| DRIVERS SIGNATURE | HOME TERMINAL | DRIVERS SIGNATURE | HOME TERMINAL | DRIVERS SIGNATURE | HOME TERMINAL |

| | | | | | | | | |
|----------------------|---------|------------|---|---------|------------|-----------------------|---------|-----------|
| ARRIVED AT CONSIGNEE | DATE | TIME | PREARRANGED SCHEDULE | DATE | TIME | UNLOADING STARTED | DATE | TIME |
| | 4-21-80 | 10:00 P.M. | <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | | | | 4-21-80 | 2:30 P.M. |
| UNLOADING COMPLETE | DATE | TIME | VEHICLE RELEASED | DATE | TIME | CONSIGNEE'S SIGNATURE | | |
| | 4-21-80 | 11:30 P.M. | | 4-21-80 | 12:00 P.M. | R. Smith for NECCO | | |

NEBRASKA PUBLIC POWER DISTRICT
COOPER NUCLEAR STATION
RADIOACTIVE MATERIALS SHIPMENT RECORD

RMSR NO. 80-26, Shipment 80-26 DATE 4-18-80

SHIPPED FROM: Cooper Nuclear Station
P.O. Box 98
Brownville, NE 68321
SHIPPED TO: Nuclear Engineering Co Inc
Nevada Nuclear Center
P.O. Box 576, Beatty, Nevada
LICENSE NO: DPR-46 LICENSE NO: 13-11-0043-02
SHIPPED VIA: Trn - State ATTENTION: Steve Carpenter

REMARKS/DESCRIPTION: 14 - 55 gal Drums of Ion Exchange Resin's

PHYSICAL STATE: SOLID LIQUID GAS BY-PRODUCT ISOTOPE CY-51, I-131, CS-137, Co-58, Zr-95
 TYPE A TYPE B LARGE QUANTITY NA-24, Mn-54, Zn-65, Co-60, Rg-104,
 SPECIAL FORM SN MATERIAL - TYPE CS-134, NA-24, CS-137, and Fe-59.
 LSA CHEMICAL FORM: Poly-Resins TOTAL CURIES 1.41E+01

| CONTAINER | NUMBER OF CONTAINERS | DOT # | SERIAL NO. | WEIGHT | SEAL NUMBER |
|-------------|----------------------|------------|------------|-------------|-------------|
| <u>Drum</u> | <u>14</u> | <u>17H</u> | | <u>5600</u> | |

TRANSPORT GROUP: I II III IV V VI VII EXEMPT FROM D.O.T. PACKING SPEC. (Limited Quantity)
HEALTH PHYSICS SURVEY

READINGS TAKEN AFTER MATERIAL IS COMPLETELY PACKAGED:
MAXIMUM RADIATION AT SURFACE CONTACT 4 mR/HR: AT 3 FEET 1.5 mR/HR
PRINCIPAL EMISSION: GAMMA NEUTRON ALPHA BETA
SHEAR RESULTS: (1684 Max) DPM/100 cm² (BETA-GAMMA): < 20 DPM/100 cm² (ALPHA)
SURVEYED BY: Pat Morris (S-man) Pat Morris - 4-18-80 - Rad safety DATE: 4-18-80
4-16-80

TRANSPORTATION

RADIATION UNITS: FISSILE CLASS — TI/PKG. FISSILE CLASS — PKG/SHIPMENT
 PLACARD REQUIRED SHIPMENT APPROVAL: Pat Morris
IS A REGISTERED CASK REQUIRED? NO IF SO, STATE CASK IDENTIFICATION NO. NO

TRANSPORTATION AND SHIPPING RELEASE

THIS IS TO CERTIFY THAT THE ABOVE-NAMED ARTICLES ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED, AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO THE APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

METHOD OF SHIPMENT: Self use vehicle
TYPE OF LABEL APPLIED: Radioactive - LSA TOTAL TRANSPORTATION INDEX: 1.5
PROPER SHIPPING NAME: Radioactive - LSA - NOS
SHIPMENT ORIGINATOR: Pat Morris DATE: 4-16-80

SHIPPER NPPD - Cooper Nuclear Station
 ADDRESS Box 58, Brownville, Ne 68321
 PHONE (402)-825-3811
 SHIPMENT NO. 80-26 RMSR 80-26
 DATE OF SHIPMENT 4-18-80
 CARRIER Tri-State

RADIOACTIVE WASTE SHIPMENT & DISPOSAL FORM
NUCLEAR ENGINEERING COMPANY, INC.
 EXECUTIVE OFFICE: (502) 426-7160
 P.O. BOX 7246 • LOUISVILLE, KENTUCKY 40207
 Illinois Office: (815) 454-2624
 California Office: (415) 932-4800

P.O. Box 578
 Beatty, NV 89003
 (702) 553 2203
 P.O. Box 638
 Richland, WA 99352
 (509) 377-2411

NO. **6502** PAGE 1 OF 7

| TOTAL QUANTITY | PROPER SHIPPING NAME & HAZARD CLASS (PER 49 CFR 172.101) | TOTAL WEIGHT IN POUNDS |
|-----------------------|--|---------------------------|
| | Radioactive Device, N.O.S. - Radioactive Material | |
| | Radioactive Material, Fissile, N.O.S. - Radioactive Material | |
| <u>3-55 gal drums</u> | Radioactive Material, Low Specific Activity, N.O.S. - Radioactive Material | <u>800</u> |
| | Radioactive Material, N.O.S. - Radioactive Material | |
| | Radioactive Material, Limited Quantity, N.O.S. - Radioactive Material | |
| | Radioactive Material, Special Form, N.O.S. - Radioactive Material | |

| (1) Item No. | (2) Cubic Feet | (3) Weight (Pounds) | (4) Physical Form | (5) Chemical Form | (6) Radionuclide | (7) Special Nuclear Material (Grams) | (8) Source Material (Kilograms) | (9) Activity <input type="checkbox"/> Curies <input checked="" type="checkbox"/> Millicuries | (10) Radiation Levels MR/HR | | (11) Transport Group | (12) Transport Index | (13) Label | (14) Fissile Class | (15) Type of Container | |
|-----------------|-------------------|------------------------|----------------------|----------------------|---------------------|---|------------------------------------|---|--------------------------------|--------|-------------------------|-------------------------|-------------------|-----------------------|---------------------------|--|
| | | | | | | | | | Surface | 3 Feet | | | | | | |
| 363 | 7.35 | 400 | solid | Poly Resin | I-131 | - | - | 2.12E+00 | 2,000 | 200 | III | - | Radioactive - LSA | - | 17H | |
| | | | | | Cs-137 | | | 1.34E+02 | | | III | Radioactive - | | | | |
| | | | | | Co-58 | | | 7.58E+00 | | | IV | Radioactive - | | | | |
| | | | | | Mn-54 | | | 6.47E+01 | | | IV | Radioactive - | | | | |
| | | | | | Zn-65 | | | 6.91E+00 | | | IV | Radioactive - | | | | |
| | | | | | Co-60 | | | 1.90E+02 | | | III | Radioactive - | | | | |
| | | | | | Cs-134 | | | 1.02E+02 | | | III | Radioactive - | | | | |
| 364 | 7.35 | 400 | solid | Poly Resin | Same as 80- | | 3-63 | 2,000 | 200 | | | Radioactive - LSA | | 17H | | |
| | | <u>14.70</u> | <u>800</u> | TOTALS | | | | <u>1.01E+03</u> | | | | | | | | |

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS /
 AND LABELS ARE IN PROPER CONDITION
 FOR TRANSPORTATION ACCORDING TO APPLICABLE
 REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

PROPERLY CLASSIFIED, DESCRIBED, PACKAGED,
 AND TRANSPORTATION ACCORDING TO APPLICABLE

THIS IS TO CERTIFY THAT ARTICLES ARE IN COMPLIANCE WITH ALL REGULATIONS APPLICABLE AT THE
 DESIGNATED DISPOSAL SITE

[Signature]
 Authorized Signature

Lead H. P. Tech. (Charles T. Tech)
 Title

[Signature]
 Authorized Signature
Lead H. P. Tech.
 Title

SHIPPER NPPD - Cooper Nuclear Station
 ADDRESS Box 98, Brownville, Ne 68321
 PHONE (402)-825-3811
 SHIPMENT NO 80-26 RMSR 80-26
 DATE OF SHIPMENT 4-18-80
 CARRIER Tri-State

RADIOACTIVE WASTE SHIPMENT & DISPOSAL FORM
NUCLEAR ENGINEERING COMPANY, INC.
 EXECUTIVE OFFICE: (502) 426-7160
 P.O. BOX 7246 • LOUISVILLE, KENTUCKY 40207
 Illinois Office: (815) 454-2624
 California Office: (415) 932-4800

P.O. Box 578
 Beatty, NV 89003
 (702) 553 2203
 P.O. Box 638
 Richland, WA 99352
 (509) 377-2411





NO. **6501** PAGE 2 OF 7

| TOTAL QUANTITY | PROPER SHIPPING NAME & HAZARD CLASS (PER 49 CFR 172.101) | TOTAL WEIGHT IN POUNDS |
|-----------------------|---|---------------------------|
| | Radioactive Device, N.O.S. | |
| | Radioactive Material, Fissile, N.O.S. | |
| <u>3.55 gal drums</u> | Radioactive Material, Low Specific Activity, N.O.S. | <u>1,200</u> |
| | Radioactive Material, N.O.S. | |
| | Radioactive Material, Limited Quantity, N.O.S. | |
| | Radioactive Material, Special Form, N.O.S. | |

| (1) Item No | (2) Cubic Feet | (3) Weight (Pounds) | (4) Physical Form | (5) Chemical Form | (6) Radionuclide | (7) Special Nuclear Material (Grams) | (8) Source Material (Kilograms) | (9) Activity <input type="checkbox"/> Curies <input checked="" type="checkbox"/> Millicuries | (10) Radiation Levels MR/HR | | (11) Transport Group | (12) Transport Index | (13) Label | (14) Fissile Class | (15) Type of Container |
|----------------|-------------------|------------------------|----------------------|----------------------|---------------------|---|------------------------------------|---|--------------------------------|--------|-------------------------|-------------------------|-------------------|-----------------------|---------------------------|
| | | | | | | | | | Surface | 3 Feet | | | | | |
| 80-3 | 7.35 | 400 | Solid | Polystyrene | CR-51 | - | - | 7.19E+00 | 2,500 | 400 | IV | - | Radioactive - LSA | - | 17H |
| | | | | | I-131 | | | 5.50E+00 | | | III | | Radioactive - | | |
| | | | | | CS-137 | | | 1.52E+02 | | | III | | Radioactive - | | |
| | | | | | Co-58 | | | 2.34E+01 | | | IV | | Radioactive - | | |
| | | | | | Zr-95 | | | 1.34E+00 | | | III | | Radioactive - | | |
| | | | | | NB-95 | | | 1.53E+00 | | | IV | | Radioactive - | | |
| | | | | | Mn-54 | | | 8.53E+01 | | | IV | | Radioactive - | | |
| | | | | | Zn-65 | | | 9.37E+00 | | | IV | | Radioactive - | | |
| | | | | | Co-60 | | | 1.82E+02 | | | III | | Radioactive - | | |
| | | | | | Ag-110m | | | 6.61E+00 | | | III | | Radioactive - | | |
| | | | | | CS-134 | | | 1.34E+02 | | | III | | Radioactive - | | |
| | | | | | Na-24 | | | 3.26E-01 | | | IV | | Radioactive - | | |
| | | | | | CS-136 | | | 1.66E+00 | | | IV | | Radioactive - | | |
| 80-4 | 7.35 | 400 | Solid | Polystyrene | Same as | 80-4 | -3 | | 2,300 | 400 | I | | Radioactive - LSA | - | 17H |
| 80-4 | 7.35 | 400 | Solid | Polystyrene | | | | | 2,500 | 400 | I | | Radioactive - LSA | - | 17H |
| | 22.05 | 1200 | | TOTALS | | | | 1.83E+03 | | | | | | | |

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

THIS IS TO CERTIFY THAT ARTICLES ARE IN COMPLIANCE WITH ALL REGULATIONS APPLICABLE AT THE DESIGNATED DISPOSAL SITE

 Authorized Signature

SHIPPER NPPD - Cooper Nuclear Station
 ADDRESS Box 98, Brownville, Ne 68321
 PHONE (402)-825-3811
 SHIPMENT NO 80-26 NMSR 80-26
 DATE OF SHIPMENT 4-18-80
 CARRIER Tri-State

RADIOACTIVE WASTE SHIPMENT & DISPOSAL FORM
NUCLEAR ENGINEERING COMPANY, INC.

EXECUTIVE OFFICE: (502) 426-7160
 P.O. BOX 7246 • LOUISVILLE, KENTUCKY 40207
 Illinois Office: (815) 454-2624
 California Office: (415) 932-4800

P.O. Box 578
 Beatty, NV 89003
 (702) 553 2203

P.O. Box 638
 Richland, WA 99352
 (509) 377-2411

NO. **6500**

PAGE **3** OF **7**

| TOTAL QUANTITY | PROPER SHIPPING NAME & HAZARD CLASS (PER 49 CFR 172.101) | TOTAL WEIGHT IN POUNDS |
|----------------------|--|---------------------------|
| | Radioactive Device, N.O.S. - Radioactive Material | |
| | Radioactive Material, Fissile, N.O.S. - Radioactive Material | |
| 3.55 gal Drum | Radioactive Material, Low Specific Activity, N.O.S. - Radioactive Material | 1,200 |
| | Radioactive Material, N.O.S. - Radioactive Material | |
| | Radioactive Material, Limited Quantity, N.O.S. - Radioactive Material | |
| | Radioactive Material, Special Form, N.O.S. - Radioactive Material | |

| (1) Item No. | (2) Cubic Feet | (3) Weight (Pounds) | (4) Physical Form | (5) Chemical Form | (6) Radionuclide | (7) Special Nuclear Material (Grams) | (8) Source Material (Kilograms) | (9) Activity <input type="checkbox"/> Curies <input checked="" type="checkbox"/> Millicuries | (10) Radiation Levels MR/HR | | (11) Transport Group | (12) Transport Index | (13) Label | (14) Fissile Class | (15) Type of Container |
|-----------------|-------------------|------------------------|----------------------|----------------------|---------------------|---|------------------------------------|---|-----------------------------------|--------|-------------------------|-------------------------|-------------------|-----------------------|---------------------------|
| | | | | | | | | | Surface | 3 Feet | | | | | |
| 04-6 | 7.35 | 400 | solid | Poly-Resin | CR-51 | - | - | 7.19E+00 | 2,500 | 400 | IV | - | Radioactive - LSA | - | 17H |
| | | | | | 1-131 | | | 5.50E+00 | | | III | | Radioactive - | | |
| | | | | | CS-137 | | | 1.52E+02 | | | III | | Radioactive - | | |
| | | | | | CO-58 | | | 2.34E+01 | | | IV | | Radioactive - | | |
| | | | | | ZR-95 | | | 1.39E+00 | | | III | | Radioactive - | | |
| | | | | | NA-95 | | | 1.53E+00 | | | IV | | Radioactive - | | |
| | | | | | Mx-54 | | | 8.53E+01 | | | IV | | Radioactive - | | |
| | | | | | Zn-65 | | | 9.37E+00 | | | IV | | Radioactive - | | |
| | | | | | CO-60 | | | 1.82E+02 | | | III | | Radioactive - | | |
| | | | | | Ag-110m | | | 6.61E+00 | | | III | | Radioactive - | | |
| | | | | | CS-134 | | | 1.34E+02 | | | III | | Radioactive - | | |
| | | | | | NA-24 | | | 3.26E-01 | | | IV | | Radioactive - | | |
| | | | | | CS-136 | | | 1.66E+00 | | | IV | | Radioactive - | | |
| 04-7 | 7.35 | 400 | solid | Poly Resin | same as | | | | 2,500 | 400 | | - | Radioactive - LSA | - | 17H |
| 04-B | ↓ | ↓ | ↓ | ↓ | ↓ | | | ↓ | ↓ | ↓ | | | Radioactive - LSA | - | 17H |
| | 22.05 | 1,200 | | | TOTALS | | | 1.83E+03 | | | | | | | |

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

THIS IS TO CERTIFY THAT ARTICLES ARE IN COMPLIANCE WITH ALL REGULATIONS APPLICABLE AT THE DESIGNATED DISPOSAL SITE.

Authorized Signature

Title

Authorized Signature

Title

David H. P. Tolson
Richard T. Dick

John K. ...
David H. P. Tolson

SHIPPER: NPPD - Cooper Nuclear Station
 ADDRESS: Box 98, Brownville, Ne 68321
 PHONE: (402)-825-3811
 SHIPMENT NO: 80-26, RMSR 80-26
 DATE OF SHIPMENT: 4-18-80
 CARRIER: Tri-State

RADIOACTIVE WASTE SHIPMENT & DISPOSAL FORM
NUCLEAR ENGINEERING COMPANY, INC.
 EXECUTIVE OFFICE: (502) 426-7160
 P.O. BOX 7246 • LOUISVILLE, KENTUCKY 40207
 Illinois Office: (815) 454-2624
 California Office: (415) 932-4800

P.O. Box 578
 Beatty, NV 89003
 (702) 553-2203
 P.O. Box 638
 Richland, WA 99352
 (509) 377-2411

NO. 6499

PAGE 4 OF 7

| TOTAL QUANTITY | PROPER SHIPPING NAME & HAZARD CLASS (PER 49 CFR 172.101) | TOTAL WEIGHT IN POUNDS |
|----------------|--|------------------------|
| 3-55 gal drum | Radioactive Device, N.O.S. | 1,200 |
| | Radioactive Material, Fissile, N.O.S. | |
| | Radioactive Material, Low Specific Activity, N.O.S. | |
| | Radioactive Material, N.O.S. | |
| | Radioactive Material, Limited Quantity, N.O.S. | |
| | Radioactive Material, Special Form, N.O.S. | |
| | Radioactive Material | |

| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | | (11) | (12) | (13) | (14) | (15) |
|------|-------|------|-------|------------|---------------|-----|--------|----------|---------|--------|------|------|-------------------|------|------|
| | | | | | | | | | Surface | 3 Feet | | | | | |
| 1-9 | 7.35 | 400 | Solid | Poly Resin | CR-51 | - | - | 7.19E+00 | 2,500 | 400 | IV | - | Radioactive - LSA | - | 17H |
| | | | | | 1-131 | | | 5.50E+00 | | | III | | Radioactive - | | |
| | | | | | CS-137 | | | 1.52E+02 | | | III | | Radioactive - | | |
| | | | | | CO-58 | | | 2.34E+01 | | | IV | | Radioactive - | | |
| | | | | | ZR-95 | | | 1.39E+00 | | | III | | Radioactive - | | |
| | | | | | NB-95 | | | 1.53E+00 | | | IV | | Radioactive - | | |
| | | | | | MV-54 | | | 8.53E+01 | | | IV | | Radioactive - | | |
| | | | | | Zn-65 | | | 9.37E+00 | | | IV | | Radioactive - | | |
| | | | | | CO-60 | | | 1.82E+02 | | | III | | Radioactive - | | |
| | | | | | AG-110M | | | 6.61E+00 | | | III | | Radioactive - | | |
| | | | | | CS-134 | | | 1.31E+02 | | | III | | Radioactive - | | |
| | | | | | NA-24 | | | 3.26E-01 | | | IV | | Radioactive - | | |
| | | | | | CS-136 | | | 1.66E+00 | | | IV | | Radioactive - | | |
| 2-10 | 7.35 | 400 | Solid | Poly Resin | Same as | | 80-4-9 | | 2,500 | 400 | | | Radioactive - LSA | - | 17H |
| 2-11 | ↓ | ↓ | ↓ | ↓ | ↓ | | | ↓ | ↓ | ↓ | | | Radioactive - LSA | | 17H |
| | 20.05 | 1200 | | | TOTALS | | | 1.83E+03 | | | | | | | |

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, LABELED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

[Signature]
 Authorized Signature

THIS IS TO CERTIFY THAT ARTICLES ARE IN COMPLIANCE WITH ALL REGULATIONS APPLICABLE AT THE DESIGNATED DISPOSAL SITE.

[Signature]
 Authorized Signature

[Signature]
 Title

SHIPPER: NPPD - Cooper Nuclear Station
 ADDRESS: Box 98, Brownville, Ne 68321
 PHONE: (402)-825-3811
 SHIPMENT NO: 80-26 RmsR# 80-26
 DATE OF SHIPMENT: 4-18-80
 CARRIER: Tri-State

RADIOACTIVE WASTE SHIPMENT & DISPOSAL FORM
NUCLEAR ENGINEERING COMPANY, INC.
 EXECUTIVE OFFICE: (502) 426-7160
 P.O. BOX 7246 • LOUISVILLE, KENTUCKY 40207
 Illinois Office: (815) 454-2624
 California Office: (415) 932-4800

P.O. Box 578
 Beatty, NV 89003
 (702) 553-2203
 P.O. Box 638
 Richland, WA 99352
 (509) 377-2411

NO. 6493

PAGE 5 OF 7

| TOTAL QUANTITY | PROPER SHIPPING NAME & HAZARD CLASS (PER 49 CFR 172.101) | TOTAL WEIGHT IN POUNDS |
|----------------|--|---------------------------|
| | Radioactive Device, N.O.S. - Radioactive Material | |
| | Radioactive Material, Fissile, N.O.S. - Radioactive Material | |
| 1.55 gal Drum | Radioactive Material, Low Specific Activity, N.O.S. - Radioactive Material | 400 |
| | Radioactive Material, N.O.S. - Radioactive Material | |
| | Radioactive Material, Limited Quantity, N.O.S. - Radioactive Material | |
| | Radioactive Material, Special Form, N.O.S. - Radioactive Material | |

| (1) Item No. | (2) C. Dec Net | (3) Weight (Pounds) | (4) Physical Form | (5) Chemical Form | (6) Radionuclide | (7) Special Nuclear Material (Grams) | (8) Source Material (Kilograms) | (9) Activity <input type="checkbox"/> Curies <input checked="" type="checkbox"/> Millicuries | (10) Radiation Levels MR/HR | | (11) Transport Group | (12) Transport Index | (13) Label | (14) Fissile Class | (15) Type of Container |
|-----------------|----------------------|---------------------------|-------------------------|-------------------------|---------------------|--|--|---|-----------------------------------|--------|----------------------------|----------------------------|-------------------|--------------------------|---------------------------------|
| | | | | | | | | | Surface | 3 Feet | | | | | |
| 41 | 7.35 | 400 | Solid | Poly Resin | Cr-51 | - | - | 5.06E+02 | 9,000 | 3,000 | IV | - | Radioactive - LSI | - | 17H |
| | | | | | I-131 | | | 9.19E+00 | | | III | | Radioactive - | | |
| | | | | | CS-137 | | | 7.29E+02 | | | III | | Radioactive - | | |
| | | | | | Co-58 | | | 1.06E+02 | | | IV | | Radioactive - | | |
| | | | | | Mn-54 | | | 3.79E+02 | | | IV | | Radioactive - | | |
| | | | | | Zn-65 | | | 4.31E+01 | | | IV | | Radioactive - | | |
| | | | | | Co-60 | | | 6.12E+02 | | | III | | Radioactive - | | |
| | | | | | Ni-110M | | | 6.93E+01 | | | III | | Radioactive - | | |
| | | | | | CS-134 | | | 5.86E+02 | | | III | | Radioactive - | | |
| | | | | | CS-136 | | | 4.40E+00 | | | IV | | Radioactive - | | |
| | | | | | | | | | | | | | Radioactive - | | |
| | | | | | | | | | | | | | Radioactive - | | |
| | | | | | | | | | | | | | Radioactive - | | |
| | | | | | | | | | | | | | Radioactive - | | |
| | | | | | | | | | | | | | Radioactive - | | |
| | | | | | | | | | | | | | Radioactive - | | |
| | | | | | | | | | | | | | Radioactive - | | |
| | 7.35 | 400 | | | | | | 3.04E+03 | | | | | | | |

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

THIS IS TO CERTIFY THAT ARTICLES ARE IN COMPLIANCE WITH ALL REGULATIONS APPLICABLE AT THE DESIGNATED DISPOSAL SITE

[Signature] Title
 [Signature] Title
 [Signature] Title
 [Signature] Title

NECO COPY

SHIPPER NPPD - Cooper Nuclear Station
 ADDRESS: Box 98, Brownville, Ne 68321
 PHONE (402)-825-3811
 SHIPMENT NO 80-26 R.M.S.R 80-26
 DATE OF SHIPMENT: 4-18-80
 CARRIER Tri-State

RADIOACTIVE WASTE SHIPMENT & DISPOSAL FORM
NUCLEAR ENGINEERING COMPANY, INC.
 EXECUTIVE OFFICE: (502) 426-7160
 P.O. BOX 7248 • LOUISVILLE, KENTUCKY 40207
 Illinois Office: (815) 454-2624
 California Office: (415) 932-4800

P.O. Box 578
 Beatty, NV 89003
 (702) 553 2203
 P.O. Box 638
 Richland, WA 99352
 (509) 377 2411

NO. **6491** PAGE 6 OF 7

| TOTAL QUANTITY | PROPER SHIPPING NAME & HAZARD CLASS (PER 49 CFR 172.101) | TOTAL WEIGHT IN POUNDS |
|----------------------|---|---------------------------|
| | Radioactive Device, N.O.S. | - Radioactive Material |
| | Radioactive Material, Fissile, N.O.S. | - Radioactive Material |
| <u>1-55 gal drum</u> | Radioactive Material, Low Specific Activity, N.O.S. | <u>400</u> |
| | Radioactive Material, N.O.S. | - Radioactive Material |
| | Radioactive Material, Limited Quantity, N.O.S. | - Radioactive Material |
| | Radioactive Material, Special Form, N.O.S. | - Radioactive Material |

| (1) Item No | (2) Cubic Feet | (3) Weight (Pounds) | (4) Physical Form | (5) Chemical Form | (6) Radionuclide | (7) Special Nuclear Material (Grams) | (8) Source Material (Kilograms) | (9) Activity <input type="checkbox"/> Curies <input checked="" type="checkbox"/> Millicuries | (10) Radiation Levels MR/HR | | (11) Transport Group | (12) Transport Index | (13) Label | (14) Fissile Class | (15) Type of Container |
|----------------|-------------------|------------------------|----------------------|----------------------|---------------------|---|------------------------------------|---|--------------------------------|--------------|-------------------------|-------------------------|--------------------------|-----------------------|---------------------------|
| | | | | | | | | | Surface | 3 Feet | | | | | |
| <u>1018</u> | <u>7.35</u> | <u>400</u> | <u>Solid</u> | <u>Polyresin</u> | <u>Cy-51</u> | <u>-</u> | <u>-</u> | <u>4.34E-03</u> | <u>8,000</u> | <u>1,000</u> | <u>IV</u> | <u>-</u> | <u>Radioactive - LSA</u> | <u>-</u> | <u>17H</u> |
| | | | | | <u>Cs-137</u> | | | <u>1.58E+02</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Co-58</u> | | | <u>1.59E+00</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Mn-54</u> | | | <u>1.87E+02</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Fe-59</u> | | | <u>3.05E-03</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Zn-65</u> | | | <u>1.92E+01</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Co-60</u> | | | <u>7.72E+02</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Rg-110m</u> | | | <u>3.70E-03</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Cs-134</u> | | | <u>6.56E+01</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | <u>7.35</u> | <u>400</u> | | | | | | <u>1.20E+03</u> | | | | | | | |

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MANIFESTED AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION

 Authorized Signature
 (1) NECO COPY

 Title

 Title

 Authorized Signature

 Title

 Title

THIS IS TO CERTIFY THAT ARTICLES ARE IN COMPLIANCE WITH ALL REGULATIONS APPLICABLE AT THE DESIGNATED DISPOSAL SITE.

SHIPPER NPPD - Cooper Nuclear Station
 ADDRESS Box 98, Brownville, Ne 68321
 PHONE (402)-825-3811
 SHIPMENT NO. 80-26 RMSR 80-26
 DATE OF SHIPMENT 4-18-80
 CARRIER Pri-State

RADIOACTIVE WASTE SHIPMENT & DISPOSAL FORM
NUCLEAR ENGINEERING COMPANY, INC.
 EXECUTIVE OFFICE: (502) 426-7160
 P.O. BOX 7246 • LOUISVILLE, KENTUCKY 40207
 Illinois Office: (815) 454-2624
 California Office: (415) 932-4800

P.O. Box 578
 Beatty, NV 89003
 (702) 553 2203
 P.O. Box 638
 Richland, WA 99352
 (509) 377-2411

NO. **6494**

PAGE 7 OF 87

| TOTAL QUANTITY | PROPER SHIPPING NAME & HAZARD CLASS (PER 49 CFR 172.101) | TOTAL WEIGHT IN POUNDS |
|----------------------|---|---------------------------|
| | Radioactive Device, N.O.S. | - Radioactive Material |
| | Radioactive Material, Fissile, N.O.S. | - Radioactive Material |
| <u>1-55 gal drum</u> | Radioactive Material, Low Specific Activity, N.C.S. | <u>400</u> |
| | Radioactive Material, N.O.S. | - Radioactive Material |
| | Radioactive Material, Limited Quantity, N.O.S. | - Radioactive Material |
| | Radioactive Material, Special Form, N.O.S. | - Radioactive Material |

| (1) Item No. | (2) Cubic Feet | (3) Weight (Pounds) | (4) Physical Form | (5) Chemical Form | (6) Radionuclide | (7) Special Nuclear Material (Grams) | (8) Source Material (Kilograms) | (9) Activity <input type="checkbox"/> Curies <input checked="" type="checkbox"/> Millicuries | (10) Radiation Levels MR/HR | | (11) Transport Group | (12) Transport Index | (13) Label | (14) Fissile Class | (15) Type of Container |
|-----------------|-------------------|------------------------|----------------------|----------------------|---------------------|---|------------------------------------|---|-----------------------------------|--------------|-------------------------|-------------------------|--------------------------|-----------------------|---------------------------|
| | | | | | | | | | Surface | 3 Feet | | | | | |
| <u>0-4-2</u> | <u>7.35</u> | <u>400</u> | <u>Solid</u> | <u>Poly Resin</u> | <u>Cr-51</u> | - | - | <u>5.57E+02</u> | <u>10,000</u> | <u>1,500</u> | <u>IV</u> | - | <u>Radioactive - LSN</u> | - | <u>17H</u> |
| | | | | | <u>I-131</u> | | | <u>1.01E+01</u> | | | <u>II</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>CS-137</u> | | | <u>8.02E+02</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Co-58</u> | | | <u>1.17E+02</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Mn-54</u> | | | <u>4.17E+02</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Zn-65</u> | | | <u>4.75E+01</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Co-60</u> | | | <u>6.73E+02</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Ag-110m</u> | | | <u>7.62E+01</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>CS-134</u> | | | <u>6.44E+02</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>CS-136</u> | | | <u>4.81E+00</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | <u>7.35</u> | <u>400</u> | TOTALS | | | | | <u>3.35E+03</u> | | | | | | | |

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

THIS IS TO CERTIFY THAT ARTICLES ARE IN COMPLIANCE WITH ALL REGULATIONS APPLICABLE AT THE DESIGNATED DISPOSAL SITE.

[Signature] Title Lead H.P. Tech. [Signature] Title Lead H.P. Tech.

SHIPPER NPPD - Cooper Nuclear Station
 ADDRESS Box 98, Brownville, Ne 68321
 PHONE (402)-825-3811
 SHIPMENT NO. 80-26 RMR 80-26
 DATE OF SHIPMENT 4-18-80
 CARRIER Pri-State

RADIOACTIVE WASTE SHIPMENT & DISPOSAL FORM
NUCLEAR ENGINEERING COMPANY, INC.
 EXECUTIVE OFFICE: (502) 426-7160
 P.O. BOX 7246 • LOUISVILLE, KENTUCKY 40207
 Illinois Office: (815) 454-2624
 California Office: (415) 932-4000

P.O. Box 578
 Beatty, NV 89003
 (702) 553-2203
 P.O. Box 638
 Richland, WA 99352
 (509) 377-2411

NO. **6494**

PAGE 7 OF 87

| TOTAL QUANTITY | PROPER SHIPPING NAME & HAZARD CLASS (PER 49 CFR 172.101) | TOTAL WEIGHT IN POUNDS |
|----------------------|---|---------------------------|
| | Radioactive Device, N.O.S. | - Radioactive Material |
| | Radioactive Material, Fissile, N.O.S. | - Radioactive Material |
| <u>1-55 gal drum</u> | Radioactive Material, Low Specific Activity, N.O.S. | - Radioactive Material |
| | Radioactive Material, N.O.S. | - Radioactive Material |
| | Radioactive Material, Limited Quantity, N.O.S. | - Radioactive Material |
| | Radioactive Material, Special Form, N.O.S. | - Radioactive Material |
| | | <u>400</u> |

| (1) Item No | (2) Cubic Feet | (3) Weight (Pounds) | (4) Physical Form | (5) Chemical Form | (6) Radionuclide | (7) Special Nuclear Material (Grams) | (8) Source Material (Kilograms) | (9) Activity <input type="checkbox"/> Curies <input checked="" type="checkbox"/> Millicuries | (10) Radiation Levels MR/HR | | (11) Transport Group | (12) Transport Index | (13) Label | (14) Fissile Class | (15) Type of Container |
|----------------|-------------------|------------------------|----------------------|----------------------|---------------------|---|------------------------------------|---|-----------------------------------|--------------|-------------------------|-------------------------|--------------------------|-----------------------|---------------------------|
| | | | | | | | | | Surface | 3 Feet | | | | | |
| <u>0-4-2</u> | <u>7.35</u> | <u>400</u> | <u>Solid</u> | <u>Poly Resin</u> | <u>Cr-51</u> | <u>-</u> | <u>-</u> | <u>5.51E+02</u> | <u>10,000</u> | <u>1,500</u> | <u>IV</u> | <u>-</u> | <u>Radioactive - LSA</u> | <u>-</u> | <u>17H</u> |
| | | | | | <u>I-131</u> | | | <u>1.01E+01</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>CS-137</u> | | | <u>8.02E+02</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Co-58</u> | | | <u>1.17E+02</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Mn-54</u> | | | <u>4.17E+02</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Zn-65</u> | | | <u>4.75E+01</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Co-60</u> | | | <u>6.73E+02</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>Ag-110m</u> | | | <u>7.62E+01</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>CS-134</u> | | | <u>6.44E+02</u> | | | <u>III</u> | | <u>Radioactive -</u> | | |
| | | | | | <u>CS-136</u> | | | <u>4.84E+00</u> | | | <u>IV</u> | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | | | | | | | | | | | | | <u>Radioactive -</u> | | |
| | <u>7.35</u> | <u>400</u> | | | | | | <u>3.35E+03</u> | | | | | | | |

THIS IS TO CERTIFY THAT THE ABOVE NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, AND LABELED AND ARE IN PROPER CONDITION FOR TRANSPORTATION ACCORDING TO APPLICABLE REGULATIONS OF THE DEPARTMENT OF TRANSPORTATION.

THIS IS TO CERTIFY THAT ARTICLES ARE IN COMPLIANCE WITH ALL REGULATIONS APPLICABLE AT THE DESIGNATED DISPOSAL SITE.

[Signature] [Signature] [Signature]
 Authorized Signature Title Title Title