

U.S. NUCLEAR REGULATORY COMMISSION
OFFICE OF INSPECTION AND ENFORCEMENT

REGION III

Report No. 50-10/78-20; 50-237/78-18; 50-249/78-20

Docket No. 50-10; 50-237; 50-249 License No. DPR-2; DPR-19; DPR-25

Licensee: Commonwealth Edison Company
Post Office Box 767
Chicago, IL 60690

Facility Name: Dresden Nuclear Power Station, Units 1, 2 and 3

Inspection At: Dresden Site, Morris, IL

Inspection Conducted: June 20, 1978

Inspectors: *J. L. Belongin*
A. L. Belanger

7/3/78

G. M. Christoffer
G. M. Christoffer

6/30/78

Approved By: *J. A. Hind*
J. A. Hind, Chief
Safeguards Branch

7/11/78

Inspection Summary

Inspection on June 20, 1978 (Report No. 50-10/78-20; 50-237/78-18; 50-249/78-20)

Areas Inspected: Review of licensee corrective action taken with respect to matters discussed during a telephone conversation between Region III representatives and members of the licensee's staff on April 21, 1978 and confirmed by "Immediate Action Letter" dated April 25, 1978. These matters related to the apparent falsification of guard firearms qualification records and vital area door check records at Dresden Station.

Results: Corrective actions requested in the referenced Immediate Action Letter (IAL) have been satisfactorily completed.

8010140 638

DETAILS

1. Persons Contacted

B. Saunders, Dresden Station Security Administrator
A. Brown, Account Supervisor, Burns International Security Services, (BISS)
L. Creed, Sergeant, BISS
D. Rollando, Guard, BISS
M. Foley, Guard, BISS
J. Murphy, Watchman, BISS

2. Licensee Corrective Action/Region III Immediate Action Letter dated April 25, 1978

On April 17, 1978, Region III was telephonically advised by the licensee that their audit of guard contractor records and interviews with three guards disclosed that firearms qualification records may have been falsified. On April 19, 1978 licensee representatives met with RIII to discuss the above matters. Additionally, RIII was advised that a guard sergeant, on being questioned about guard activities, admitted to the Dresden Station Security Administrator that he instructed guards to complete the door check patrol sheet covering vital area doors even though other guard activities precluded their making the required checks. On April 21, 1978, RIII called the licensee to discuss actions initiated/to be initiated to correct the licensee-identified items of noncompliance. This discussion was confirmed by RIII in an "Immediate Action Letter" (IAL) issued April 25, 1978. (Enclosure A)

By letter dated June 2, 1978 (C. Reed to J. Keppler), the licensee advised Region III of corrective actions taken in accordance with the IAL. This inspection confirmed the licensee's response.

The following identifies each corrective action item required by the IAL, the licensee's response to that item as noted in their letter of June 2, 1978, and the inspection findings.

IAL Item 1: Take immediate steps to requalify those guards identified to date who appear to have questionable or falsified firearms certifications. Completion of certification will be witnessed by CECO. To be completed by May 5, 1978.

Licensee Response: A requalification program was undertaken to assure that those guards that had been identified as having questionable or falsified firearms certifications receive the

proper qualification. The requalification started on May 3, 1978 and was originally scheduled to be completed by May 5, 1978. There was, however, some difficulty in requalifying these individuals and additional time was needed. Mr. L. Bean contacted Mr. J. Donahue (Region III) on May 5, 1978 and informed him of a required extension until May 18, 1978 to complete the requalification, completed by May 18, 1978.

Inspection Findings: Seven guards were identified by the licensee as not having been properly firearms qualified. During requalification, three of the seven failed to achieve the minimum score and are no longer acting as members of the Dresden guard force. The requalification was witnessed by a member of the licensee's staff. The inspectors reviewed records documenting the requalification.

IAL Item 2: Take immediate steps to determine the extent to which additional guard force members are not fully firearms qualified. If such non-qualified guards are identified, they will be requalified and their requalification witnessed by CECO. To be completed by May 29, 1978.

Licensee Response: The requalifications of the remaining members of the guard force were not questioned. We did, however, initiate requalification for the entire guard force on May 23, 1978. This requalification is being observed by a Commonwealth Edison representative to ensure requalification is properly completed. We expect the requalification of these individuals to be completed by June 16, 1978.

Inspection Findings: All remaining members of the guard force requalified, with one exception. The latter is currently serving as a watchman (unarmed). Interviews with members of the guard force disclosed that requalifications were witnessed by representatives of the licensee's staff.

IAL Item 3: Only authorized individuals who have been fully firearms qualified will perform as guards.

Licensee Response: All individuals that were identified as having falsified firearms qualifications were not permitted to carry weapons. These individuals were not used as "guards" but only as "watchmen" until the requalification was completed.

Inspection Findings: The licensee's response was confirmed through inspector observations during the course of the investigation conducted by RIII, and through interviews with guards who were identified as not having been properly qualified.

IAL Item 4: With respect to apparent falsification of vital area "door check" records, take steps to assure that pertinent door checks are being made as required and associated documentation is maintained. To be completed by April 28, 1978.

Licensee Response: Corrective action to assure that door checks are being completed was initiated as soon as we discovered the fact that there was falsification of these documents. On April 13, 1978 the guard force was instructed that falsification of door checks would not be tolerated and that anyone continuing this practice would be subject to dismissal.

To prevent recurrence and assure that door checks are completed and documented, Dresden Station has ordered and installed at all the exterior vital area doors a key punch clock (Detex) with "key stations." These keys are "punched" at the time the door is checked.

Inspection Findings: The referenced April 13, 1978 verbal instruction to guards was confirmed through guard interviews. As of June 1, 1978, vital area door checks are being verified through the use of the Detex Key Punch Clock in addition to the door check sheet documentation.

3. Exit Meeting

At the conclusion of the inspection, the results were reviewed with the Dresden Station Security Administrator. He was advised that satisfactory corrective action had been completed with respect to the items noted in the IAL.

Enclosures:

- A. Immediate Action Letter dated
April 25, 1978
- B. Letter dated June 2, 1978
(C. Reed to J. Keppler)

EXTERIOR DOOR CHECK SM

	TIME		TIME		TIME		TIME		TIME		TIME		TIME		TIME
	GD'S INT.		GD'S INT.		GD'S INT.		GD'S INT.		GD'S INT.		GD'S INT.		GD'S INT.		GD'S INT.
	LOCKED		LOCKED		LOCKED		LOCKED		LOCKED		LOCKED		LOCKED		LOCKED
	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES
6.															
7.															
8.															
9.															
10.															
11.															
12.															
13.															
14.															
15.															
16.															
17.															
18.															
19.															
20.															
21.															
22.															
23.															
24.															
25.															
26.															
27.															
PFC.															

SECURITY INCIDENT
REPORT

JUN 21 1978

D.O.S.R.

Report No. 78-4-10

Occurred VARIOUS
Date

N/A
Time

PART I Category of Event A B C D E (Circle applicable category)
vehicle

Description of Event: FALSIFICATION OF DOOR CHECKS & KEY CHECKS
reported to me during my questioning of a cross-section of
guards concerning delegation of firearm qualifications.
This questioning took place on Thursday April 13, 1978

Immediate Action Taken: Informed all Supervisors that this practice must
stop. Also as a result of my questioning (Individual P) (day shift Sgt)
resigned.

NAME (Security Admin.) _____ DATE 4/21/78
(use reverse side if necessary)

PART II

Preliminary Evaluation and/or Further Action Taken: During my interrogation
of a number of guards concerning firearm qualification it became
apparent to me that a number of guards had falsified door
checks at the request of (Individual P). The number of guards
that admitted falsifying door checks gave me ~~some~~ ^{some} ~~doubt~~ ^{doubt} about
the supervision of the day shift. I asked (Individual P) if
he had ever told anyone to mark down that they
did a door check when in actuality they did not. he stated

No Further Action Required

Further Evaluation Required
Deviation Report No. N/A

Date: 4/21/78

Station Security Administrator

me back about a year later and said he may have but that he did not remember doing it. Further questioning of the guard enjoined ~~what to do~~ ^{the following} ~~was stated~~.

(Individual P)

reportedly told the guards that due to the amount of escorts, visits, and gatehouse duties and the lack of guards to do all the necessary procedures that the "guard" should just document the fact that he did a door check when in fact he did not. The number of guards involved and the amount of times each guard stated that they falsified records at the direction of their Sgt. leads me to believe that this falsification was wide spread but limited only to the day shift. Guards that were interviewed on the other shifts did not indicate any falsification. In addition, it is apparent that a number of Vehicle Key checks were falsified, however this did not seem to be as wide spread.

(Individual P)

days off were Friday & Sat (April 14 & 15) he called in sick on Sunday and resigned on Monday.

I immediately contacted (Nuc. Sec. Admin?) ⁱⁿ Denver on Thursday and told him the situation. The NRC was enjoined on Wed April 19 of the above situation.

INCIDENT REPORT

DATE OF REPORT
April 17, 1978

TIME OF REPORT
8:30 A.M.

CLIENT: Commonwealth Edison

ADDRESS: Dresden Station #12

JOB NUMBER: 230014/00

LOCATION OF INCIDENT Security Trailer

INCIDENT Falsification of Records

DATE OCCURRED 12-17-77/4-14-78

TIME OCCURRED --- AM --- PM

DETAILS AND CIRCUMSTANCES OF INCIDENT (Answer all of the following in the report: WHO, WHAT, WHERE, WHEN, & HOW.)

Discovered falsification of records done by numerous guards on the

orders of the 7/3 shift supervisor, (Individual P) . A number of guards questioned admitted to falsifying door checks. Key checks were mentioned by a few. They also stated their firearms qualification for Burns was not correct due to various reasons. They stated the falsification of records on site was done for (Ind.P) only because of him being short of guards.

(Individual P) was questioned, he denied everything, except to say he could not remember, but it was possible.

I then informed the Com Ed Security Administrator, of what I had discovered.

I now feel (Individual P) is responsible for the attitude of numerous guards concerning their job duties, and job performance.

Tues; April 18, 1978-Informed by Burns Security Office that (Individual P) had turned in his resignation.

SIGNED

PAGE

OF

[Signature]

INCIDENT REPORT

DATE OF REPORT	April 17, 1978
TIME OF REPORT	6:30 AM

CLIENT: Commonwealth Edison

ADDRESS: Dresden Station #12

JOB NUMBER: 230014/00 LOCATION OF INCIDENT: Guardhouse

INCIDENT: Personnel Observation of "Phoney Door Checks"

DATE OCCURRED: Prior to 3/17/78 TIME OCCURRED: AM PM

DETAILS AND CIRCUMSTANCES OF INCIDENT (Answer all of the following in the report: WHO, WHAT, WHERE, WHEN, & HOW.)

After the announcement of myself being promoted to Lt., (Individual P) came to ^{me} and asked what if ^{any} changes could he expect after I became the Lt. At that time I informed (Individual P) that in the past week I had observed guards coming off of escort, and them being asked by him to fill out the door check log as if they had done a door check, which I knew they could not have done. I did report all of this to (Individual G). I assumed the site supervisor had been told, by him.

I then informed (Individual P) this practice would stop, that it was false documentation of records and would not be allowed. I also thold him not only had I observed this practice but that one guard had complained to me about this type of incident and another guard, (Ind. T) had told me about being asked and that she had refused and did not like being asked. I was assured by (Individual P) that this practice would end.

At this time I also discussed with (Individual P) his practice of undermining the management, especially the Site Supervisor, and the Security Administrator,

I Pointed out to him the effect this would have with the guards and the poor image it presented to the public. I was assured by (Individual P) that this practice would also end.

On April 14, 1978, a guard came to me and told me that the week before she had again been asked to falsify a door check. She informed (Individual P) she did not
(Individual J)

INCIDENT REPORT

(2)

DATE OF REPORT
TIME OF REPORT
M. M.

CLIENT:			
ADDRESS:			
JOB NUMBER:	LOCATION OF INCIDENT:		
INCIDENT:			
DATE OCCURRED	TIME OCCURRED	AM	PM

DETAILS AND CIRCUMSTANCES OF INCIDENT (Answer all of the following in the report: WHO, WHAT, WHERE, WHEN, & HOW)

_____ to sign for it yet he had insisted. This occurred after his assurance to me the practice would not happen again. I then informed the Site Supervisor myself of what had been occurring.

SIGNED _____
(Individual J)

PAGE _____ OF _____

Date 12-9-77

TO WHOM IT MAY CONCERN:

On the above indicated date, 190 (Individual C)
fired a score of 195 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

Slow Fire 21 ^{16 Points} out of 100 points.
Timed Fire 77 ^{✓ Points} out of 100 points.
Rapid Fire 97 ^{✓ Points} out of 100 points.

Signature

(Individual B)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

STATEMENT OF (INDIVIDUAL C)

I, (Individual C) , make the following statement freely and voluntarily to G. A. Phillip who has identified himself to me as Investigator, U.S. Nuclear Regulatory Commission. Mr. Phillip has advised me that I do not have to make a statement and that any statement I do make may later be used in a judicial proceeding.

I am employed as a member of the guard force by Burns at Dresden site. In December 1977 I fired a qualification course for the use of a weapon. In firing for score (Ind. B) allowed me to use a bench rest even though he was aware that this was not permitted when firing a qualification course. I know that (Sec. Admin.) and (Ind. B) had discussed this matter when (Sec. Admin.) saw that bench rests were being used a day, or a few days, before the firing I have described above. The targets I fired into using the bench rest were used for my qualifying score.

I have read the above statement consisting of two pages and it is true and correct to the best of my knowledge and belief.

(Individual C)
(signed)

4/25/78

Date 12-9-77

TO WHOM IT MAY CONCERN:

On the above indicated date, _____ (Individual D)
fired a score of 189 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

- Slow Fire 52 out of 100 points.
- Timed Fire 77 out of 100 points.
- Rapid Fire 60 out of 100 points.

Signature _____ (Individual B)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

STATEMENT OF (INDIVIDUAL D)

I, (Individual D), make the following statement freely and voluntarily to G. A. Phillip who has identified himself to me as an Investigator, U.S. Nuclear Regulatory Commission. Mr. Phillip has advised me that I do not have to make a statement and that any statement I do make may later be used in a judicial proceeding.

I am employed as a guard by Burns International Security Services, Inc. at the Dresden site. When I fired a .38 revolver for weapons qualification in December 1977 I fired the course three or four times. To obtain a qualifying score the last time I tried, one of the targets I had fired at during an earlier firing was substituted for one of the last set.

I also saw either (Ind. B) or (Ind. A) fire into a target of (Ind. E) so that she could get a qualifying score. (Ind. E), however, did not work at Dresden as a guard. She didn't enter on duty because she found another job.

I have read the above statement consisting of two pages and it is true and correct to the best of my knowledge and belief.

(Individual D) 4/24/78
(signed)

Date 2/24/78

TO WHOM IT MAY CONCERN:

On the above indicated date, (Individual F)
fired a score of 192 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

Slow Fire 55 out of 100 points.

Timed Fire 50 out of 100 points.

Rapid Fire 87 out of 100 points.

Signature (Individual A)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

Date 2/27 - 2/28--78

TO WHOM IT MAY CONCERN:

On the above indicated date, _____ (Individual F)
fired a score of 192 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5:20, Appendix C). The scoring sequence was as follows:

Slow Fire 55 out of 100 points.

Timed Fire 50 out of 100 points.

Rapid Fire 87 out of 100 points.

Signature _____ (Individual A)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

STATEMENT OF (INDIVIDUAL F)

I, (Individual F) , make the following statement freely and voluntarily to G. A. Phillip who has identified himself to me as an Investigator, U.S. Nuclear Regulatory Commission. I have been advised by Mr. Phillip that I do not have to make a statement and that any statement I do make may later be used in a judicial proceeding.

I am employed as a guard by Burns at the Dresden site. I fired a .38 revolver at a firing range in Joliet in February 1978 to requalify in the use of that weapon. On that occasion I fired at three targets, a silhouette, a large bullseye and a small bullseye. After checking the scores on those targets, it was determined that I needed a higher score on the small bullseye. I was instructed to fire at another small bullseye. Since I scored better on that one, it was combined with the other two type targets to achieve a qualifying score which was in the 190's. I do not know what happened to the first small bullseye target.

I have read the above statement and it is true and correct to the best of my knowledge and belief.

(Individual F)
(signed)

4/25/78

Date 2/23/78

TO WHOM IT MAY CONCERN:

On the above indicated date, (Individual H)
fired a score of 222 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20; Appendix C). The scoring sequence was as follows:

Slow Fire 49 out of 100 points.
Timed Fire 87 out of 100 points.
Rapid Fire 86 out of 100 points.

Signature (Individual A)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

STATEMENT OF (INDIVIDUAL H)

I, (Individual H), make the following statement freely and voluntarily to Mr. G. A. Phillip who has identified himself to me as an Investigator, U.S. Nuclear Regulatory Commission. I have been advised by Mr. Phillip that I do not have to make a statement and that any statement I do make may later be used in a judicial proceeding.

I am employed by Burns as a guard at the Dresden site. To requalify in the use of a weapon I fired for score in February 1978. On that occasion I fired about five practice shots into a small bullseye target. Since these shots were well placed in the target I was allowed to fire some additional shots into this target as part of the qualification score. I then fired at the large bullseye target and a silhouette target without being timed. These three targets were used for my qualifying score. I looked at my targets but (Ind. A) added up my score which he said was 222 to the best of my recollection.

I have read the above statement consisting of two pages and it is true and correct to the best of my knowledge and belief.

(Individual H) 4/25/78
(signed)

Date 12-9-77

TO WEGA IT MAY CONCERN:

On the above indicated date, _____ (Individual K)
fired a score of 194 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

Slow Fire 48 ✓ out of 100 points.
~~Timed Fire~~ 61 ✓ out of 100 points.
Rapid Fire 85 ✓ out of 100 points.

Signature _____ (Individual B)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

Date 12-9-77

TO WHOM IT MAY CONCERN:

On the above indicated date, _____ (Individual L)
fired a score of 197 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

Slow Fire 60 [✓] _{Hand} out of 100 points.
Timed Fire 26 ¹⁵ _{Fast} out of 100 points.
Rapid Fire 6 [✓] _{Hand} out of 100 points.

Signature _____ (Individual B)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

Date 12-9-77

TO WHOM IT MAY CONCERN:

On the above indicated date, _____ (Individual M)
fired a score of 198 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

Slow Fire 52 ✓ out of 100 points.
Timed Fire 85 out of 100 points.
Rapid Fire 81 ^{H.L.S.} out of 100 points.

Signature _____ (Individual B)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

Date 12/23/78

TO WHOM IT MAY CONCERN:

On the above indicated date, (Individual J)
fired a score of 216 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.2D, Appendix C). The scoring sequence was as follows:

Slow Fire 70 out of 100 points.
Timed Fire 77 out of 100 points.
Rapid Fire 69 out of 100 points.

Signature (Individual A)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

STATEMENT OF (INDIVIDUAL J)

I, (Individual J) , make the following statement freely and voluntarily to G. A. Phillip who has identified himself to me as an Investigator, U.S. Nuclear Regulatory Commission. I have been advised by Mr. Phillip that I do not have to make a statement and that any statement I do make may later be used in a judicial proceeding.

I am employed as a member of the guard force by Burns at the Dresden site. In February 1978 I fired for score to requalify in the use of a weapon. After I had fired at the first bullseye target and failed to hit it, (Ind. A) who was in charge of the firing range fired into the target from close range. The second bullseye was also fired into by (Ind. A) . I was allowed to fire into the silhouette target myself from close range, about 10 yards from the target. I signed the three targets and they were used as the basis for my qualifying score.

While this was going on I also observed (Ind. G) fire into (Ind. I's) targets to help her get a qualifying score.

I have read the above statement and it is true and correct to the best of my knowledge and belief.

(Individual J) / 4/25/78
(signed)

Date 2/23/78

TO WHOM IT MAY CONCERN:

On the above indicated date, (Individual I)
fired a score of 195 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

Slow Fire 44 out of 100 points.
Timed Fire 66 out of 100 points.
Rapid Fire 85 out of 100 points.

Signature (Individual A)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

STATEMENT OF (INDIVIDUAL I)

I, (Ind. I) , freely and voluntarily make the following statement to G. A. Phillip who has identified himself to me as an Investigator, U.S. Nuclear Regulatory Commission. Mr. Phillip has informed me that I do not have to make a statement and that any statement I do make may later be used in a judicial proceeding.

I am employed by Burns International Security Services, Inc. as a in the security forces at the Dresden Nuclear Power Plant. On or about February 23, 1978 I fired a .38 revolver for requalification at a firing range in Joliet, Illinois under the supervision of (Individual A) and (Ind. G) . On that occasion I fired six rounds at a bullseye target and I was informed that the score was not good enough and it was thrown away. Then I fired ten rounds at a silhouette target firing at will, that is not timed fire. I was told that target was good.

Then (Individual G) fired into two different sized bullseye targets from about half the normal distance. He then instructed me to sign all three targets as though they were my own. I was told that my score was 195.

This experience bothered me and I later talked the matter over with , Accounts Supervisor for Burns at Dresden. After this discussion I decided to tell Station Security Administrator, Commonwealth Edison, about it.

I have read the above statement consisting of two pages and it is true and correct to the best of my knowledge and belief.

(Individual I) 4/24/78
(signed)

Date 12-9-77

TO WHOM IT MAY CONCERN:

On the above indicated date, _____ (Individual O)
fired a score of 207 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

Slow Fire 40 ^{✓ Ann} out of 100 points. - ^{not equal Ann}
Timed Fire 81 ^{✓ should be 92 Ann} out of 100 points.
Rapid Fire 86 ^{✓ Ann} out of 100 points. - ^{not equal Ann}

Signature

(Individual B)

Burns Intl Security Services, Inc
Authorized Firearms Instructor

STATEMENT OF (INDIVIDUAL G)

I, (Ind. G) , make the following statement freely and voluntarily to Mr. G. A. Phillip who has identified himself to me as an Investigator, U.S. Nuclear Regulatory Commission. I have been advised by Mr. Phillip that I do not have to make a statement and that any statement I do make may later be used in a judicial proceeding.

While I was employed by Burns at the Dresden site on two occasions I assisted (Ind. A) at the firing range while guards were firing a qualification score. On one occasion I was instructed by (Ind. A) to have (Individual F) move several feet closer to the target so that he could get a better score on the target that he had difficulty with. (Ind. F) then fired from the shorter distance and got a qualifying score. Later I told the Burns Accounts Supervisor about this and (Ind. F) was required to fire again the next day. I understood he qualified the next day.

On the second occasion I fired some shots into the target of a guard who was having difficulty getting a qualifying score. I did this at the instruction of (Ind. A) .

I have read the above statement consisting of two pages and it is true and correct to the best of my knowledge and belief.

(Individual G)
(signed)

4/29/78

Date Jan 16, 1978

TO WHOM IT MAY CONCERN:

On the above indicated date, (Individual R) _____
fired a score of 179 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

Slow Fire 34 out of 100 points.
Timed Fire 67 out of 100 points.
Rapid Fire 78 out of 100 points.

Signature _____ (Individual B)
Burns Intl Security Services, Inc
Authorized Firearms Instructor

Date March 16, 1978

TO WHOM IT MAY CONCERN:

On the above indicated date, _____ (Individual S) _____
fired a score of 201 out of 300. The course of fire
was the NRA Short Course (as outlined in NRC Regulatory Guide
5.20, Appendix C). The scoring sequence was as follows:

Slow Fire 54 out of 100 points.
Timed Fire 79 out of 100 points.
Rapid Fire 68 out of 100 points.

Signature _____ (Individual A) _____
Burns Intl Security Services, Inc
Authorized Firearms Instructor

IMMEDIATE ACTION



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
799 ROOSEVELT ROAD
GLEN ELLYN, ILLINOIS 60137

APR 25 1978

Docket No. 50-10
Docket No. 50-237
Docket No. 50-249

Commonwealth Edison Company
ATTN: Mr. Byron Lee, Jr.
Vice President
P. O. Box 767
Chicago, Illinois 60690

Gentlemen:

This letter confirms the matters discussed during a telephone conversation on April 21, 1978 between you, Larry Bean of your staff and J. F. Donahue and J. L. Belanger of this office related to guard firearms qualification and vital area door check records at Dresden Station. The questionable qualification records, possible improprieties in the manner of conducting firearms requalification and the apparent falsification of vital area doors checks were reported to us by members of your staff on April 17 and 19, 1978.

Based on the above conversation, it is our understanding that the following will be accomplished within the below specified time frames:

1. Take immediate steps to requalify those guards identified to date who appear to have questionable or falsified firearms certifications. Completion of certification will be witnessed by CECO. To be completed by May 5, 1978.
2. Take immediate steps to determine the extent to which additional guard force members are not fully firearms qualified. If such non-qualified guards are identified, they will be requalified and their requalification witnessed by CECO. To be completed by May 29, 1978.

IMMEDIATE ACTION

Dupe 8009080538

ENCLOSURE A

IMMEDIATE ACTION LETTER

Commonwealth Edison
Company

- 2 -

APR 25 1978

3. Only authorized individuals who have been fully firearms qualified will perform as guards.
4. With respect to apparent falsification of vital area "door check" records, take steps to assure that pertinent door checks are being made as required and associated documentation is maintained. To be completed by April 28, 1978.

If your understanding of these matters is not in accordance with that described above, please contact this office immediately.

Sincerely,

James G. Keppler
Director

cc: Mr. E. B. Stephenson,
Station Superintendent
Central Files
Reproduction Unit NRC 20b
PDR
Local PDR
NSIC
TIC
Anthony Roisman, Esq.,
Attorney
Lana Cobb, IE
Porter Ellis, IE