

Telephone 617 366-9011

TWX
710-390-0739

WYR 75-22

YANKEE ATOMIC ELECTRIC COMPANY



20 Turnpike Road Westborough, Massachusetts 01581

[Signature]

February 19, 1975



Mr. Lawrence Cohen
United States Nuclear Regulatory Commission
Office of Nuclear Reactor Regulation
Division of Technical Review
Washington, D. C. 20555

Reference: License No. DPR-3 (Docket No. 50-29)

Dear Mr. Cohen:

As per your request of February 5, 1975, data is summarized below on environmental levels of tritium in surface water samples collected at or near fish sampling points as part of the environmental radiological monitoring program at Yankee Atomic Electric Company, Rowe, Massachusetts. Data (on tritium in fish) collected on 12/19/74, 5/74, 8/26/74, and 11/08/74 from the following three points was supplied to you earlier:

Fish Sampling Points

Sherman Pond - Approximately 0.1 miles north of discharge
Deerfield River - 22.5 miles downriver of discharge
Harriman Reservoir - 6.2 miles upriver of discharge

Data on surface water tritium values are shown below for the following points:

Surface Water Sampling Points

Sherman Pond - Approximately 0.05 miles north of discharge
Bear Swamp - 3.9 miles downriver (water is not sampled from the Deerfield River at the point where fish samples are collected - this is the only down-river surface water sample taken).
Harriman Reservoir - 6.2 miles upriver of discharge.

8010810711

P

2085

February 19, 1975
Page Two

H-3 In Surface Water (pCi/l)

<u>Date Collected</u>	<u>Sherman Pond</u>	<u>Bear Swamp</u>	<u>Harriman Reservoir</u>
1/7/74	270 + 70	170 + 50	240 + 50
2/5/74	240 + 50	860 + 60	210 + 50
3/4/74	330 + 40	770 + 40	260 + 40
4/1/74	1090 + 50	620 + 40	<70
4/3/74	350 + 40	860 + 40	120 + 30
6/3/74	140 + 40	650 + 50	210 + 40
7/1/74	300 + 40	520 + 40	140 + 40
8/5/74	580 + 40	500 + 40	400 + 40
8/26/74	350 + 40	190 + 40	200 + 40
10/7/74	430 + 70	500 + 80	240 + 70
11/4/74	390 + 70	370 + 70	200 + 60
12/9/74	540 + 80	460 + 80	330 + 80

Water samples collected during 1970 were analyzed using a less sensitive liquid scintillation procedure and no surface water tritium activity was detected at the three stations above 2,000 pCi/l.

We trust you will find this data satisfactory; however, should you desire additional data feel free to contact us.

Very truly yours,

YANKEE ATOMIC ELECTRIC COMPANY

L. H. Heider
L. H. Heider
Manager of Operations

SAF/kg

NRC DIST^F UCTION FOR PART 50 DOCKET MATERIAL
(TEMPORARY FORM)

CONTROL NO: 2086

FILE: Enviro

FROM: Yankee Atomic Power Co. Westborough, Mass L.H. Heider	DATE OF DOC 2-19-75	DATE REC'D 2-24-75	LTR XXX	TWX	RPT	OTHER
TO: Mr. Lawrence Cohen	ORIG 3-signed	CC	OTHER	SENT AEC PDR	XXXX	
CLASS XXXX	UNCLASS XXXX	PROP INFO	INPUT	NO CYS REC'D 3	DOCKET NO: 50-29	

DESCRIPTION: ENCLOSURES:

Ltr ref our 2-5-75 ltr , data is summarized
on environmental levels of tritium in,
surface waters samples collected at or near
fish sampling points

PLANT NAME: Yankee

FOR ACTION/INFORMATION 2-24-75 JGB

BUTLER (L) W/ Copies	SCHWENCER (L) W/ Copies	ZIEMANN (L) W/ Copies	REGAN (E) W/ Copies
CLARK (L) W/ Copies	STOLZ (L) W/ Copies	DICKER (E) W/ Copies	LEAR (L) W/ Copies
PARR (L) W/ Copies	VACCALLO (L) W/ Copies	KNIGHTON (E) W/ Copies	SPELS W/ Copies
KNIEL (L) W/ Copies	PURPLE (L) W/ Copies	YOUNGBLOOD (E) W/ Copies	W/ Copies

INTERNAL DISTRIBUTION

<u>BEG FILED</u> <u>NRC PDR</u> OGC, ROOM P-506A	<u>TECH REVIEW</u> SCHROEDER MACCARY KNIGHT PAWLICKI SHAO STELLO HOUSTON NOVAK ROSS IPPOLITO TEDESCO LONG LAINAS BENAROYA VOLLMER	DENTON GRIMES GAMMILL KASTNER <u>BALLARD</u> SPANGLER ENVIRO <u>MULLER</u> DICKER KNIGHTON YOUNGBLOOD REGAN <u>PROJECT LDR (2)</u> Gilbert HARLESS	LIC ASST R. DIGGS (L) H. GEARIN (L) E. GOULBOURNE (L) P. KREUTZER (E) J. LEE (L) M. MAIGRET (L) S. REED (E) M. SERVICE (L) S. SHEPPARD (L) M. SLATER (E) H. SMITH (L) S. TEETS (L) G. WILLIAMS (E) V. WILSON (L) R. INGRAM (L)	A/T IND BRAITMAN SALTZMAN MELTZ PLANS MCDONALD CHAPMAN DUBE (Ltr) E. COUPE FETTERSON HARTFIELD (2) KLECKER EISENHUT WIGGINTON E. Wilson
<u>GOSSICK/STAFF</u> CASE GIAMBUSSO BOYD MOORE (L) DEYOUNG (L) SKOVHOLT (L) <u>GOLLER (L) (Ltr)</u> P. COLLINS DENISE <u>REG OPR</u> FILE & REGION (2) T.R. WILSON STEELE				

EXTERNAL DISTRIBUTION

1 - LOCAL PDR	1 - NATIONAL LABS	1 - PDR-SAN/LA/NY
✓ - TIC (ABERNATHY)	(1)(2)(10) - NATIONAL LABS	1 - BROOKHAVEN NAT LAB
1 - NSIC (BUCHANAN)	✓ - W. PENNINGTON, Rm E-201 GT	1 - G. ULRIKSON, ORNL
1 - ASLB	1 - CONSULTANTS	1 - AGMED (RUTH GUSSMAN)
1 - Newton Anderson	NEWMARK/BLUME/AGBABIAN	Rm B-127 GT
✓ - ACRS [REDACTED] /SENT		1 - J. D. RUNKLES, Rm E-201 GT

*to Lic Asst
S. Reed*

POOR ORIGINAL