



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

PDR
70-1100

NOV 13 1980

CONTRIBUTION
SERVICES UNIT

1980 DEC 4 AM 10 19

MEMORANDUM FOR: W. T. Crow, Section Leader
Uranium Process Licensing Section
Uranium Fuel Licensing Branch

WTC
CONTRIBUTION SERVICES
BRANCH

FROM: N. Ketzlach
Uranium Process Licensing Section
Uranium Fuel Licensing Branch

SUBJECT: MEETING IN SILVER SPRING TO DISCUSS LICENSE
AMENDMENT REQUEST

Purpose

To discuss with representatives of Combustion Engineering (CE) a proposed request for amendment to the CE License No. SNM-1067 to change the organization for nuclear criticality and radiation safety at the Windsor Facility.

Place and Date

NMSS office in Silver Spring, Maryland, November 10, 1980.

Attendees

Combustion Engineering: G. A. Johnstone, Supervisor, Health Physics & Safety
G. J. Bakevich, Nuclear Licensing Consultant

U.S. Nuclear Regulatory Commission:
N. Ketzlach, NMSS
J. Roth, IE Region I

Discussion


An advance copy of the amendment application was reviewed for discussion at the meeting. The responsibilities and qualifications for positions identified in the application were clarified during the discussion. CE will withdraw the amendment application and submit a new one incorporating the suggested modifications.

CE personnel informed us that their renewal application is being prepared in accordance with guidance given them during the preparation of our "Standard Format and Content for the Health and Safety Sections of Renewal Applications for Uranium Fuel Fabrication Plants." Their renewal application should be submitted within 30 days.

NOV 13 1980

Conclusion

The discussion and comments by NRC personnel should prove helpful to CE in preparing a revised amendment application that provides an organization that is adequate for the protection of the health and safety of the operating personnel, the public and the environment.



N. Ketzlach
Uranium Process Licensing Section
Uranium Fuel Licensing Branch
Division of Fuel Cycle and
Material Safety