



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION II
101 MARIETTA ST., N.W., SUITE 3100
ATLANTA, GEORGIA 30303

JAN 30 1981

Duke Power Company
ATTN: W. O. Parker, Jr.
Vice President, Steam Production
P. O. Box 2178
Charlotte, NC 28242

Gentlemen:

Subject: Report No. 50-369/80-41

This refers to the routine safety inspection conducted by D. L. Andrews of this office on December 4-7, 1980, of activities authorized by NRC Construction Permit No. CPPR-83 for the McGuire facility, and to the discussion of our findings held with you and members of your staff at the conclusion of the inspection.


Areas examined during the inspection and our findings are discussed in the enclosed inspection report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observations by the inspector.

Within the scope of this inspection, no violations or deviations were disclosed.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and the enclosed inspection report will be placed in the NRC's Public Document Room. If this report contains any information that you (or your contractor) believe to be proprietary, it is necessary that you make a written application within 20 days to this office to withhold such information from public disclosure. Any such application must include a full statement of the reasons on the basis of which it is claimed that the information is proprietary, and should be prepared so that proprietary information identified in the application is contained in a separate part of the document. If we do not hear from you in this regard within the specified period, the report will be placed in the Public Document Room.

Should you have any questions concerning this letter, we will be glad to discuss them with you.

Sincerely,


J. Philip Stohr, Chief
Fuel Facility & Materials
Safety Branch

Enclosure: Inspection Report No.
50-369/80-41

cc w/encl:
M. D. McIntosh, Station Manager
J. C. Rogers, Project Manager

8108050422