

### **APPENDIX 3 – AFFECTED AREA DRAINAGE**

RESRAD, Version 5.70      TH Limit = 30 days      10/14/99 14:49      Page 1  
Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	4
Summary of Pathway Selections .....	8
Contaminated Zone and Total Dose Summary .....	9
Total Dose Components	
Time = 0.000E+00 .....	10
Time = 1.000E+00 .....	11
Time = 3.000E+00 .....	12
Time = 1.000E+01 .....	13
Time = 3.000E+01 .....	14
Time = 1.000E+02 .....	15
Time = 3.000E+02 .....	16
Time = 5.000E+02 .....	17
Time = 9.000E+02 .....	18
Time = 1.000E+03 .....	19
Dose/Source Ratios Summed Over All Pathways .....	20
Single Radionuclide Soil Guidelines .....	20
Dose Per Nuclide Summed Over All Pathways .....	21
Soil Concentration Per Nuclide .....	22

Dose Conversion Factor (and Related) Parameter Summary  
 File: DOSFAC30.BIN

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2( 1)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2( 2)
B-1	Pb-210+D	1.380E-02	1.380E-02	DCF2( 3)
B-1	Po-210	9.400E-03	9.400E-03	DCF2( 4)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2( 5)
B-1	Th-230	3.260E-01	3.260E-01	DCF2( 6)
B-1	U-234	1.320E-01	1.320E-01	DCF2( 7)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2( 8)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2( 9)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3( 1)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3( 2)
D-1	Pb-210+D	5.370E-03	5.370E-03	DCF3( 3)
D-1	Po-210	1.900E-03	1.900E-03	DCF3( 4)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3( 5)
D-1	Th-230	5.480E-04	5.480E-04	DCF3( 6)
D-1	U-234	2.830E-04	2.830E-04	DCF3( 7)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3( 8)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3( 9)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF( 1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF( 1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 2,3)
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 3,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF( 3,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF( 3,3)
D-34	Po-210 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 4,1)
D-34	Po-210 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 4,2)
D-34	Po-210 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.400E-04	3.400E-04	RTF( 4,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 5,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 5,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 5,3)
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 6,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 6,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 6,3)
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 7,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 7,3)

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 3  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)  
 File: DOSFAC30.BIN

Menu	Parameter	Current Value	Default	Parameter Name
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 8,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 8,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 8,3)
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 9,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 9,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 9,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC( 1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC( 1,2)
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC( 2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC( 2,2)
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC( 3,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 3,2)
D-5	Po-210 , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Po-210 , crustacea and mollusks	2.000E+04	2.000E+04	BIOFAC( 4,2)
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC( 5,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 5,2)
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC( 6,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 6,2)
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC( 7,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 7,2)
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC( 8,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 8,2)
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC( 9,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 9,2)

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 4  
 Summary : Subarea G inhalation -- PG-6-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.960E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	3.175E-03	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	not used	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	3.000E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	2.000E+01	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	5.000E+02	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	9.000E+02	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): U-234	7.400E+01	0.000E+00	---	S1( 7)
R012	Initial principal radionuclide (pCi/g): U-235	1.600E+00	0.000E+00	---	S1( 8)
R012	Initial principal radionuclide (pCi/g): U-238	1.870E+01	0.000E+00	---	S1( 9)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1( 7)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1( 8)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1( 9)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm***3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm***3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	6.700E-05	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone effective porosity	2.000E-01	2.000E-01	---	EPCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Humidity in air (g/cm***3)	not used	8.000E+00	---	BCHD
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	not used	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	not used	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm***3)	not used	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	not used	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	not used	2.000E-01	---	EPSZ
R014	Saturated zone hydraulic conductivity (m/yr)	not used	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	not used	2.000E-02	---	HGWT
R014	Saturated zone b parameter	not used	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	not used	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	not used	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	not used	ND	---	MODEL
R014	Well pumping rate (m***3/yr)	not used	2.500E+02	---	UW

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 5  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Number of unsaturated zone strata	not used	1	---	NS
R015	Unsat. zone 1, thickness (m)	not used	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	not used	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	not used	4.000E-01	---	TPU2(1)
R015	Unsat. zone 1, effective porosity	not used	2.000E-01	---	EPU2(1)
R015	Unsat. zone 1, soil-specific b parameter	not used	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	not used	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 7)
R016	Unsaturated zone 1 (cm**3/g)	not used	5.000E+01	---	DCNUCU( 7,1)
R016	Saturated zone (cm**3/g)	not used	5.000E+01	---	DCNUCS( 7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.722E+00	ALEACH( 7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 7)
R016	Distribution coefficients for U-235				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 8)
R016	Unsaturated zone 1 (cm**3/g)	not used	5.000E+01	---	DCNUCU( 8,1)
R016	Saturated zone (cm**3/g)	not used	5.000E+01	---	DCNUCS( 8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.722E+00	ALEACH( 8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 8)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 9)
R016	Unsaturated zone 1 (cm**3/g)	not used	5.000E+01	---	DCNUCU( 9,1)
R016	Saturated zone (cm**3/g)	not used	5.000E+01	---	DCNUCS( 9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.722E+00	ALEACH( 9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 9)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC( 1)
R016	Unsaturated zone 1 (cm**3/g)	not used	2.000E+01	---	DCNUCU( 1,1)
R016	Saturated zone (cm**3/g)	not used	2.000E+01	---	DCNUCS( 1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.777E+00	ALEACH( 1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 1)
R016	Distribution coefficients for daughter Pa-231				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 2)
R016	Unsaturated zone 1 (cm**3/g)	not used	5.000E+01	---	DCNUCU( 2,1)
R016	Saturated zone (cm**3/g)	not used	5.000E+01	---	DCNUCS( 2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.722E+00	ALEACH( 2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 2)
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC( 3)
R016	Unsaturated zone 1 (cm**3/g)	not used	1.000E+02	---	DCNUCU( 3,1)
R016	Saturated zone (cm**3/g)	not used	1.000E+02	---	DCNUCS( 3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.363E+00	ALEACH( 3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 3)

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 6  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for daughter Po-210				
R016	Contaminated zone (cm**3/g)	1.000E+01	1.000E+01	---	DCNUCC( 4)
R016	Unsaturated zone 1 (cm**3/g)	not used	1.000E+01	---	DCNUCU( 4,1)
R016	Saturated zone (cm**3/g)	not used	1.000E+01	---	DCNUCS( 4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.346E+01	ALEACH( 4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 4)
R016	Distribution coefficients for daughter Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 5)
R016	Unsaturated zone 1 (cm**3/g)	not used	7.000E+01	---	DCNUCU( 5,1)
R016	Saturated zone (cm**3/g)	not used	7.000E+01	---	DCNUCS( 5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.946E+00	ALEACH( 5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 5)
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC( 6)
R016	Unsaturated zone 1 (cm**3/g)	not used	6.000E+04	---	DCNUCU( 6,1)
R016	Saturated zone (cm**3/g)	not used	6.000E+04	---	DCNUCS( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.275E-03	ALEACH( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 6)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	2.000E-04	---	MLINH
R017	Dilution length for airborne dust, inhalation (m)	3.000E+00	3.000E+00	---	LM
R017	Exposure duration	5.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	not used	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	not used	1.000E+00	1 shows circular AREA.	FS
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	not used	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	not used	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	not used	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	not used	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	not used	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	not used	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	not used	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	not used	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	not used	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	not used	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	not used	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	not used	5.000E-01	---	FR9
R018	Contamination fraction of plant food	not used	-1	---	FPLANT
R018	Contamination fraction of meat	not used	-1	---	FMEAT
R018	Contamination fraction of milk	not used	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	not used	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	not used	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	not used	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	not used	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	not used	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	not used	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	not used	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	not used	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	not used	1.000E+00	---	FGWIR
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	C5OIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 8  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	not used	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	not used	1.000E+00	---	STOR_T(2)
STOR	Milk	not used	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	not used	2.000E+01	---	STOR_T(4)
STOR	Fish	not used	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	not used	7.000E+00	---	STOR_T(6)
STOR	Well water	not used	1.000E+00	---	STOR_T(7)
STOR	Surface water	not used	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	not used	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average annual wind speed (m/sec)	not used	2.000E+00	---	WIND
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	suppressed
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	suppressed
4 -- meat ingestion	suppressed
5 -- milk ingestion	suppressed
6 -- aquatic foods	suppressed
7 -- drinking water	suppressed
8 -- soil ingestion	suppressed
9 -- radon	suppressed

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 9  
Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	196.00 square meters	U-234	7.400E+01
Thickness:	0.00 meters	U-235	1.600E+00
Cover Depth:	0.00 meters	U-238	1.870E+01

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 30 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03
TDOSE(t):	2.163E-01	1.392E-02	5.887E-05	1.094E-06	4.862E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	7.210E-03	4.640E-04	1.962E-06	3.647E-08	1.621E-08	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 2.163E-01 mrem/yr at t = 0.000E+00 years

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 10  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	1.736E-01	0.8025	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-235	0.000E+00	0.0000	3.497E-03	0.0162	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-238	0.000E+00	0.0000	3.921E-02	0.1813	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
Total	0.000E+00	0.0000	2.163E-01	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	1.736E-01	0.80										
U-235	0.000E+00	0.0000	3.497E-03	0.01										
U-238	0.000E+00	0.0000	3.921E-02	0.18										
Total	0.000E+00	0.0000	2.163E-01	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 11  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.												
U-234	0.0000E+00	0.0000	1.117E-02	0.8026	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.00
U-235	0.0000E+00	0.0000	2.251E-04	0.0162	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.00
U-238	0.0000E+00	0.0000	2.523E-03	0.1813	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.00
Total	0.0000E+00	0.0000	1.392E-02	1.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.0000E+00	0.0000	1.117E-02	0.80										
U-235	0.0000E+00	0.0000	2.251E-04	0.01										
U-238	0.0000E+00	0.0000	2.523E-03	0.18										
Total	0.0000E+00	0.0000	1.392E-02	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 12  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	4.750E-05	0.8070	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-235	0.000E+00	0.0000	9.311E-07	0.0158	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-238	0.000E+00	0.0000	1.043E-05	0.1772	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
Total	0.000E+00	0.0000	5.887E-05	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	4.750E-05	0.80										
U-235	0.000E+00	0.0000	9.311E-07	0.01										
U-238	0.000E+00	0.0000	1.043E-05	0.17										
Total	0.000E+00	0.0000	5.887E-05	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70       $T_{1/2}$  Limit = 30 days      10/14/99 14:49      Page 13  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	1.094E-06	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-235	0.000E+00	0.0000	4.166E-15	0.0000	0.000E+00	0.00								
U-238	0.000E+00	0.0000	3.348E-13	0.0000	0.000E+00	0.00								
Total	0.000E+00	0.0000	1.094E-06	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	1.094E-06	1.00										
U-235	0.000E+00	0.0000	4.166E-15	0.00										
U-238	0.000E+00	0.0000	3.348E-13	0.00										
Total	0.000E+00	0.0000	1.094E-06	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 14  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.												
U-234	0.0000E+00	0.0000	4.862E-07	1.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.00
U-235	0.0000E+00	0.0000	0.0000E+00	0.00										
U-238	0.0000E+00	0.0000	1.281E-13	0.0000	0.0000E+00	0.00								
Total	0.0000E+00	0.0000	4.862E-07	1.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.0000	0.0000E+00	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.0000E+00	0.0000	4.862E-07	1.00										
U-235	0.0000E+00	0.0000	0.0000E+00	0.00										
U-238	0.0000E+00	0.0000	1.281E-13	0.00										
Total	0.0000E+00	0.0000	4.862E-07	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70       $T_{\frac{1}{2}}$  Limit = 30 days      10/14/99 14:49      Page 15  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.												
U-234	0.0000E+00	0.0000	0.0000E+00	0.00										
U-235	0.0000E+00	0.0000	0.0000E+00	0.00										
U-238	0.0000E+00	0.0000	0.0000E+00	0.00										
Total	0.0000E+00	0.0000	0.0000E+00	0.00										

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.0000E+00	0.0000	0.0000E+00	0.00										
U-235	0.0000E+00	0.0000	0.0000E+00	0.00										
U-238	0.0000E+00	0.0000	0.0000E+00	0.00										
Total	0.0000E+00	0.0000	0.0000E+00	0.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70       $T_{1/2}$  Limit = 30 days      10/14/99 14:49      Page 16  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	0.000E+00	0.00										
U-235	0.000E+00	0.0000	0.000E+00	0.00										
U-238	0.000E+00	0.0000	0.000E+00	0.00										
Total	0.000E+00	0.0000	0.000E+00	0.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 17  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.												
U-234	0.0000E+00	0.0000	0.0000E+00	0.00										
U-235	0.0000E+00	0.0000	0.0000E+00	0.00										
U-238	0.0000E+00	0.0000	0.0000E+00	0.00										
Total	0.0000E+00	0.0000	0.0000E+00	0.00										

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.0000E+00	0.0000	0.0000E+00	0.00										
U-235	0.0000E+00	0.0000	0.0000E+00	0.00										
U-238	0.0000E+00	0.0000	0.0000E+00	0.00										
Total	0.0000E+00	0.0000	0.0000E+00	0.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 18  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 9.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 9.000E+02 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	0.000E+00	0.00										
U-235	0.000E+00	0.0000	0.000E+00	0.00										
U-238	0.000E+00	0.0000	0.000E+00	0.00										
Total	0.000E+00	0.0000	0.000E+00	0.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 19  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	0.000E+00	0.00										
U-235	0.000E+00	0.0000	0.000E+00	0.00										
U-238	0.000E+00	0.0000	0.000E+00	0.00										
Total	0.000E+00	0.0000	0.000E+00	0.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 14:49 Page 20  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Dose/Source Ratios Summed Over All Pathways  
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction	t = 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03
DSR(j,t) (mrem/yr)/(pCi/g)												
U-234	U-234	1.000E+00	2.346E-03	1.509E-04	6.241E-07	2.788E-15	2.941E-39	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Th-230	1.000E+00	0.000E+00	1.749E-08	1.783E-08	1.479E-08	6.570E-09	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Ra-226	1.000E+00	0.000E+00	7.302E-14	1.039E-13	8.692E-14	3.862E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Pb-210	1.000E+00	0.000E+00	1.180E-15	3.436E-15	3.115E-15	1.384E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	Po-210	1.000E+00	0.000E+00	8.565E-17	2.778E-16	2.539E-16	1.128E-16	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	$\Sigma$ DSR(j)		2.346E-03	1.510E-04	6.419E-07	1.479E-08	6.570E-09	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	1.000E+00	2.186E-03	1.406E-04	5.815E-07	2.598E-15	2.741E-39	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	0.000E+00	3.097E-08	3.841E-10	5.719E-18	1.810E-41	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00	0.000E+00	9.618E-10	1.443E-11	2.282E-19	7.343E-43	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	$\Sigma$ DSR(j)		2.186E-03	1.407E-04	5.819E-07	2.604E-15	2.760E-39	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	1.000E+00	2.097E-03	1.349E-04	5.579E-07	2.492E-15	2.630E-39	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	0.000E+00	4.279E-10	5.308E-12	7.903E-20	2.494E-43	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	0.000E+00	1.474E-14	1.854E-14	1.541E-14	6.848E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	0.000E+00	4.978E-20	1.064E-19	9.060E-20	4.025E-20	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00	0.000E+00	6.493E-22	3.341E-21	3.247E-21	1.443E-21	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Po-210	1.000E+00	0.000E+00	4.506E-23	2.685E-22	2.646E-22	1.176E-22	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	$\Sigma$ DSR(j)		2.097E-03	1.349E-04	5.579E-07	1.790E-14	6.848E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Branch Fraction is the cumulative factor for the j'th principal radionuclide daughter: CUMBRF(j) = BRF(1)\*BRF(2)\* ... BRF(j).  
 The DSR includes contributions from associated (half-life ≤ 30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 Basic Radiation Dose Limit = 30 mrem/yr

Nuclide (i)	t = 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03
U-234	1.279E+04	1.987E+05	4.673E+07	2.029E+09	4.566E+09	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09
U-235	1.372E+04	2.132E+05	*2.160E+06							
U-238	1.431E+04	2.223E+05	*3.360E+05							

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 at tmin = time of minimum single radionuclide soil guideline  
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
			(pCi/g)	(pCi/g)		(pCi/g)
U-234	7.400E+01	0.000E+00	2.346E-03	1.279E+04	2.346E-03	1.279E+04
U-235	1.600E+00	0.000E+00	2.186E-03	1.372E+04	2.186E-03	1.372E+04
U-238	1.870E+01	0.000E+00	2.097E-03	1.431E+04	2.097E-03	1.431E+04

RESRAD, Version 5.70 T<sub>½</sub> Limit = 30 days 10/14/99 14:49 Page 21  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Individual Nuclide Dose Summed Over All Pathways  
 Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr									
(j)	(i)		t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03
U-234	U-234	1.000E+00	1.736E-01	1.117E-02	4.618E-05	2.063E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	U-238	1.000E+00	0.000E+00	8.002E-09	9.926E-11	1.478E-18	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-234	$\Sigma$ DOSE(j):		1.736E-01	1.117E-02	4.618E-05	2.063E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	U-234	1.000E+00	0.000E+00	1.294E-06	1.320E-06	1.094E-06	4.862E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	U-238	1.000E+00	0.000E+00	2.756E-13	3.468E-13	2.882E-13	1.281E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Th-230	$\Sigma$ DOSE(j):		0.000E+00	1.294E-06	1.320E-06	1.094E-06	4.862E-07	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	U-234	1.000E+00	0.000E+00	5.404E-12	7.685E-12	6.432E-12	2.858E-12	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	U-238	1.000E+00	0.000E+00	9.309E-19	1.989E-18	1.694E-18	7.528E-19	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ra-226	$\Sigma$ DOSE(j):		0.000E+00	5.404E-12	7.685E-12	6.432E-12	2.858E-12	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	U-234	1.000E+00	0.000E+00	8.732E-14	2.543E-13	2.305E-13	1.024E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	U-238	1.000E+00	0.000E+00	1.214E-20	6.247E-20	6.072E-20	2.698E-20	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pb-210	$\Sigma$ DOSE(j):		0.000E+00	8.732E-14	2.543E-13	2.305E-13	1.024E-13	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Po-210	U-234	1.000E+00	0.000E+00	6.338E-15	2.056E-14	1.879E-14	8.348E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Po-210	U-238	1.000E+00	0.000E+00	8.426E-22	5.022E-21	4.949E-21	2.199E-21	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Po-210	$\Sigma$ DOSE(j):		0.000E+00	6.338E-15	2.056E-14	1.879E-14	8.348E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	U-235	1.000E+00	3.497E-03	2.250E-04	9.305E-07	4.156E-15	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Pa-231	U-235	1.000E+00	0.000E+00	4.955E-08	6.146E-10	9.151E-18	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
Ac-227	U-235	1.000E+00	0.000E+00	1.539E-09	2.308E-11	3.650E-19	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	1.000E+00	3.921E-02	2.523E-03	1.043E-05	4.660E-14	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.


RESRAD, Version 5.70       $T_{1/2}$  Limit = 30 days      10/14/99 14:49      Page 22  
 Summary : Subarea G inhalation -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\GC\_INH.RAD

Individual Nuclide Soil Concentration  
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g											
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03		
U-234	U-234	1.000E+00	7.400E+01	4.864E+00	2.102E-02	1.115E-10	2.529E-34	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00		
U-234	U-238	1.000E+00	0.000E+00	3.485E-06	4.517E-08	7.985E-16	5.435E-39	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
U-234	$\Sigma S(j)$ :		7.400E+01	4.864E+00	2.102E-02	1.115E-10	2.529E-34	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	
Th-230	U-234	1.000E+00	0.000E+00	2.283E-04	2.432E-04	2.394E-04	2.287E-04	1.949E-04	1.234E-04	7.818E-05	3.136E-05	2.496E-05		
Th-230	U-238	1.000E+00	0.000E+00	4.859E-11	6.390E-11	6.305E-11	6.024E-11	5.134E-11	3.252E-11	2.059E-11	8.261E-12	6.574E-12		
Th-230	$\Sigma S(j)$ :		0.000E+00	2.283E-04	2.432E-04	2.394E-04	2.287E-04	1.949E-04	1.234E-04	7.818E-05	3.136E-05	2.496E-05		
Ra-226	U-234	1.000E+00	0.000E+00	3.612E-08	5.369E-08	5.335E-08	5.096E-08	4.343E-08	2.751E-08	1.742E-08	6.989E-09	5.562E-09		
Ra-226	U-238	1.000E+00	0.000E+00	6.222E-15	1.389E-14	1.405E-14	1.342E-14	1.144E-14	7.246E-15	4.589E-15	1.841E-15	1.465E-15		
Ra-226	$\Sigma S(j)$ :		0.000E+00	3.612E-08	5.369E-08	5.335E-08	5.096E-08	4.343E-08	2.751E-08	1.742E-08	6.989E-09	5.562E-09		
Pb-210	U-234	1.000E+00	0.000E+00	3.637E-10	1.107E-09	1.191E-09	1.138E-09	9.701E-10	6.144E-10	3.891E-10	1.561E-10	1.242E-10		
Pb-210	U-238	1.000E+00	0.000E+00	5.058E-17	2.719E-16	3.138E-16	2.998E-16	2.555E-16	1.618E-16	1.025E-16	4.111E-17	3.272E-17		
Pb-210	$\Sigma S(j)$ :		0.000E+00	3.637E-10	1.107E-09	1.191E-09	1.138E-09	9.701E-10	6.144E-10	3.891E-10	1.561E-10	1.242E-10		
Po-210	U-234	1.000E+00	0.000E+00	3.876E-11	1.314E-10	1.426E-10	1.362E-10	1.161E-10	7.352E-11	4.656E-11	1.868E-11	1.486E-11		
Po-210	U-238	1.000E+00	0.000E+00	5.153E-18	3.209E-17	3.755E-17	3.587E-17	3.057E-17	1.936E-17	1.226E-17	4.919E-18	3.915E-18		
Po-210	$\Sigma S(j)$ :		0.000E+00	3.876E-11	1.314E-10	1.426E-10	1.362E-10	1.161E-10	7.352E-11	4.656E-11	1.868E-11	1.486E-11		
U-235	U-235	1.000E+00	1.600E+00	1.052E-01	4.545E-04	2.410E-12	5.468E-36	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00		
Pa-231	U-235	1.000E+00	0.000E+00	2.225E-06	2.885E-08	5.099E-16	3.470E-39	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00		
Ac-227	U-235	1.000E+00	0.000E+00	1.316E-08	2.064E-10	3.874E-18	2.681E-41	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00		
U-238	U-238	1.000E+00	1.870E+01	1.229E+00	5.311E-03	2.817E-11	6.391E-35	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00		

BRF(i) is the branch fraction of the parent nuclide.

### Dose for All Radionuclides



C:\RESWIN\CMARRON\GC\_INH.RAD 10/14/99 Includes All Pathways

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 17:55 Page 1  
Summary : Subarea G -- PG-8-08 Default Parameters  
File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary .....	2
Site-Specific Parameter Summary .....	4
Summary of Pathway Selections .....	8
Contaminated Zone and Total Dose Summary .....	9
Total Dose Components	
Time = 0.000E+00 .....	10
Time = 1.000E+00 .....	11
Time = 3.000E+00 .....	12
Time = 1.000E+01 .....	13
Time = 3.000E+01 .....	14
Time = 1.000E+02 .....	15
Time = 3.000E+02 .....	16
Time = 5.000E+02 .....	17
Time = 9.000E+02 .....	18
Time = 1.000E+03 .....	19
Dose/Source Ratios Summed Over All Pathways .....	20
Single Radionuclide Soil Guidelines .....	20
Dose Per Nuclide Summed Over All Pathways .....	21
Soil Concentration Per Nuclide .....	22

RESRAD, Version 5.70      T<sub>b</sub> Limit = 30 days  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

10/14/99 17:55 Page 2

Dose Conversion Factor (and Related) Parameter Summary  
 File: DOSFAC30.BIN

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2( 1)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2( 2)
B-1	Pb-210+D	1.380E-02	1.380E-02	DCF2( 3)
B-1	Po-210	9.400E-03	9.400E-03	DCF2( 4)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2( 5)
B-1	Th-230	3.260E-01	3.260E-01	DCF2( 6)
B-1	U-234	1.320E-01	1.320E-01	DCF2( 7)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2( 8)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2( 9)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3( 1)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3( 2)
D-1	Pb-210+D	5.370E-03	5.370E-03	DCF3( 3)
D-1	Po-210	1.900E-03	1.900E-03	DCF3( 4)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3( 5)
D-1	Th-230	5.480E-04	5.480E-04	DCF3( 6)
D-1	U-234	2.830E-04	2.830E-04	DCF3( 7)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3( 8)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3( 9)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF( 1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF( 1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 2,3)
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 3,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF( 3,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF( 3,3)
D-34	Po-210 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 4,1)
D-34	Po-210 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 4,2)
D-34	Po-210 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.400E-04	3.400E-04	RTF( 4,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 5,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 5,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 5,3)
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 6,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 6,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 6,3)
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 7,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 7,3)

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 17:55 Page 3  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)  
 File: DOSFAC30.BIN

Menu	Parameter	Current Value	Default	Parameter Name
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 8,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 8,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 8,3)
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 9,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 9,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 9,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC( 1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC( 1,2)
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC( 2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC( 2,2)
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC( 3,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 3,2)
D-5	Po-210 , fish	1.000E+02	1.000E+02	BIOFAC( 4,1)
D-5	Po-210 , crustacea and mollusks	2.000E+04	2.000E+04	BIOFAC( 4,2)
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC( 5,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 5,2)
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC( 6,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 6,2)
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC( 7,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 7,2)
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC( 8,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 8,2)
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC( 9,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 9,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.960E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.000E+00	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrrem/yr)	3.000E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	2.000E+01	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	5.000E+02	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	9.000E+02	0.000E+00	---	T( 9)
R011	Times for calculations (yr)	1.000E+03	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): U-234	3.100E+00	0.000E+00	---	S1( 7)
R012	Initial principal radionuclide (pCi/g): U-235	6.600E-02	0.000E+00	---	S1( 8)
R012	Initial principal radionuclide (pCi/g): U-238	7.800E-01	0.000E+00	---	S1( 9)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1( 7)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1( 8)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1( 9)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.800E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	6.700E-05	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone effective porosity	2.000E-01	2.000E-01	---	EPCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Humidity in air (g/cm**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	7.600E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.630E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.630E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 7)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.643E-03	ALEACH( 7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 7)
R016	Distribution coefficients for U-235				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 8)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 8,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.643E-03	ALEACH( 8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 8)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 9)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 9,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.643E-03	ALEACH( 9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 9)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC( 1)
R016	Unsaturated zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU( 1,1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS( 1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.152E-02	ALEACH( 1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 1)
R016	Distribution coefficients for daughter Pa-231				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 2)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 2,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.643E-03	ALEACH( 2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 2)
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC( 3)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU( 3,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS( 3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.327E-03	ALEACH( 3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 3)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for daughter Po-210				
R016	Contaminated zone (cm**3/g)	1.000E+01	1.000E+01	---	DCNUCC( 4)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+01	1.000E+01	---	DCNUCU( 4,1)
R016	Saturated zone (cm**3/g)	1.000E+01	1.000E+01	---	DCNUCS( 4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.274E-02	ALEACH( 4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 4)
R016	Distribution coefficients for daughter Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 5)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU( 5,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS( 5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.178E-03	ALEACH( 5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 5)
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC( 6)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU( 6,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	7.222E-06	ALEACH( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 6)
R017	Inhalation rate (m**3/yr)	1.051E+04	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	2.000E-04	---	MLINH
R017	Dilution length for airborne dust, inhalation (m)	3.000E+00	3.000E+00	---	LM
R017	Exposure duration	5.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	5.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	3.300E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.500E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.100E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	I shows circular AREA.	FS
R017	Radius of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE( 1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE( 2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE( 3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE( 4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE( 5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE( 6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE( 7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE( 8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE( 9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA( 1)
R017	Ring 2	not used	2.732E-01	---	FRACA( 2)
R017	Ring 3	not used	0.000E+00	---	FRACA( 3)
R017	Ring 4	not used	0.000E+00	---	FRACA( 4)
R017	Ring 5	not used	0.000E+00	---	FRACA( 5)
R017	Ring 6	not used	0.000E+00	---	FRACA( 6)
R017	Ring 7	not used	0.000E+00	---	FRACA( 7)
R017	Ring 8	not used	0.000E+00	---	FRACA( 8)
R017	Ring 9	not used	0.000E+00	---	FRACA( 9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.660E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.100E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	1.000E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	1.825E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.980E-01	FPLANT
R018	Contamination fraction of meat	-1	-1	0.980E-02	FMEAT
R018	Contamination fraction of milk	-1	-1	0.980E-02	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSLF
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMX
R021	Average annual wind speed (m/sec)	not used	2.000E+00	---	WIND
R021	Average building air exchange rate (l/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

10/14/99 17:55 Page 9

Contaminated Zone Dimensions

Area: 196.00 square meters  
 Thickness: 1.00 meters  
 Cover Depth: 0.00 meters

Initial Soil Concentrations, pCi/g

U-234	3.100E+00
U-235	6.600E-02
U-238	7.800E-01

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 30 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years): 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03
TDOSE(t): 5.319E-01	5.274E-01	5.183E-01	4.880E-01	4.108E-01	2.252E-01	1.977E-01	4.736E-01	5.544E-01	3.968E-01
M(t): 1.773E-02	1.758E-02	1.728E-02	1.627E-02	1.369E-02	7.508E-03	6.590E-03	1.579E-02	1.848E-02	1.323E-02

Maximum TDOSE(t): 5.556E-01 mrem/yr at t = 937.9 ± 0.9 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 937.9 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	frac
U-234	7.662E-04	0.0014	9.798E-04	0.0018	0.000E+00	0.0000	4.092E-04	0.0007	1.749E-06	0.0000	1.199E-06	0.0000	9.787E-06	0.00
U-235	5.339E-06	0.0000	4.011E-06	0.0000	0.000E+00	0.0000	1.126E-06	0.0000	1.592E-08	0.0000	2.069E-09	0.0000	3.667E-08	0.00
U-238	1.070E-05	0.0000	2.345E-05	0.0000	0.000E+00	0.0000	2.791E-06	0.0000	9.088E-09	0.0000	2.393E-08	0.0000	1.733E-07	0.00
Total	7.822E-04	0.0014	1.007E-03	0.0018	0.000E+00	0.0000	4.131E-04	0.0007	1.774E-06	0.0000	1.225E-06	0.0000	9.997E-06	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 937.9 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	frac										
U-234	4.076E-01	0.7336	2.438E-04	0.0004	0.000E+00	0.0000	1.569E-02	0.0282	8.205E-05	0.0001	1.737E-04	0.0003	4.259E-01	0.76
U-235	3.119E-02	0.0561	1.591E-05	0.0000	0.000E+00	0.0000	1.202E-03	0.0022	1.504E-05	0.0000	3.671E-06	0.0000	3.244E-02	0.05
U-238	9.352E-02	0.1683	8.726E-06	0.0000	0.000E+00	0.0000	3.605E-03	0.0065	1.396E-05	0.0000	4.061E-05	0.0001	9.723E-02	0.17
Total	5.323E-01	0.9580	2.685E-04	0.0005	0.000E+00	0.0000	2.050E-02	0.0369	1.111E-04	0.0002	2.179E-04	0.0004	5.556E-01	1.00

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70      T<sub>1/2</sub> Limit = 30 days      10/14/99 17:55      Page 10  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	4.328E-04	0.0008	3.435E-01	0.6459	0.000E+00	0.0000	3.813E-02	0.0717	1.237E-04	0.0002	3.295E-04	0.0006	2.385E-03	0.00
U-235	1.701E-02	0.0320	6.816E-03	0.0128	0.000E+00	0.0000	7.659E-04	0.0014	2.484E-06	0.0000	6.619E-06	0.0000	4.791E-05	0.00
U-238	3.525E-02	0.0663	7.727E-02	0.1453	0.000E+00	0.0000	9.119E-03	0.0171	2.958E-05	0.0001	7.881E-05	0.0001	5.704E-04	0.00
Total	5.270E-02	0.0991	4.276E-01	0.8040	0.000E+00	0.0000	4.801E-02	0.0903	1.557E-04	0.0003	4.150E-04	0.0008	3.003E-03	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	3.849E-01	0.72										
U-235	0.000E+00	0.0000	2.465E-02	0.04										
U-238	0.000E+00	0.0000	1.223E-01	0.23										
Total	0.000E+00	0.0000	5.319E-01	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70       $T_{1/2}$  Limit = 30 days      10/14/99 17:55      Page 11  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	4.291E-04	0.0008	3.406E-01	0.6459	0.000E+00	0.0000	3.780E-02	0.0717	1.226E-04	0.0002	3.267E-04	0.0006	2.364E-03	0.00
U-235	1.686E-02	0.0320	6.759E-03	0.0128	0.000E+00	0.0000	7.619E-04	0.0014	2.518E-06	0.0000	6.562E-06	0.0000	4.753E-05	0.00
U-238	3.495E-02	0.0663	7.661E-02	0.1453	0.000E+00	0.0000	9.041E-03	0.0171	2.933E-05	0.0001	7.813E-05	0.0001	5.655E-04	0.00
Total	5.224E-02	0.0991	4.240E-01	0.8039	0.000E+00	0.0000	4.760E-02	0.0903	1.545E-04	0.0003	4.114E-04	0.0008	2.977E-03	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	3.816E-01	0.72										
U-235	0.000E+00	0.0000	2.444E-02	0.04										
U-238	0.000E+00	0.0000	1.213E-01	0.23										
Total	0.000E+00	0.0000	5.274E-01	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 17:55 Page 12  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	frac
U-234	4.219E-04	0.0008	3.348E-01	0.6459	0.000E+00	0.0000	3.715E-02	0.0717	1.205E-04	0.0002	3.211E-04	0.0006	2.324E-03	0.00
U-235	1.657E-02	0.0320	6.647E-03	0.0128	0.000E+00	0.0000	7.539E-04	0.0015	2.580E-06	0.0000	6.450E-06	0.0000	4.680E-05	0.00
U-238	3.435E-02	0.0663	7.530E-02	0.1453	0.000E+00	0.0000	8.886E-03	0.0171	2.882E-05	0.0001	7.679E-05	0.0001	5.558E-04	0.00
Total	5.135E-02	0.0991	4.167E-01	0.8039	0.000E+00	0.0000	4.679E-02	0.0903	1.519E-04	0.0003	4.043E-04	0.0008	2.927E-03	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	frac										
U-234	0.000E+00	0.0000	3.751E-01	0.72										
U-235	0.000E+00	0.0000	2.403E-02	0.04										
U-238	0.000E+00	0.0000	1.192E-01	0.23										
Total	0.000E+00	0.0000	5.183E-01	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 17:55 Page 13  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	3.992E-04	0.0008	3.152E-01	0.6458	0.000E+00	0.0000	3.497E-02	0.0717	1.134E-04	0.0002	3.022E-04	0.0006	2.188E-03	0.00
U-235	1.560E-02	0.0320	6.275E-03	0.0129	0.000E+00	0.0000	7.272E-04	0.0015	2.776E-06	0.0000	6.072E-06	0.0000	4.438E-05	0.00
U-238	3.234E-02	0.0663	7.088E-02	0.1452	0.000E+00	0.0000	8.364E-03	0.0171	2.713E-05	0.0001	7.229E-05	0.0001	5.232E-04	0.00
Total	4.834E-02	0.0990	3.923E-01	0.8039	0.000E+00	0.0000	4.407E-02	0.0903	1.434E-04	0.0003	3.806E-04	0.0008	2.755E-03	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	3.531E-01	0.72										
U-235	0.000E+00	0.0000	2.266E-02	0.04										
U-238	0.000E+00	0.0000	1.122E-01	0.22										
Total	0.000E+00	0.0000	4.880E-01	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70      TH Limit = 30 days      10/14/99 17:55      Page 14  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	3.514E-04	0.0009	2.653E-01	0.6457	0.000E+00	0.0000	2.943E-02	0.0716	9.546E-05	0.0002	2.543E-04	0.0006	1.841E-03	0.00
U-235	1.313E-02	0.0320	5.352E-03	0.0130	0.000E+00	0.0000	6.572E-04	0.0016	3.172E-06	0.0000	5.111E-06	0.0000	3.831E-05	0.00
U-238	2.720E-02	0.0662	5.963E-02	0.1451	0.000E+00	0.0000	7.037E-03	0.0171	2.283E-05	0.0001	6.082E-05	0.0001	4.402E-04	0.00
Total	4.069E-02	0.0990	3.302E-01	0.8039	0.000E+00	0.0000	3.712E-02	0.0904	1.215E-04	0.0003	3.202E-04	0.0008	2.320E-03	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	2.972E-01	0.72										
U-235	0.000E+00	0.0000	1.919E-02	0.04										
U-238	0.000E+00	0.0000	9.439E-02	0.22										
Total	0.000E+00	0.0000	4.108E-01	1.00										

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70      Th Limit = 30 days  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

10/14/99 17:55 Page 15

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	3.192E-04	0.0014	1.452E-01	0.6448	0.000E+00	0.0000	1.613E-02	0.0716	5.238E-05	0.0002	1.390E-04	0.0006	1.008E-03	0.00
U-235	7.192E-03	0.0319	3.119E-03	0.0138	0.000E+00	0.0000	4.520E-04	0.0020	3.329E-06	0.0000	2.798E-06	0.0000	2.319E-05	0.00
U-238	1.485E-02	0.0660	3.257E-02	0.1446	0.000E+00	0.0000	3.844E-03	0.0171	1.247E-05	0.0001	3.322E-05	0.0001	2.404E-04	0.00
Total	2.237E-02	0.0993	1.809E-01	0.8033	0.000E+00	0.0000	2.043E-02	0.0907	6.817E-05	0.0003	1.750E-04	0.0008	1.272E-03	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	0.000E+00	0.0000	1.629E-01	0.72										
U-235	8.703E-08	0.0000	7.306E-11	0.0000	0.000E+00	0.0000	3.374E-09	0.0000	1.850E-12	0.0000	1.281E-12	0.0000	1.079E-02	0.04
U-238	0.000E+00	0.0000	5.155E-02	0.22										
Total	8.703E-08	0.0000	7.306E-11	0.0000	0.000E+00	0.0000	3.374E-09	0.0000	1.850E-12	0.0000	1.281E-12	0.0000	2.252E-01	1.00

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70       $T_{1/2}$  Limit = 30 days      10/14/99 17:55      Page 16  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	5.451E-04	0.0028	2.650E-02	0.1340	0.000E+00	0.0000	3.116E-03	0.0158	1.040E-05	0.0001	2.535E-05	0.0001	1.854E-04	0.00
U-235	1.288E-03	0.0065	6.596E-04	0.0033	0.000E+00	0.0000	1.280E-04	0.0006	1.397E-06	0.0000	5.007E-07	0.0000	5.312E-06	0.00
U-238	2.637E-03	0.0133	5.786E-03	0.0293	0.000E+00	0.0000	6.828E-04	0.0035	2.215E-06	0.0000	5.901E-06	0.0000	4.271E-05	0.00
Total	4.471E-03	0.0226	3.294E-02	0.1666	0.000E+00	0.0000	3.927E-03	0.0199	1.402E-05	0.0001	3.175E-05	0.0002	2.334E-04	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	1.162E-01	0.5876	1.098E-05	0.0001	0.000E+00	0.0000	4.479E-03	0.0227	1.739E-05	0.0001	5.045E-05	0.0003	1.511E-01	0.76
U-235	6.184E-03	0.0313	3.004E-06	0.0000	0.000E+00	0.0000	2.384E-04	0.0012	1.755E-06	0.0000	1.063E-06	0.0000	8.511E-03	0.04
U-238	2.783E-02	0.1408	2.574E-06	0.0000	0.000E+00	0.0000	1.073E-03	0.0054	4.151E-06	0.0000	1.209E-05	0.0001	3.808E-02	0.19
Total	1.502E-01	0.7597	1.656E-05	0.0001	0.000E+00	0.0000	5.790E-03	0.0293	2.329E-05	0.0001	6.360E-05	0.0003	1.977E-01	1.00

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 17:55 Page 17  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	frac
U-234	6.951E-04	0.0015	5.427E-03	0.0115	0.000E+00	0.0000	8.632E-04	0.0018	3.169E-06	0.0000	5.354E-06	0.0000	4.016E-05	0.00
U-235	2.307E-04	0.0005	1.358E-04	0.0003	0.000E+00	0.0000	3.118E-05	0.0001	3.906E-07	0.0000	8.958E-08	0.0000	1.155E-06	0.00
U-238	4.683E-04	0.0010	1.028E-03	0.0022	0.000E+00	0.0000	1.213E-04	0.0003	3.936E-07	0.0000	1.048E-06	0.0000	7.588E-06	0.00
Total	1.394E-03	0.0029	6.591E-03	0.0139	0.000E+00	0.0000	1.016E-03	0.0021	3.953E-06	0.0000	6.492E-06	0.0000	4.891E-05	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	frac										
U-234	3.448E-01	0.7281	5.965E-05	0.0001	0.000E+00	0.0000	1.329E-02	0.0281	5.440E-05	0.0001	1.493E-04	0.0003	3.654E-01	0.77
U-235	2.003E-02	0.0423	9.550E-06	0.0000	0.000E+00	0.0000	7.721E-04	0.0016	7.698E-06	0.0000	3.148E-06	0.0000	2.122E-02	0.04
U-238	8.213E-02	0.1734	7.605E-06	0.0000	0.000E+00	0.0000	3.166E-03	0.0067	1.225E-05	0.0000	3.566E-05	0.0001	8.697E-02	0.18
Total	4.470E-01	0.9438	7.680E-05	0.0002	0.000E+00	0.0000	1.723E-02	0.0364	7.435E-05	0.0002	1.881E-04	0.0004	4.736E-01	1.00

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70       $T_{1/2}$  Limit = 30 days      10/14/99 17:55      Page 18  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 9.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	7.651E-04	0.0014	1.020E-03	0.0018	0.000E+00	0.0000	4.130E-04	0.0007	1.760E-06	0.0000	1.236E-06	0.0000	1.006E-05	0.00
U-235	7.397E-06	0.0000	5.455E-06	0.0000	0.000E+00	0.0000	1.512E-06	0.0000	2.125E-08	0.0000	2.866E-09	0.0000	4.964E-08	0.00
U-238	1.482E-05	0.0000	3.251E-05	0.0001	0.000E+00	0.0000	3.860E-06	0.0000	1.255E-08	0.0000	3.317E-08	0.0000	2.402E-07	0.00
Total	7.873E-04	0.0014	1.058E-03	0.0019	0.000E+00	0.0000	4.184E-04	0.0008	1.794E-06	0.0000	1.272E-06	0.0000	1.035E-05	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 9.000E+02 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	4.054E-01	0.7312	2.236E-04	0.0004	0.000E+00	0.0000	1.561E-02	0.0282	7.968E-05	0.0001	1.730E-04	0.0003	4.237E-01	0.76
U-235	3.229E-02	0.0582	1.702E-05	0.0000	0.000E+00	0.0000	1.245E-03	0.0022	1.450E-05	0.0000	3.686E-06	0.0000	3.358E-02	0.06
U-238	9.341E-02	0.1685	8.708E-06	0.0000	0.000E+00	0.0000	3.601E-03	0.0065	1.394E-05	0.0000	4.056E-05	0.0001	9.713E-02	0.17
Total	5.311E-01	0.9580	2.493E-04	0.0004	0.000E+00	0.0000	2.046E-02	0.0369	1.081E-04	0.0002	2.173E-04	0.0004	5.544E-01	1.00

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days 10/14/99 17:55 Page 19  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio-Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-234	7.673E-04	0.0019	9.361E-04	0.0024	0.000E+00	0.0000	4.050E-04	0.0010	1.736E-06	0.0000	1.160E-06	0.0000	9.493E-06	0.00
U-235	3.130E-06	0.0000	2.422E-06	0.0000	0.000E+00	0.0000	6.926E-07	0.0000	9.889E-09	0.0000	1.212E-09	0.0000	2.230E-08	0.00
U-238	6.281E-06	0.0000	1.375E-05	0.0000	0.000E+00	0.0000	1.646E-06	0.0000	5.373E-09	0.0000	1.403E-08	0.0000	1.017E-07	0.00
Total	7.767E-04	0.0020	9.523E-04	0.0024	0.000E+00	0.0000	4.073E-04	0.0010	1.751E-06	0.0000	1.175E-06	0.0000	9.617E-06	0.00

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio-Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways	
	mrem/yr	fract.	mrem/yr	fract.										
U-234	2.931E-01	0.7386	2.673E-04	0.0007	0.000E+00	0.0000	1.128E-02	0.0284	6.847E-05	0.0002	1.234E-04	0.0003	3.069E-01	0.77
U-235	2.119E-02	0.0534	1.042E-05	0.0000	0.000E+00	0.0000	8.170E-04	0.0021	1.110E-05	0.0000	2.550E-06	0.0000	2.204E-02	0.05
U-238	6.527E-02	0.1645	6.126E-06	0.0000	0.000E+00	0.0000	2.516E-03	0.0063	9.745E-06	0.0000	2.834E-05	0.0001	6.785E-02	0.17
Total	3.795E-01	0.9564	2.838E-04	0.0007	0.000E+00	0.0000	1.461E-02	0.0368	8.931E-05	0.0002	1.543E-04	0.0004	3.968E-01	1.00

\*Sum of all water independent and dependent pathways.

RESRAD, Version 5.70       $T_{1/2}$  Limit = 30 days  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

10/14/99 17:55 Page 20

Dose/Source Ratios Summed Over All Pathways  
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction	t = 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03
DSR(j,t) (mrem/yr)/(pCi/g)												
U-234	U-234	1.000E+00	1.242E-01	1.231E-01	1.210E-01	1.139E-01	9.581E-02	5.231E-02	4.822E-02	1.164E-01	1.303E-01	9.096E-02
U-234	Th-230	1.000E+00	0.000E+00	2.564E-06	7.610E-06	2.460E-05	6.783E-05	1.717E-04	2.738E-04	2.914E-04	2.941E-04	2.938E-04
U-234	Ra-226	1.000E+00	0.000E+00	8.970E-09	7.989E-08	8.567E-07	6.973E-06	5.512E-05	2.076E-04	3.427E-04	7.650E-04	8.991E-04
U-234	Pb-210	1.000E+00	0.000E+00	2.747E-11	5.796E-10	1.797E-08	3.716E-07	6.471E-06	3.634E-05	2.261E-04	1.313E-03	1.680E-03
U-234	Po-210	1.000E+00	0.000E+00	8.334E-13	2.772E-11	1.113E-09	2.514E-08	4.519E-07	7.563E-06	6.027E-04	4.014E-03	5.179E-03
U-234	$\Sigma$ DSR(j)		1.242E-01	1.231E-01	1.210E-01	1.139E-01	9.588E-02	5.254E-02	4.875E-02	1.179E-01	1.367E-01	9.901E-02
U-235	U-235	1.000E+00	3.734E-01	3.702E-01	3.639E-01	3.425E-01	2.881E-01	1.573E-01	6.470E-02	1.134E-01	1.233E-01	8.611E-02
U-235	Pa-231	1.000E+00	0.000E+00	6.427E-05	1.888E-04	5.915E-04	1.492E-03	2.713E-03	1.131E-02	4.761E-02	9.444E-02	7.306E-02
U-235	Ac-227	1.000E+00	0.000E+00	2.364E-06	1.996E-05	1.878E-04	1.098E-03	3.461E-03	5.294E-02	1.605E-01	2.911E-01	1.747E-01
U-235	$\Sigma$ DSR(j)		3.734E-01	3.703E-01	3.641E-01	3.433E-01	2.907E-01	1.635E-01	1.290E-01	3.215E-01	5.089E-01	3.339E-01
U-238	U-238	1.000E+00	1.568E-01	1.555E-01	1.528E-01	1.438E-01	1.210E-01	6.608E-02	4.878E-02	1.113E-01	1.242E-01	8.671E-02
U-238	U-234	1.000E+00	0.000E+00	3.503E-07	1.030E-06	3.230E-06	8.150E-06	1.483E-05	4.324E-05	1.716E-04	3.402E-04	2.634E-04
U-238	Th-230	1.000E+00	0.000E+00	3.640E-12	3.225E-11	3.438E-10	2.760E-09	2.088E-08	7.107E-08	9.041E-08	9.784E-08	9.837E-08
U-238	Ra-226	1.000E+00	0.000E+00	8.471E-15	2.259E-13	8.024E-12	1.924E-10	4.745E-09	4.644E-08	1.817E-07	7.504E-07	9.393E-07
U-238	Pb-210	1.000E+00	0.000E+00	2.132E-17	1.286E-15	1.301E-13	8.092E-12	4.736E-10	1.517E-08	2.952E-07	1.778E-06	2.286E-06
U-238	Po-210	1.000E+00	0.000E+00	1.964E-19	5.635E-17	7.736E-15	5.392E-13	3.292E-11	3.450E-08	9.951E-07	6.051E-06	7.769E-06
U-238	$\Sigma$ DSR(j)		1.568E-01	1.555E-01	1.528E-01	1.438E-01	1.210E-01	6.610E-02	4.882E-02	1.115E-01	1.245E-01	8.699E-02

Branch Fraction is the cumulative factor for the j'th principal radionuclide daughter: CUMBRF(j) = BRF(1)\*BRF(2)\* ... BRF(j).  
 The DSR includes contributions from associated (half-life  $\leq$  30 days) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 Basic Radiation Dose Limit = 30 mrem/yr

Nuclide (i)	t = 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03
U-234	2.416E+02	2.437E+02	2.479E+02	2.633E+02	3.129E+02	5.710E+02	6.154E+02	2.545E+02	2.195E+02	3.030E+02
U-235	8.034E+01	8.102E+01	8.240E+01	8.739E+01	1.032E+02	1.835E+02	2.326E+02	9.330E+01	5.896E+01	8.985E+01
U-238	1.913E+02	1.930E+02	1.963E+02	2.086E+02	2.479E+02	4.539E+02	6.145E+02	2.690E+02	2.409E+02	3.449E+02

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
 at tmin = time of minimum single radionuclide soil guideline  
 and at tmax = time of maximum total dose = 937.9 ± 0.9 years

Nuclide (i)	Initial pci/g	tmin (years)	DSR(i,tmin)	G(i,tmin)	DSR(i,tmax)	G(i,tmax)
			(pCi/g)	(pCi/g)		(pCi/g)
U-234	3.100E+00	958.5 ± 1.0	1.378E-01	2.177E+02	1.374E-01	2.183E+02
U-235	6.600E-02	890.8 ± 0.9	5.093E-01	5.890E+01	4.915E-01	6.104E+01
U-238	7.800E-01	0.000E+00	1.568E-01	1.913E+02	1.246E-01	2.407E+02

RESRAD, Version 5.70      T<sub>1/2</sub> Limit = 30 days      10/14/99 17:55      Page 21  
 Summary : Subarea G -- PG-8-08 Default Parameters  
 File : C:\RESWIN\CIMARRON\G\_CONC.RAD

Individual Nuclide Dose Summed Over All Pathways  
 Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	DOSE(j,t), mrem/yr										
(j)	(i)		t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03
U-234	U-234	1.000E+00		3.849E-01	3.816E-01	3.751E-01	3.531E-01	2.970E-01	1.622E-01	1.495E-01	3.609E-01	4.039E-01	2.820E-01
U-234	U-238	1.000E+00		0.000E+00	2.732E-07	8.036E-07	2.519E-06	6.357E-06	1.157E-05	3.372E-05	1.339E-04	2.653E-04	2.054E-04
U-234	$\Sigma$ DOSE(j):			3.849E-01	3.816E-01	3.751E-01	3.531E-01	2.970E-01	1.622E-01	1.495E-01	3.610E-01	4.041E-01	2.822E-01
Th-230	U-234	1.000E+00		0.000E+00	7.948E-06	2.359E-05	7.626E-05	2.103E-04	5.323E-04	8.489E-04	9.034E-04	9.116E-04	9.109E-04
Th-230	U-238	1.000E+00		0.000E+00	2.839E-12	2.516E-11	2.681E-10	2.153E-09	1.629E-08	5.543E-08	7.052E-08	7.632E-08	7.673E-08
Th-230	$\Sigma$ DOSE(j):			0.000E+00	7.948E-06	2.359E-05	7.626E-05	2.103E-04	5.323E-04	8.489E-04	9.035E-04	9.117E-04	9.110E-04
Ra-226	U-234	1.000E+00		0.000E+00	2.781E-08	2.477E-07	2.656E-06	2.162E-05	1.709E-04	6.435E-04	1.062E-03	2.371E-03	2.787E-03
Ra-226	U-238	1.000E+00		0.000E+00	6.607E-15	1.762E-13	6.258E-12	1.501E-10	3.701E-09	3.622E-08	1.417E-07	5.853E-07	7.327E-07
Ra-226	$\Sigma$ DOSE(j):			0.000E+00	2.781E-08	2.477E-07	2.656E-06	2.162E-05	1.709E-04	6.435E-04	1.062E-03	2.372E-03	2.788E-03
Pb-210	U-234	1.000E+00		0.000E+00	8.515E-11	1.797E-09	5.572E-08	1.152E-06	2.006E-05	1.127E-04	7.009E-04	4.069E-03	5.209E-03
Pb-210	U-238	1.000E+00		0.000E+00	1.663E-17	1.003E-15	1.015E-13	6.312E-12	3.694E-10	1.183E-08	2.302E-07	1.387E-06	1.783E-06
Pb-210	$\Sigma$ DOSE(j):			0.000E+00	8.515E-11	1.797E-09	5.572E-08	1.152E-06	2.006E-05	1.127E-04	7.011E-04	4.071E-03	5.211E-03
Po-210	U-234	1.000E+00		0.000E+00	2.584E-12	8.594E-11	3.449E-09	7.794E-08	1.401E-06	2.345E-05	1.868E-03	1.244E-02	1.605E-02
Po-210	U-238	1.000E+00		0.000E+00	1.532E-19	4.395E-17	6.034E-15	4.205E-13	2.568E-11	2.691E-08	7.762E-07	4.720E-06	6.059E-06
Po-210	$\Sigma$ DOSE(j):			0.000E+00	2.584E-12	8.594E-11	3.449E-09	7.794E-08	1.401E-06	2.347E-05	1.869E-03	1.245E-02	1.606E-02
U-235	U-235	1.000E+00		2.465E-02	2.443E-02	2.402E-02	2.261E-02	1.902E-02	1.038E-02	4.271E-03	7.484E-03	8.140E-03	5.683E-03
Pa-231	U-235	1.000E+00		0.000E+00	4.242E-06	1.246E-05	3.904E-05	9.846E-05	1.791E-04	7.464E-04	3.142E-03	6.233E-03	4.822E-03
Ac-227	U-235	1.000E+00		0.000E+00	1.560E-07	1.317E-06	1.240E-05	7.246E-05	2.284E-04	3.494E-03	1.059E-02	1.921E-02	1.153E-02
U-238	U-238	1.000E+00		1.223E-01	1.213E-01	1.192E-01	1.122E-01	9.439E-02	5.154E-02	3.805E-02	8.684E-02	9.685E-02	6.764E-02

BRF(i) is the branch fraction of the parent nuclide.

RESRAD, Version 5.70 T<sub>1/2</sub> Limit = 30 days  
Summary : Subarea G -- PG-8-08 Default Parameters  
File : C:\RESWIN\CIMARRON\G\_CONC.RAD


10/14/99 17:55 Page 22

Individual Nuclide Soil Concentration  
Parent Nuclide and Branch Fraction Indicated

Nuclide	Parent	BRF(i)	S(j,t), pCi/g										
(j)	(i)		t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	5.000E+02	9.000E+02	1.000E+03
U-234	U-234	1.000E+00		3.100E+00	3.073E+00	3.021E+00	2.843E+00	2.392E+00	1.306E+00	2.317E-01	4.111E-02	1.294E-03	5.453E-04
U-234	U-238	1.000E+00		0.000E+00	2.192E-06	6.464E-06	2.028E-05	5.118E-05	9.316E-05	4.960E-05	1.467E-05	8.321E-07	3.895E-07
U-234	$\Sigma S(j)$ :			3.100E+00	3.073E+00	3.021E+00	2.843E+00	2.392E+00	1.306E+00	2.318E-01	4.113E-02	1.295E-03	5.457E-04
Th-230	U-234	1.000E+00		0.000E+00	2.779E-05	8.264E-05	2.673E-04	7.372E-04	1.866E-03	2.976E-03	3.165E-03	3.186E-03	3.181E-03
Th-230	U-238	1.000E+00		0.000E+00	9.896E-12	8.804E-11	9.397E-10	7.548E-09	5.711E-08	1.943E-07	2.464E-07	2.625E-07	2.626E-07
Th-230	$\Sigma S(j)$ :			0.000E+00	2.779E-05	8.264E-05	2.673E-04	7.372E-04	1.866E-03	2.977E-03	3.165E-03	3.186E-03	3.181E-03
Ra-226	U-234	1.000E+00		0.000E+00	6.014E-09	5.358E-08	5.746E-07	4.677E-06	3.697E-05	1.389E-04	1.868E-04	2.073E-04	2.079E-04
Ra-226	U-238	1.000E+00		0.000E+00	1.429E-15	3.812E-14	1.354E-12	3.247E-11	8.008E-10	7.317E-09	1.305E-08	1.680E-08	1.700E-08
Ra-226	$\Sigma S(j)$ :			0.000E+00	6.014E-09	5.358E-08	5.746E-07	4.677E-06	3.697E-05	1.389E-04	1.868E-04	2.073E-04	2.079E-04
Pb-210	U-234	1.000E+00		0.000E+00	6.184E-11	1.628E-09	5.527E-08	1.175E-06	2.065E-05	1.116E-04	1.600E-04	1.816E-04	1.824E-04
Pb-210	U-238	1.000E+00		0.000E+00	1.102E-17	8.731E-16	9.931E-14	6.405E-12	3.797E-10	5.523E-09	1.089E-08	1.466E-08	1.488E-08
Pb-210	$\Sigma S(j)$ :			0.000E+00	6.184E-11	1.628E-09	5.527E-08	1.175E-06	2.065E-05	1.116E-04	1.600E-04	1.817E-04	1.824E-04
Po-210	U-234	1.000E+00		0.000E+00	2.033E-11	9.941E-10	4.649E-08	1.095E-06	1.996E-05	1.089E-04	1.563E-04	1.775E-04	1.782E-04
Po-210	U-238	1.000E+00		0.000E+00	3.070E-18	4.766E-16	7.970E-14	5.869E-12	3.651E-10	5.380E-09	1.063E-08	1.433E-08	1.453E-08
Po-210	$\Sigma S(j)$ :			0.000E+00	2.033E-11	9.941E-10	4.649E-08	1.095E-06	1.996E-05	1.089E-04	1.563E-04	1.775E-04	1.782E-04
U-235	U-235	1.000E+00		6.600E-02	6.543E-02	6.431E-02	6.054E-02	5.093E-02	2.781E-02	4.937E-03	8.766E-04	2.763E-05	1.164E-05
Pa-231	U-235	1.000E+00		0.000E+00	1.384E-06	4.082E-06	1.281E-05	3.231E-05	5.878E-05	3.124E-05	9.225E-06	5.212E-07	2.437E-07
Ac-227	U-235	1.000E+00		0.000E+00	2.171E-08	1.865E-07	1.766E-06	1.034E-05	3.260E-05	2.059E-05	6.276E-06	3.619E-07	1.697E-07
U-238	U-238	1.000E+00		7.800E-01	7.733E-01	7.600E-01	7.154E-01	6.019E-01	3.287E-01	5.835E-02	1.036E-02	3.265E-04	1.376E-04

BRF(i) is the branch fraction of the parent nuclide.

### Dose for All Radionuclides



C:\RESWIN\CIMARRON\G\_CONC.RAD 10/14/99 Includes All Pathways