



## UNITED STATES NUCLEAR REGULATORY COMMISSION WASHINGTON, D. C. 20555

March 18, 1981

Docket Nos. 50-295 and 50-304

> Mr. J. S. Abel Director of Nuclear Licensing Commonwealth Edison Company Post Office Box 767 Chicago, Illinois 60690

Dear Mr. Abel:



In the Zion Fire Protection Safety Evaluation Report we identified a number of items which could not be evaluated until additional information was provided. By letters dated April 30, May 28, September 30, and November 24, 1980, and by verbal communication the Commonwealth Edison Company (CECO) has provided the results of an evaluation to achieve and maintain safe shutdown for postulated fires in various areas of Zion. Our consultants, Brookhaven National Laboratory (BNL), under a technical assistance contract reviewed this analysis. Their report is included as Enclosure 1.

Many of the recommendations in the BNL report have been discussed with your staff. It is requested that CECO review the BNL report and provide the necessary information to resolve these concerns. If there are any questions on this matter, please let us know.

Sincerely,

Steven A. Varga, Clief Operating Reactors Branch #1

Division of Licensing

Enclosure: Interim Report, March 3, 1981 Post Fire Shutdown Capability Zion Station, Unit Nos. 1 and 2

cc w/encl: See next page Mr. J. S. Abel Commonwealth Edison Company

cc: Robert J. Vollen, Esquire 109 North Dearborn Street Chicago, Illinois 60602

Dr. Cecil Lue-Hing
Director of Research and Development
Metropolitan Sanitary District
of Greater Chicago
100 East Erie Street
Chicago, Illinois 60611

Zion-Benton Public Library District 2600 Emmaus Avenue Zion, Illinois 60099

Mr. Phillip P. Steptoe Isham, Lincoln and Beale Counselors at Law One First National Plaza 42nd Floor Chicago, Illinois 60603

Susan N. Sekuler, Esquire Assistant Attorney General Environmental Control Division 188 West Randolph Street, Suite 2315 Chicago, Illinois 60601

U. S. Nuclear Regulatory Commission Resident Inspectors Office 105 Shiloh Blvd. Zion, Illinois 60099