



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

TEPA

April 23, 1981

Docket No. 50-409
LS05-81-04-048



Mr. Frank Linder
General Manager
Dairyland Power Cooperative
2615 East Avenue South
LaCrosse, Wisconsin 54601

Dear Mr. Linder:

SUBJECT: RELIEF FROM ASME SECTION XI REQUIREMENTS (INSERVICE VALVE TESTING)
RE: LACROSSE BOILING WATER REACTOR

By letters dated July 27, 1979, January 21, 1980, January 30, 1980, July 14, 1980, and November 19, 1980, you requested relief from certain requirements of ASME Section XI.

We have reviewed the information you have presented and agree with your determination. Therefore, pursuant to 10 CFR 50.55a(g)(6)(i), relief relating to certain inservice valve testing requirements is granted as discussed in the enclosed Safety Evaluation. We have determined that the granting of this relief is authorized by law and will not endanger life or property of the the common defense and security, and is otherwise in the public interest considering the burdens imposed on the Dairyland Power Cooperative if the relief is not granted.

We have determined that granting of the relief does not authorize a change in effluent types or total amounts nor an increase in power level and will not result in any significant environmental impact. Having made this determination, we have further concluded that the relief involves an action which is insignificant from the standpoint of environmental impact and, pursuant to 10 CFR §51.5(d)(4), that an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with the issuance of this action.

A notice related to the granting of the relief, which is being forwarded to the Office of the Federal Register, is enclosed for your information.

Sincerely,

Dennis M. Crutchfield
Dennis M. Crutchfield, Chief
Operating Reactors Branch #5
Division of Licensing

8105080408

Mr. Frank Linder

- 2 -

April 23 1981

Enclosures: .

1. Safety Evaluation
2. Notice

cc w/enclosures:
See next page

April 23, 1981

cc w/enclosures:

Fritz Schubert, Esquire
Staff Attorney
Dairyland Power Cooperative
2615 East Avenue South
La Crosse, Wisconsin 54601

O. S. Heistand, Jr., Esquire
Morgan, Lewis & Bockius
1800 M Street, N. W.
Washington, D. C. 20036

Mr. R. E. Shimshak
La Crosse Boiling Water Reactor
Dairyland Power Cooperative
P. O. Box 135
Genoa, Wisconsin 54632

Ms. Anne K. Morse
Coulee Region Energy Coalition
P. O. Box 1583
La Crosse, Wisconsin 54601

La Crosse Public Library
800 Main Street
La Crosse, Wisconsin 54601

U. S. Nuclear Regulatory Commission
Resident Inspectors Office
Rural Route #1, Box 225
Genoa, Wisconsin 54632

Town Chairman
Town of Genoa
Route 1
Genoa, Wisconsin 54632

Chairman, Public Service Commission
of Wisconsin
Hill Farms State Office Building
Madison, Wisconsin 53702

Alan S. Rosenthal, Esq., Chairman
Atomic Safety and Licensing Appeal Board
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Mr. Frederick Milton Olsen, III
609 North 11th Street
LaCrosse, Wisconsin

Director, Standards and Criteria
Division
Office of Radiation Programs
(ANR-460)
U. S. Environmental Protection
Agency
Washington, D. C. 20460

U. S. Environmental Protection
Agency
Federal Activities Branch
Region V Office
ATTN: EIS COORDINATOR
230 South Dearborn Street
Chicago, Illinois 60604

Charles Bechhoefer, Esq., Chairman
Atomic Safety and Licensing Board
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Dr. George C. Anderson
Department of Oceanography
University of Washington
Seattle, Washington 98195

Mr. Ralph S. Decker
Route 4, Box 190D
Cambridge, Maryland 21613

Dr. Lawrence R. Quarles
Kendal at Longwood, Apt. 51
Kenneth Square, Pennsylvania 19348

Thomas S. Moore
Atomic Safety and Licensing Appeal Board
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

Mr. John H. Buck
Atomic Safety and Licensing Appeal Board
U. S. Nuclear Regulatory Commission
Washington, D. C. 20555

U. S. Nuclear Regulatory Commission
Resident Inspectors Office
Rural Route #1, Box 225
Genoa, Wisconsin 54632