



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION I
631 PARK AVENUE
KING OF PRUSSIA, PENNSYLVANIA 19406

24 JUN 1981

Docket No. 30-5518

Consolidated Testing Laboratories, Incorporated
ATTN: Mr. Felix Carlson
President
79 Herricks Road
New Hyde Park, New York 11044



Gentlemen:

Subject: Inspection 81-01

This refers to the routine safety inspection conducted by Mr. C. Stearns of this office on May 27, 1981 of activities authorized by NRC License No. 31-01545-02 and to the discussions of our findings held by Mr. Stearns with Mr. Wood of your staff at the conclusion of the inspection.

The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel, measurements made by the inspector, and observations by the inspector.

Our inspector also verified the steps you have taken to correct the items of noncompliance brought to your attention in the enclosure to our letter dated November 6, 1979. We have no further questions regarding your action at this time.

Within the scope of this inspection, no items of noncompliance were observed.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter will be placed in the Public Document Room.


IE07
s
1/0

8106800354

24 JUN 1981

Should you have any questions concerning this inspection, we will be pleased to discuss them with you.

Sincerely,

A handwritten signature in cursive script, appearing to read "John D. Kinneman", with a long horizontal flourish extending to the right.

John D. Kinneman, Chief
Materials Radiological Protection
Section
Technical Inspection Branch