

EMERGENCY PLAN IMPLEMENTING PROCEDURES

INDEX

<u>NUMBER</u>	<u>TITLE</u>	<u>DATE</u>
099-1	Reference Procedures	2-18-81
110-1	Station Director EPIP	4-30-81
120-1	Operations Director EPIP	2-18-81
130-1	Technical Director EPIP	2-18-81
140-1	Maintenance Director EPIP	2-18-81
150-1	Stores Director EPIP	2-18-81
160-1	Administrative Director EPIP	2-18-81
170-1	Security Director EPIP	2-18-81
180-1	Rad/Chem Director EPIP	2-18-81
190-1	Communications Director EPIP	2-18-81
310-1	Action and Notification	2-18-81
320-1	Activation of the GSEP Station Group	2-18-81
330-1	Classification of GSEP Conditions	6-09-81
330-2	Environs Procedure	2-18-81
330-3	Zion Environmental Surveillance Stations	2-18-81
330-4	Classification of an Incident involving Hazardous Material	2-18-81
340-1	Spill Prevention Control and Countermeasure Plans for Zion Nuclear Power Station	2-18-81
350-1	Quick Estimate of Offsite Dose from an Unplanned Release	5-21-81
360-1	Site Evacuation of Non-essential Personnel	2-18-81
360-2	Assembly Procedure	JUN 23 1981
370-1	Rescue and Recovery	2-18-81

8106300499

APPROVED *[Signature]*
DATE 6-23-81

ASSEMBLY PROCEDURE

EPIP 360-2

TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>	<u>DATE</u>	<u>REVISION</u>
	Table of Contents	1	JUN 23 1981	0
	Purpose	2	JUN 23 1981	0
	Reference	2	JUN 23 1981	0
	Prerequisites	2	JUN 23 1981	0
	Precautions	2	JUN 23 1981	0
	Limitations and Actions	2	JUN 23 1981	0
	Procedure	2	JUN 23 1981	0
		3	JUN 23 1981	0

This procedure contains 3 pages.

APPROVED *R. J. [Signature]*
DATE 6-23-81

Assembly Procedure

A. PURPOSE

To assemble and account for all personnel within the protected area when warranted during a GSEP condition.

B. REFERENCE

EPIP 170-1

C. PREREQUISITES

None

D. PRECAUTIONS

None

E. LIMITATION & ACTIONS

1. Applies to people within the protected area only.

F. PROCEDURE

1. Initiate assembly by a two minute continuous siren and/or page announcement.
2. Station groups are to report to the following areas listed:
 - A. Control Room
 1. Operating people assigned to shift
 - B. Technical Support Center
 1. GSEP Director and alternates
 2. Anyone assigned specific duties in TSC
 - C. Rad Protection Office
 1. All Rad Protection personnel
 - D. Maintenance Machine Shop
 1. Office personnel
 2. Technical Staff
 3. Non-Shift Operating personnel
 4. All Maintenance personnel
 5. All persons in protected area not previously listed
 - E. Station Security force will stay on post unless otherwise directed. Security Supervisor will account for all security personnel.
3. Each supervisor will account for his people and forward to security at Ext. 505 all present or the name of any missing individual.

JUN 23 1981

PROCEDURE (Cont'd)

4. Security Supervisor will advise each department of last known whereabouts of missing personnel.
5. Security Supervisor will advise Station or Operations Director of accountability results.
6. During assembly procedure, Security will admit people into the protected area only on the authorization of the Station Director.

FINAL